

California Local Health Jurisdiction STD Data Summaries 2007 Provisional Data

Data Sources 2

Data Limitations 3

State Summary 4

Local Health Jurisdictions

Alameda	8
Alpine	10
Amador	12
Berkeley	14
Butte	16
Calaveras	18
Colusa	20
Contra Costa	22
Del Norte	24
El Dorado	26
Fresno	28
Glenn	30
Humboldt	32
Imperial	34
Inyo	36
Kern	38
Kings	40
Lake	42
Lassen	44
Long Beach	46
Los Angeles	48

Madera	50
Marin	52
Mariposa	54
Mendocino	56
Merced	58
Modoc	60
Mono	62
Monterey	64
Napa	66
Nevada	68
Orange	70
Pasadena	72
Placer	74
Plumas	76
Riverside	78
Sacramento	80
San Benito	82
San Bernardino	84
San Diego	86
San Francisco	88

San Joaquin	90
San Luis Obispo	92
San Mateo	94
Santa Barbara	96
Santa Clara	98
Santa Cruz	100
Shasta	102
Sierra	104
Siskiyou	106
Solano	108
Sonoma	110
Stanislaus	112
Sutter	114
Tehama	116
Trinity	118
Tulare	120
Tuolumne	122
Ventura	124
Yolo	126
Yuba	128



Prepared by: California Department of Public Health
Sexually Transmitted Diseases Control Branch
<http://www.cdph.ca.gov/programs/std/Pages/default.aspx>



July 2008

DATA SOURCES

The STD surveillance systems operated by state and local STD control programs are the sources of California data in this publication. Case reports are submitted to local health jurisdictions in the form of laboratory reports and Confidential Morbidity Reports (CMRs). The local health jurisdictions then submit the data to the California Department of Public Health (CDPH). Submission of the data may be accomplished electronically in two ways. Most health jurisdictions either use the Automated Vital Statistics System (AVSS) communicable disease module, or enter case data into a non-AVSS database using regional office computers or STD surveillance unit staff support in Sacramento. A small number of health jurisdictions report case data through paper-based transactions (CMRs) or through a county-generated database.

Rates by county and selected city health jurisdictions were calculated using State of California, Department of Finance, *California County Population Estimates and Components of Change by Year, July 1, 2000–2007*, Sacramento, California, December 2007. Rates by age, race/ethnicity, and gender were calculated using State of California, Department of Finance, *Race/Ethnic Population with Age and Sex Detail, 2000–2050*, Sacramento, California, July 2007. In this report, data are presented by county and for the separate city health jurisdictions of Berkeley, Long Beach and Pasadena. The numbers for these cities are displayed separately from their respective county totals and are included in the county totals.

The race and ethnicity information listed and the corresponding census categories are Black (Black or African-American, non-Hispanic); Latino/Hispanic (Hispanic ethnicity, regardless of race designation); White (white, non-Hispanic); Asian/Pacific Islander (Asian or Native Hawaiian/Pacific Islander, non-Hispanic); American Indian/Alaska Native (American Indian/Alaska Native, non-Hispanic); Other (Other, non-Hispanic), Multi (2 or more races, non-Hispanic), and Not Specified (no race or ethnicity information was available).

DATA LIMITATIONS


The observed increasing trend in chlamydia cases is influenced by factors other than true increases in cases. Chlamydia is often asymptomatic, and many cases are identified through screening programs offered primarily to women. Based on local, state, and national efforts, these screening activities have been increasing in recent years. Women may be screened for chlamydia through routine Pap smear screening, family planning services, and other services related to reproductive health care. Although the majority of chlamydia infections in males are asymptomatic, there are no guidelines for screening asymptomatic males. Another factor influencing the apparent increase in cases is the increasing use of urine-based, nucleic acid amplification tests (NAAT) for chlamydia screening. This test type is likely contributing to the rise in the number of reported chlamydia cases because these tests are more sensitive and more acceptable to some women and men.

The substantial amount of missing race/ethnicity data from the laboratory reports and CMRs limits the interpretation of race/ethnicity data from surveillance data. The majority of case reports originate from laboratories, a group which does not routinely collect data on race/ethnicity. Further, some managed care organizations and other health care service providers do not routinely record race/ethnicity of patients. The observed racial/ethnic disparities may reflect true differences in the infection rates, differential access to health care, and/or reporting practices of different types of providers that serve different populations.


Caution should also be observed when interpreting rates based on few events and/or small populations. For more information, refer to *Guidelines for statistical analysis of public health data with attention to small numbers, Revised, July, 2003*. This publication can be found at http://www.ucsf.edu/fhop/_docs/pdf/prods/smallnumbers2003.pdf.

California – Chlamydia, Gonorrhea, and P&S Syphilis Rates by County, 2007


Chlamydia












P&S Syphilis



Gonorrhea



California – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

California State – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
STATE TOTAL	142,912	100.0%	378.4	31,192	100.0%	82.6	2,055	100.0%	5.4	1,460	100.0%	3.9	37,810,582	100.0%
Female Total	101,807	71.2%	537.5	14,490	46.5%	76.5	119	5.8%	0.6	179	12.3%	0.9	18,939,596	50.1%
Ages														
0 – 9	33	0.0%	1.3	15	0.1%	0.6	0	0.0%	0.0	0	0.0%	0.0	2,619,517	13.8%
10 – 14	1,130	1.1%	81.1	214	1.5%	15.4	0	0.0%	0.0	0	0.0%	0.0	1,393,013	7.4%
15 – 19	33,303	32.8%	2,314.7	4,861	33.7%	337.9	16	13.4%	1.1	16	9.0%	1.1	1,438,740	7.6%
20 – 24	36,913	36.4%	2,863.0	4,549	31.5%	352.8	17	14.3%	1.3	34	19.1%	2.6	1,289,314	6.8%
25 – 29	16,718	16.5%	1,403.2	2,332	16.2%	195.7	16	13.4%	1.3	38	21.3%	3.2	1,191,444	6.3%
30 – 34	6,918	6.8%	564.2	1,111	7.7%	90.6	20	16.8%	1.6	32	18.0%	2.6	1,226,258	6.5%
35 – 44	4,923	4.9%	176.2	987	6.8%	35.3	25	21.0%	0.9	34	19.1%	1.2	2,794,590	14.8%
45 +	1,496	1.5%	21.4	365	2.5%	5.2	25	21.0%	0.4	24	13.5%	0.3	6,986,720	36.9%
Not Specified	373	0.4%	-	56	0.4%	-	0	0.0%	-	1	0.6%	-		
Male Total	40,579	28.4%	215.0	16,577	53.1%	87.8	1,934	94.1%	10.2	1,278	87.5%	6.8	18,870,986	49.9%
Ages														
0 – 9	25	0.1%	0.9	10	0.1%	0.4	0	0.0%	0.0	0	0.0%	0.0	2,731,544	14.5%
10 – 14	143	0.4%	9.8	50	0.3%	3.4	1	0.1%	0.1	0	0.0%	0.0	1,455,992	7.7%
15 – 19	8,077	20.0%	532.6	2,292	13.9%	151.1	44	2.3%	2.9	41	3.2%	2.7	1,516,407	8.0%
20 – 24	13,419	33.2%	960.5	4,259	25.8%	304.8	228	11.8%	16.3	146	11.4%	10.5	1,397,128	7.4%
25 – 29	8,441	20.9%	651.4	3,218	19.5%	248.3	316	16.4%	24.4	181	14.2%	14.0	1,295,894	6.9%
30 – 34	3,979	9.9%	310.5	2,058	12.5%	160.6	234	12.1%	18.3	184	14.4%	14.4	1,281,685	6.8%
35 – 44	4,308	10.7%	148.6	3,013	18.2%	103.9	674	34.9%	23.2	424	33.2%	14.6	2,899,150	15.4%
45 +	1,979	4.9%	31.4	1,615	9.8%	25.7	435	22.5%	6.9	301	23.6%	4.8	6,293,186	33.3%
Not Specified	208	0.5%	-	62	0.4%	-	2	0.1%	-	1	0.1%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
STATE TOTAL	142,912	100.0%	378.4	31,192	100.0%	82.6	2,055	100.0%	5.4	1,460	100.0%	3.9	37,810,582	100.0%
Female Total	101,807	71.2%	537.5	14,490	46.5%	76.5	119	5.8%	0.6	179	12.3%	0.9	18,939,596	50.1%
American Indian/Alaska Native	363	0.5%	317.5	64	0.7%	56.0	0	0.0%	0.0	0	0.0%	0.0	114,339	0.6%
Asian/Pacific Islander	4,068	6.1%	171.4	355	3.7%	15.0	1	0.9%	0.0	7	4.0%	0.3	2,372,911	12.5%
Black/African-American	14,381	21.5%	1,243.5	4,241	44.6%	366.7	34	29.1%	2.9	48	27.3%	4.2	1,156,509	6.1%
Latina/Hispanic	34,821	52.0%	526.3	2,927	30.7%	44.2	48	41.0%	0.7	92	52.3%	1.4	6,616,366	34.9%
White	13,298	19.9%	160.6	1,932	20.3%	23.3	34	29.1%	0.4	29	16.5%	0.4	8,278,685	43.7%
Other/Multi/Not Specified	34,876	34.3%	-	4,971	34.3%	-	2	1.7%	-	3	1.7%	-	400,786	2.1%
Male Total	40,579	28.4%	215.0	16,577	53.1%	87.8	1,934	94.1%	10.2	1,278	87.5%	6.8	18,870,986	49.9%
American Indian/Alaska Native	105	0.4%	94.9	48	0.4%	43.4	8	0.4%	7.2	6	0.5%	5.4	110,588	0.6%
Asian/Pacific Islander	1,382	5.2%	63.0	394	3.5%	18.0	76	4.1%	3.5	56	4.5%	2.6	2,193,619	11.6%
Black/African-American	7,301	27.3%	659.4	4,136	37.1%	373.6	255	13.6%	23.0	190	15.3%	17.2	1,107,181	5.9%
Latina/Hispanic	11,919	44.6%	172.1	3,325	29.8%	48.0	643	34.3%	9.3	546	43.9%	7.9	6,923,624	36.7%
White	6,045	22.6%	74.2	3,250	29.1%	39.9	890	47.5%	10.9	445	35.8%	5.5	8,144,845	43.2%
Other/Multi/Not Specified	13,827	34.1%	-	5,424	32.7%	-	62	3.2%	-	35	2.7%	-	391,129	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall state rates were calculated using the July 1 county population estimates from the Department of Finance.
(For California, the July 1, 2007 estimate is 37,771,431).


Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



California – Chlamydia, Gonorrhea, and P&S Syphilis

Ranking of County Rates for 2007 (with 95% Confidence Intervals*)












* Confidence intervals were calculated using Poisson exact method; not shown for counties with zero cases.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Alameda County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population. Alameda County includes Berkeley City Health Jurisdiction.

Source: California Department of Public Health, STD Control Branch

Alameda County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	7,085	100.0%	462.9	2,369	100.0%	154.8	49	100.0%	3.2	24	100.0%	1.6	1,520,763	100.0%
Female Total	5,153	72.7%	663.5	1,210	51.1%	155.8	3	6.1%	0.4	2	8.3%	0.3	776,647	51.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	99,443	12.8%
10 – 14	114	2.2%	238.5	30	2.5%	62.8	0	0.0%	0.0	0	0.0%	0.0	47,796	6.2%
15 – 19	1,969	38.3%	3,920.5	519	42.9%	1,033.4	0	0.0%	0.0	0	0.0%	0.0	50,223	6.5%
20 – 24	1,687	32.8%	3,678.7	334	27.6%	728.3	0	0.0%	0.0	0	0.0%	0.0	45,859	5.9%
25 – 29	751	14.6%	1,456.2	171	14.1%	331.6	0	0.0%	0.0	0	0.0%	0.0	51,574	6.6%
30 – 34	331	6.4%	558.1	63	5.2%	106.2	2	66.7%	3.4	1	50.0%	1.7	59,308	7.6%
35 – 44	228	4.4%	179.8	67	5.5%	52.8	0	0.0%	0.0	0	0.0%	0.0	126,832	16.3%
45 +	63	1.2%	21.3	26	2.1%	8.8	1	33.3%	0.3	1	50.0%	0.3	295,612	38.1%
Not Specified	10	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,929	27.2%	259.2	1,157	48.8%	155.5	46	93.9%	6.2	22	91.7%	3.0	744,116	48.9%
Ages														
0 – 9	3	0.2%	2.9	1	0.1%	1.0	0	0.0%	0.0	0	0.0%	0.0	103,383	13.9%
10 – 14	19	1.0%	37.8	5	0.4%	10.0	0	0.0%	0.0	0	0.0%	0.0	50,230	6.8%
15 – 19	517	26.8%	989.3	259	22.4%	495.6	2	4.3%	3.8	2	9.1%	3.8	52,259	7.0%
20 – 24	548	28.4%	1,162.2	321	27.8%	680.8	5	10.9%	10.6	2	9.1%	4.2	47,150	6.3%
25 – 29	320	16.6%	617.2	185	16.0%	356.8	9	19.6%	17.4	4	18.2%	7.7	51,849	7.0%
30 – 34	181	9.4%	328.5	127	11.0%	230.5	6	13.0%	10.9	1	4.5%	1.8	55,104	7.4%
35 – 44	226	11.7%	182.9	165	14.3%	133.5	13	28.3%	10.5	7	31.8%	5.7	123,577	16.6%
45 +	113	5.9%	43.4	93	8.0%	35.7	11	23.9%	4.2	6	27.3%	2.3	260,564	35.0%
Not Specified	2	0.1%	-	1	0.1%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	7,085	100.0%	462.9	2,369	100.0%	154.8	49	100.0%	3.2	24	100.0%	1.6	1,520,763	100.0%
Female Total	5,153	72.7%	663.5	1,210	51.1%	155.8	3	6.1%	0.4	2	8.3%	0.3	776,647	51.1%
American Indian/Alaska Native	4	0.2%	105.0	5	0.8%	131.3	0	0.0%	0.0	0	0.0%	0.0	3,808	0.5%
Asian/Pacific Islander	236	9.6%	125.9	35	5.5%	18.7	0	0.0%	0.0	1	50.0%	0.5	187,504	24.1%
Black/African-American	1,309	53.2%	1,255.3	487	76.7%	467.0	3	100.0%	2.9	0	0.0%	0.0	104,277	13.4%
Latina/Hispanic	658	26.7%	398.2	56	8.8%	33.9	0	0.0%	0.0	1	50.0%	0.6	165,260	21.3%
White	253	10.3%	87.1	52	8.2%	17.9	0	0.0%	0.0	0	0.0%	0.0	290,561	37.4%
Other/Multi/Not Specified	2,693	52.3%	-	575	47.5%	-	0	0.0%	-	0	0.0%	-	25,237	3.2%
Male Total	1,929	27.2%	259.2	1,157	48.8%	155.5	46	93.9%	6.2	22	91.7%	3.0	744,116	48.9%
American Indian/Alaska Native	0	0.0%	0.0	1	0.2%	29.9	1	2.3%	29.9	1	4.8%	29.9	3,349	0.5%
Asian/Pacific Islander	71	7.3%	39.9	29	5.0%	16.3	5	11.6%	2.8	1	4.8%	0.6	177,778	23.9%
Black/African-American	611	62.5%	728.9	416	71.2%	496.2	15	34.9%	17.9	11	52.4%	13.1	83,830	11.3%
Latina/Hispanic	181	18.5%	104.8	56	9.6%	32.4	6	14.0%	3.5	4	19.0%	2.3	172,663	23.2%
White	115	11.8%	40.7	82	14.0%	29.0	16	37.2%	5.7	4	19.0%	1.4	282,273	37.9%
Other/Multi/Not Specified	951	49.3%	-	573	49.5%	-	3	6.5%	-	1	4.5%	-	24,223	3.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.









² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Alameda County, the July 1, 2007 estimate is 1,530,620).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Alpine County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female □ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Alpine County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	1,331	100.0%
Female Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	638	47.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	69	10.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23	3.6%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	46	7.2%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	58	9.1%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	40	6.3%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	26	4.1%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	68	10.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	308	48.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	693	52.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	59	8.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	32	4.6%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	39	5.6%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	44	6.3%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	60	8.7%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	40	5.8%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	67	9.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	352	50.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	1,331	100.0%
Female Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	638	47.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	123	19.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2	0.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2	0.3%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	54	8.5%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	436	68.3%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	21	3.3%
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	693	52.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	102	14.7%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3	0.4%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5	0.7%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	62	8.9%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	493	71.1%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	28	4.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Alpine County, the July 1, 2007 estimate is 1,261).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Amador County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Amador County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	76	100.0%	198.3	1	100.0%	2.6	1	100.0%	2.6	1	100.0%	2.6	38,961	100.0%
Female Total	48	63.2%	271.9	1	100.0%	5.7	1	100.0%	5.7	0	0.0%	0.0	17,653	45.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,434	8.1%
10 – 14	2	4.2%	217.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	918	5.2%
15 – 19	20	41.7%	1,668.1	1	100.0%	83.4	0	0.0%	0.0	0	0.0%	0.0	1,199	6.8%
20 – 24	15	31.3%	1,454.9	0	0.0%	0.0	1	100.0%	97.0	0	0.0%	0.0	1,031	5.8%
25 – 29	7	14.6%	1,301.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	538	3.0%
30 – 34	1	2.1%	166.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	599	3.4%
35 – 44	2	4.2%	100.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,991	11.3%
45 +	1	2.1%	10.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,943	56.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	28	36.8%	131.4	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	4.7	21,308	54.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,439	6.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,012	4.7%
15 – 19	17	60.7%	839.9	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	49.4	2,024	9.5%
20 – 24	7	25.0%	426.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,642	7.7%
25 – 29	2	7.1%	189.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,056	5.0%
30 – 34	1	3.6%	85.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,165	5.5%
35 – 44	1	3.6%	33.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,975	14.0%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,995	46.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	76	100.0%	198.3	1	100.0%	2.6	1	100.0%	2.6	1	100.0%	2.6	38,961	100.0%
Female Total	48	63.2%	271.9	1	100.0%	5.7	1	100.0%	5.7	0	0.0%	0.0	17,653	45.3%
American Indian/Alaska Native	1	2.1%	386.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	259	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	166	0.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	54	0.3%
Latina/Hispanic	9	18.8%	616.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,461	8.3%
White	38	79.2%	247.7	1	100.0%	6.5	1	100.0%	6.5	0	0.0%	0.0	15,341	86.9%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	372	2.1%
Male Total	28	36.8%	131.4	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	4.7	21,308	54.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	343	1.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	213	1.0%
Black/African-American	1	3.6%	71.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,402	6.6%
Latina/Hispanic	5	17.9%	186.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,683	12.6%
White	22	78.6%	134.8	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	6.1	16,325	76.6%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	342	1.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Amador County, the July 1, 2007 estimate is 38,320).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Berkeley City – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Berkeley City – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	434	100.0%	406.9	144	100.0%	135.0	9	100.0%	8.4	4	100.0%	3.7	106,669	100.0%
Female Total	276	63.6%	508.4	59	41.0%	108.7	0	0.0%	0.0	1	25.0%	1.8	54,285	50.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,108	7.6%
10 – 14	2	0.7%	97.7	2	3.4%	97.7	0	0.0%	0.0	0	0.0%	0.0	2,047	3.8%
15 – 19	119	43.1%	2,802.0	29	49.2%	682.8	0	0.0%	0.0	0	0.0%	0.0	4,247	7.8%
20 – 24	94	34.1%	1,140.9	14	23.7%	169.9	0	0.0%	0.0	0	0.0%	0.0	8,239	15.2%
25 – 29	41	14.9%	822.8	7	11.9%	140.5	0	0.0%	0.0	0	0.0%	0.0	4,983	9.2%
30 – 34	8	2.9%	194.8	4	6.8%	97.4	0	0.0%	0.0	0	0.0%	0.0	4,107	7.6%
35 – 44	8	2.9%	105.2	1	1.7%	13.2	0	0.0%	0.0	0	0.0%	0.0	7,603	14.0%
45 +	4	1.4%	21.1	2	3.4%	10.6	0	0.0%	0.0	1	100.0%	5.3	18,949	34.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	157	36.2%	299.7	84	58.3%	160.4	9	100.0%	17.2	3	75.0%	5.7	52,384	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,344	8.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,079	4.0%
15 – 19	30	19.2%	743.3	20	23.8%	495.5	1	11.1%	24.8	0	0.0%	0.0	4,036	7.7%
20 – 24	46	29.5%	512.6	26	31.0%	289.8	1	11.1%	11.1	0	0.0%	0.0	8,973	17.1%
25 – 29	29	18.6%	524.3	8	9.5%	144.6	1	11.1%	18.1	1	33.3%	18.1	5,531	10.6%
30 – 34	19	12.2%	427.9	7	8.3%	157.7	0	0.0%	0.0	0	0.0%	0.0	4,440	8.5%
35 – 44	18	11.5%	248.1	14	16.7%	193.0	3	33.3%	41.4	0	0.0%	0.0	7,254	13.8%
45 +	14	9.0%	89.0	9	10.7%	57.2	3	33.3%	19.1	2	66.7%	12.7	15,728	30.0%
Not Specified	1	0.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	434	100.0%	406.9	144	100.0%	135.0	9	100.0%	8.4	4	100.0%	3.7	106,669	100.0%
Female Total	276	63.6%	508.4	59	41.0%	108.7	0	0.0%	0.0	1	25.0%	1.8	54,285	50.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	154	0.3%
Asian/Pacific Islander	9	7.1%	98.0	2	6.1%	21.8	0	0.0%	0.0	0	0.0%	0.0	9,181	16.9%
Black/African-American	80	63.0%	1,017.0	28	84.8%	356.0	0	0.0%	0.0	0	0.0%	0.0	7,866	14.5%
Latina/Hispanic	26	20.5%	526.1	3	9.1%	60.7	0	0.0%	0.0	1	100.0%	20.2	4,942	9.1%
White	12	9.4%	40.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29,407	54.2%
Other/Multi/Not Specified	149	54.0%	-	26	44.1%	-	0	0.0%	-	0	0.0%	-	2,736	5.0%
Male Total	157	36.2%	299.7	84	58.3%	160.4	9	100.0%	17.2	3	75.0%	5.7	52,384	49.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	151	0.3%
Asian/Pacific Islander	8	10.0%	96.1	3	5.7%	36.0	1	11.1%	12.0	0	0.0%	0.0	8,324	15.9%
Black/African-American	38	47.5%	597.0	29	54.7%	455.6	4	44.4%	62.8	1	33.3%	15.7	6,365	12.2%
Latina/Hispanic	17	21.3%	312.4	4	7.5%	73.5	0	0.0%	0.0	0	0.0%	0.0	5,441	10.4%
White	17	21.3%	57.7	17	32.1%	57.7	4	44.4%	13.6	2	66.7%	6.8	29,450	56.2%
Other/Multi/Not Specified	77	49.0%	-	31	36.9%	-	0	0.0%	-	0	0.0%	-	2,653	5.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/age/race distribution percentages were then applied to this total.










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Butte County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Butte County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	793	100.0%	361.9	165	100.0%	75.3	0	100.0%	0.0	0	100.0%	0.0	220,376	100.0%
Female Total	584	73.6%	521.6	87	52.7%	77.7	0	0.0%	0.0	0	0.0%	0.0	111,960	50.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,733	10.5%
10 – 14	6	1.0%	86.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,950	6.2%
15 – 19	202	35.1%	2,229.1	23	26.7%	253.8	0	0.0%	0.0	0	0.0%	0.0	9,062	8.1%
20 – 24	265	46.1%	2,413.5	37	43.0%	337.0	0	0.0%	0.0	0	0.0%	0.0	10,980	9.8%
25 – 29	65	11.3%	908.2	16	18.6%	223.6	0	0.0%	0.0	0	0.0%	0.0	7,157	6.4%
30 – 34	21	3.7%	351.0	5	5.8%	83.6	0	0.0%	0.0	0	0.0%	0.0	5,983	5.3%
35 – 44	14	2.4%	106.7	3	3.5%	22.9	0	0.0%	0.0	0	0.0%	0.0	13,122	11.7%
45 +	2	0.3%	4.3	2	2.3%	4.3	0	0.0%	0.0	0	0.0%	0.0	46,973	42.0%
Not Specified	9	1.5%	-	1	1.1%	-	0	0.0%	-	0	0.0%	-		
Male Total	204	25.7%	188.2	78	47.3%	71.9	0	0.0%	0.0	0	0.0%	0.0	108,416	49.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,404	11.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,214	6.7%
15 – 19	33	16.7%	341.8	12	15.8%	124.3	0	0.0%	0.0	0	0.0%	0.0	9,654	8.9%
20 – 24	103	52.0%	883.4	19	25.0%	163.0	0	0.0%	0.0	0	0.0%	0.0	11,659	10.8%
25 – 29	35	17.7%	496.5	12	15.8%	170.2	0	0.0%	0.0	0	0.0%	0.0	7,050	6.5%
30 – 34	13	6.6%	192.6	12	15.8%	177.8	0	0.0%	0.0	0	0.0%	0.0	6,750	6.2%
35 – 44	10	5.1%	77.2	15	19.7%	115.7	0	0.0%	0.0	0	0.0%	0.0	12,960	12.0%
45 +	4	2.0%	9.8	6	7.9%	14.7	0	0.0%	0.0	0	0.0%	0.0	40,725	37.6%
Not Specified	6	2.9%	-	2	2.6%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	793	100.0%	361.9	165	100.0%	75.3	0	100.0%	0.0	0	100.0%	0.0	220,376	100.0%
Female Total	584	73.6%	521.6	87	52.7%	77.7	0	0.0%	0.0	0	0.0%	0.0	111,960	50.8%
American Indian/Alaska Native	11	2.2%	559.2	2	2.7%	101.7	0	0.0%	0.0	0	0.0%	0.0	1,967	1.8%
Asian/Pacific Islander	17	3.5%	468.2	3	4.1%	82.6	0	0.0%	0.0	0	0.0%	0.0	3,631	3.2%
Black/African-American	33	6.7%	2,490.6	7	9.6%	528.3	0	0.0%	0.0	0	0.0%	0.0	1,325	1.2%
Latina/Hispanic	74	15.1%	531.8	11	15.1%	79.0	0	0.0%	0.0	0	0.0%	0.0	13,916	12.4%
White	356	72.5%	402.5	50	68.5%	56.5	0	0.0%	0.0	0	0.0%	0.0	88,452	79.0%
Other/Multi/Not Specified	93	15.9%	-	14	16.1%	-	0	0.0%	-	0	0.0%	-	2,669	2.4%
Male Total	204	25.7%	188.2	78	47.3%	71.9	0	0.0%	0.0	0	0.0%	0.0	108,416	49.2%
American Indian/Alaska Native	4	2.4%	197.9	2	3.1%	99.0	0	0.0%	0.0	0	0.0%	0.0	2,021	1.9%
Asian/Pacific Islander	5	3.0%	136.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,655	3.4%
Black/African-American	19	11.4%	1,163.5	12	18.5%	734.8	0	0.0%	0.0	0	0.0%	0.0	1,633	1.5%
Latina/Hispanic	24	14.4%	171.4	6	9.2%	42.8	0	0.0%	0.0	0	0.0%	0.0	14,004	12.9%
White	115	68.9%	136.1	45	69.2%	53.3	0	0.0%	0.0	0	0.0%	0.0	84,472	77.9%
Other/Multi/Not Specified	37	18.1%	-	13	16.7%	-	0	0.0%	-	0	0.0%	-	2,631	2.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Butte County, the July 1, 2007 estimate is 219,101).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Calaveras County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Calaveras County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	32	100.0%	69.6	5	100.0%	10.9	0	100.0%	0.0	0	100.0%	0.0	46,121	100.0%
Female Total	26	81.3%	111.6	4	80.0%	17.2	0	0.0%	0.0	0	0.0%	0.0	23,298	50.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,772	7.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,239	5.3%
15 – 19	15	57.7%	890.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,685	7.2%
20 – 24	5	19.2%	343.2	2	50.0%	137.3	0	0.0%	0.0	0	0.0%	0.0	1,457	6.3%
25 – 29	3	11.5%	434.2	1	25.0%	144.7	0	0.0%	0.0	0	0.0%	0.0	691	3.0%
30 – 34	2	7.7%	259.1	1	25.0%	129.5	0	0.0%	0.0	0	0.0%	0.0	772	3.3%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,587	11.1%
45 +	1	3.8%	7.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,095	56.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	6	18.8%	26.3	1	20.0%	4.4	0	0.0%	0.0	0	0.0%	0.0	22,823	49.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,850	8.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,345	5.9%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,765	7.7%
20 – 24	2	40.0%	114.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,742	7.6%
25 – 29	3	60.0%	356.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	841	3.7%
30 – 34	0	0.0%	0.0	1	100.0%	152.7	0	0.0%	0.0	0	0.0%	0.0	655	2.9%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,407	10.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,218	53.5%
Not Specified	1	16.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	32	100.0%	69.6	5	100.0%	10.9	0	100.0%	0.0	0	100.0%	0.0	46,121	100.0%
Female Total	26	81.3%	111.6	4	80.0%	17.2	0	0.0%	0.0	0	0.0%	0.0	23,298	50.5%
American Indian/Alaska Native	1	25.0%	281.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	355	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	235	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	119	0.5%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,327	10.0%
White	3	75.0%	15.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,612	84.2%
Other/Multi/Not Specified	22	84.6%	-	4	100.0%	-	0	0.0%	-	0	0.0%	-	650	2.8%
Male Total	6	18.8%	26.3	1	20.0%	4.4	0	0.0%	0.0	0	0.0%	0.0	22,823	49.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	312	1.4%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	163	0.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	216	0.9%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,211	9.7%
White	2	100.0%	10.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,368	84.9%
Other/Multi/Not Specified	4	66.7%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	553	2.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.









² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Calaveras County, the July 1, 2007 estimate is 45,950).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Colusa County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

s Numbers suppressed for confidentiality

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Colusa County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	25	100.0%	113.9	1	100.0%	4.6	0	100.0%	0.0	0	100.0%	0.0	22,366	100.0%
Female Total	21	84.0%	191.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,953	49.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,700	15.5%
10 – 14	2	9.5%	230.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	869	7.9%
15 – 19	6	28.6%	627.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	956	8.7%
20 – 24	9	42.9%	969.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	928	8.5%
25 – 29	3	14.3%	428.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	701	6.4%
30 – 34	1	4.8%	163.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	613	5.6%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,367	12.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,819	34.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	4	16.0%	35.0	1	100.0%	8.8	0	0.0%	0.0	0	0.0%	0.0	11,413	51.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,734	15.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	898	7.9%
15 – 19	1	25.0%	102.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	973	8.5%
20 – 24	1	25.0%	91.2	1	100.0%	91.2	0	0.0%	0.0	0	0.0%	0.0	1,097	9.6%
25 – 29	1	25.0%	106.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	939	8.2%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	709	6.2%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,384	12.1%
45 +	1	25.0%	27.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,679	32.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	25	100.0%	113.9	1	100.0%	4.6	0	100.0%	0.0	0	100.0%	0.0	22,366	100.0%
Female Total	21	84.0%	191.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,953	49.0%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	182	1.7%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	193	1.8%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	44	0.4%
Latina/Hispanic	7	58.3%	133.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,251	47.9%
White	3	25.0%	58.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,123	46.8%
Other/Multi/Not Specified	9	42.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	160	1.5%
Male Total	4	16.0%	35.0	1	100.0%	8.8	0	0.0%	0.0	0	0.0%	0.0	11,413	51.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	180	1.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	206	1.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	58	0.5%
Latina/Hispanic	2	100.0%	33.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,945	52.1%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,886	42.8%
Other/Multi/Not Specified	2	50.0%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	138	1.2%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Colusa County, the July 1, 2007 estimate is 21,945).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Contra Costa County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Contra Costa County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,439	100.0%	329.3	969	100.0%	92.8	27	100.0%	2.6	13	100.0%	1.2	1,042,804	100.0%
Female Total	2,519	73.2%	474.8	566	58.4%	106.7	0	0.0%	0.0	4	30.8%	0.8	530,587	50.9%
Ages														
0 – 9	1	0.0%	1.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	65,726	12.4%
10 – 14	26	1.0%	71.8	9	1.6%	24.9	0	0.0%	0.0	0	0.0%	0.0	36,195	6.8%
15 – 19	1,000	40.2%	2,602.3	205	36.6%	533.5	0	0.0%	0.0	0	0.0%	0.0	38,427	7.2%
20 – 24	822	33.1%	2,281.8	154	27.5%	427.5	0	0.0%	0.0	2	50.0%	5.6	36,024	6.8%
25 – 29	380	15.3%	1,271.9	99	17.7%	331.4	0	0.0%	0.0	0	0.0%	0.0	29,877	5.6%
30 – 34	127	5.1%	431.5	41	7.3%	139.3	0	0.0%	0.0	0	0.0%	0.0	29,429	5.5%
35 – 44	90	3.6%	120.8	37	6.6%	49.6	0	0.0%	0.0	2	50.0%	2.7	74,531	14.0%
45 +	39	1.6%	17.7	15	2.7%	6.8	0	0.0%	0.0	0	0.0%	0.0	220,378	41.5%
Not Specified	34	1.3%	-	6	1.1%	-	0	0.0%	-	0	0.0%	-		
Male Total	866	25.2%	169.1	396	40.9%	77.3	27	100.0%	5.3	9	69.2%	1.8	512,217	49.1%
Ages														
0 – 9	1	0.1%	1.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	68,105	13.3%
10 – 14	3	0.4%	7.9	3	0.8%	7.9	0	0.0%	0.0	0	0.0%	0.0	37,914	7.4%
15 – 19	215	25.1%	534.6	81	20.7%	201.4	2	7.4%	5.0	0	0.0%	0.0	40,218	7.9%
20 – 24	273	31.9%	712.9	110	28.1%	287.3	4	14.8%	10.4	3	33.3%	7.8	38,292	7.5%
25 – 29	161	18.8%	492.9	63	16.1%	192.9	5	18.5%	15.3	3	33.3%	9.2	32,663	6.4%
30 – 34	70	8.2%	232.0	42	10.7%	139.2	1	3.7%	3.3	1	11.1%	3.3	30,168	5.9%
35 – 44	82	9.6%	114.0	52	13.3%	72.3	8	29.6%	11.1	1	11.1%	1.4	71,928	14.0%
45 +	51	6.0%	26.4	40	10.2%	20.7	7	25.9%	3.6	1	11.1%	0.5	192,929	37.7%
Not Specified	10	1.2%	-	5	1.3%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,439	100.0%	329.3	969	100.0%	92.8	27	100.0%	2.6	13	100.0%	1.2	1,042,804	100.0%
Female Total	2,519	73.2%	474.8	566	58.4%	106.7	0	0.0%	0.0	4	30.8%	0.8	530,587	50.9%
American Indian/Alaska Native	13	0.9%	553.2	2	0.7%	85.1	0	0.0%	0.0	0	0.0%	0.0	2,350	0.4%
Asian/Pacific Islander	104	7.4%	149.5	17	6.1%	24.4	0	0.0%	0.0	1	25.0%	1.4	69,571	13.1%
Black/African-American	559	40.0%	1,208.4	152	54.5%	328.6	0	0.0%	0.0	1	25.0%	2.2	46,258	8.7%
Latina/Hispanic	442	31.6%	391.3	58	20.8%	51.3	0	0.0%	0.0	0	0.0%	0.0	112,961	21.3%
White	279	20.0%	96.9	50	17.9%	17.4	0	0.0%	0.0	2	50.0%	0.7	288,056	54.3%
Other/Multi/Not Specified	1,122	44.5%	-	287	50.7%	-	0	0.0%	-	0	0.0%	-	11,391	2.1%
Male Total	866	25.2%	169.1	396	40.9%	77.3	27	100.0%	5.3	9	69.2%	1.8	512,217	49.1%
American Indian/Alaska Native	1	0.2%	43.4	1	0.6%	43.4	0	0.0%	0.0	0	0.0%	0.0	2,304	0.4%
Asian/Pacific Islander	27	6.1%	42.8	5	2.8%	7.9	3	12.0%	4.8	1	12.5%	1.6	63,070	12.3%
Black/African-American	203	45.7%	494.6	105	58.0%	255.8	6	24.0%	14.6	0	0.0%	0.0	41,044	8.0%
Latina/Hispanic	132	29.7%	111.5	36	19.9%	30.4	12	48.0%	10.1	5	62.5%	4.2	118,369	23.1%
White	81	18.2%	29.3	34	18.8%	12.3	4	16.0%	1.4	2	25.0%	0.7	276,365	54.0%
Other/Multi/Not Specified	422	48.7%	-	215	54.3%	-	2	7.4%	-	1	11.1%	-	11,065	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Contra Costa County, the July 1, 2007 estimate is 1,044,201).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Del Norte County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Del Norte County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	30	100.0%	102.7	2	100.0%	6.8	0	100.0%	0.0	0	100.0%	0.0	29,970	100.0%
Female Total	24	80.0%	177.6	1	50.0%	7.4	0	0.0%	0.0	0	0.0%	0.0	13,513	45.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,575	11.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	866	6.4%
15 – 19	7	29.2%	633.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,105	8.2%
20 – 24	11	45.8%	945.8	1	100.0%	86.0	0	0.0%	0.0	0	0.0%	0.0	1,163	8.6%
25 – 29	5	20.8%	668.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	748	5.5%
30 – 34	1	4.2%	168.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	595	4.4%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,611	11.9%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,850	43.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	6	20.0%	36.5	1	50.0%	6.1	0	0.0%	0.0	0	0.0%	0.0	16,457	54.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,601	9.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	928	5.6%
15 – 19	0	0.0%	0.0	1	100.0%	81.8	0	0.0%	0.0	0	0.0%	0.0	1,222	7.4%
20 – 24	3	60.0%	175.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,713	10.4%
25 – 29	1	20.0%	64.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,552	9.4%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,232	7.5%
35 – 44	1	20.0%	40.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,457	14.9%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,752	35.0%
Not Specified	1	16.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	30	100.0%	102.7	2	100.0%	6.8	0	100.0%	0.0	0	100.0%	0.0	29,970	100.0%
Female Total	24	80.0%	177.6	1	50.0%	7.4	0	0.0%	0.0	0	0.0%	0.0	13,513	45.1%
American Indian/Alaska Native	5	21.7%	515.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	970	7.2%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	381	2.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	67	0.5%
Latina/Hispanic	3	13.0%	189.5	1	100.0%	63.2	0	0.0%	0.0	0	0.0%	0.0	1,583	11.7%
White	15	65.2%	149.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,052	74.4%
Other/Multi/Not Specified	1	4.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	460	3.4%
Male Total	6	20.0%	36.5	1	50.0%	6.1	0	0.0%	0.0	0	0.0%	0.0	16,457	54.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	968	5.9%
Asian/Pacific Islander	1	20.0%	286.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	349	2.1%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,182	7.2%
Latina/Hispanic	2	40.0%	63.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,160	19.2%
White	2	40.0%	19.4	1	100.0%	9.7	0	0.0%	0.0	0	0.0%	0.0	10,319	62.7%
Other/Multi/Not Specified	1	16.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	479	2.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Del Norte County, the July 1, 2007 estimate is 29,207).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



El Dorado County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

El Dorado County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	238	100.0%	133.2	29	100.0%	16.2	0	100.0%	0.0	0	100.0%	0.0	180,511	100.0%
Female Total	164	68.9%	181.4	15	51.7%	16.6	0	0.0%	0.0	0	0.0%	0.0	90,409	50.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,017	10.0%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,018	6.7%
15 – 19	56	34.4%	760.4	3	20.0%	40.7	0	0.0%	0.0	0	0.0%	0.0	7,365	8.1%
20 – 24	64	39.3%	1,110.9	7	46.7%	121.5	0	0.0%	0.0	0	0.0%	0.0	5,761	6.4%
25 – 29	27	16.6%	979.7	3	20.0%	108.9	0	0.0%	0.0	0	0.0%	0.0	2,756	3.0%
30 – 34	10	6.1%	298.1	1	6.7%	29.8	0	0.0%	0.0	0	0.0%	0.0	3,355	3.7%
35 – 44	4	2.5%	30.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,187	14.6%
45 +	2	1.2%	4.7	1	6.7%	2.3	0	0.0%	0.0	0	0.0%	0.0	42,950	47.5%
Not Specified	1	0.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	74	31.1%	82.1	14	48.3%	15.5	0	0.0%	0.0	0	0.0%	0.0	90,102	49.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,632	10.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,633	7.4%
15 – 19	12	16.2%	155.4	1	7.1%	12.9	0	0.0%	0.0	0	0.0%	0.0	7,723	8.6%
20 – 24	31	41.9%	491.7	3	21.4%	47.6	0	0.0%	0.0	0	0.0%	0.0	6,305	7.0%
25 – 29	16	21.6%	461.2	1	7.1%	28.8	0	0.0%	0.0	0	0.0%	0.0	3,469	3.9%
30 – 34	7	9.5%	206.1	3	21.4%	88.3	0	0.0%	0.0	0	0.0%	0.0	3,396	3.8%
35 – 44	5	6.8%	40.6	4	28.6%	32.5	0	0.0%	0.0	0	0.0%	0.0	12,316	13.7%
45 +	3	4.1%	7.4	2	14.3%	4.9	0	0.0%	0.0	0	0.0%	0.0	40,628	45.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	238	100.0%	133.2	29	100.0%	16.2	0	100.0%	0.0	0	100.0%	0.0	180,511	100.0%
Female Total	164	68.9%	181.4	15	51.7%	16.6	0	0.0%	0.0	0	0.0%	0.0	90,409	50.1%
American Indian/Alaska Native	2	2.8%	302.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	662	0.7%
Asian/Pacific Islander	1	1.4%	49.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,003	2.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	324	0.4%
Latina/Hispanic	30	42.3%	312.0	3	37.5%	31.2	0	0.0%	0.0	0	0.0%	0.0	9,615	10.6%
White	38	53.5%	49.9	5	62.5%	6.6	0	0.0%	0.0	0	0.0%	0.0	76,226	84.3%
Other/Multi/Not Specified	93	56.7%	-	7	46.7%	-	0	0.0%	-	0	0.0%	-	1,579	1.7%
Male Total	74	31.1%	82.1	14	48.3%	15.5	0	0.0%	0.0	0	0.0%	0.0	90,102	49.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	669	0.7%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,775	2.0%
Black/African-American	1	3.3%	204.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	488	0.5%
Latina/Hispanic	6	20.0%	62.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,623	10.7%
White	23	76.7%	30.2	6	100.0%	7.9	0	0.0%	0.0	0	0.0%	0.0	76,077	84.4%
Other/Multi/Not Specified	44	59.5%	-	8	57.1%	-	0	0.0%	-	0	0.0%	-	1,470	1.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For El Dorado County, the July 1, 2007 estimate is 178,689).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Fresno County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Fresno County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,369	100.0%	581.7	1,084	100.0%	117.4	9	100.0%	1.0	9	100.0%	1.0	928,311	100.0%
Female Total	4,096	76.3%	888.3	584	53.9%	126.7	1	11.1%	0.2	1	11.1%	0.2	461,102	49.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	72,782	15.8%
10 – 14	71	1.7%	194.2	8	1.4%	21.9	0	0.0%	0.0	0	0.0%	0.0	36,555	7.9%
15 – 19	1,447	35.5%	3,581.0	201	34.7%	497.4	1	100.0%	2.5	0	0.0%	0.0	40,408	8.8%
20 – 24	1,442	35.4%	3,811.7	180	31.0%	475.8	0	0.0%	0.0	0	0.0%	0.0	37,831	8.2%
25 – 29	664	16.3%	1,887.1	99	17.1%	281.4	0	0.0%	0.0	0	0.0%	0.0	35,186	7.6%
30 – 34	225	5.5%	725.1	48	8.3%	154.7	0	0.0%	0.0	0	0.0%	0.0	31,029	6.7%
35 – 44	156	3.8%	259.6	32	5.5%	53.3	0	0.0%	0.0	1	100.0%	1.7	60,088	13.0%
45 +	68	1.7%	46.2	12	2.1%	8.2	0	0.0%	0.0	0	0.0%	0.0	147,223	31.9%
Not Specified	23	0.6%	-	4	0.7%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,262	23.5%	270.1	497	45.8%	106.4	8	88.9%	1.7	8	88.9%	1.7	467,209	50.3%
Ages														
0 – 9	2	0.2%	2.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	75,943	16.3%
10 – 14	4	0.3%	10.4	3	0.6%	7.8	0	0.0%	0.0	0	0.0%	0.0	38,505	8.2%
15 – 19	302	24.1%	708.7	97	19.6%	227.6	1	12.5%	2.3	2	25.0%	4.7	42,616	9.1%
20 – 24	472	37.6%	1,133.4	163	33.0%	391.4	1	12.5%	2.4	2	25.0%	4.8	41,644	8.9%
25 – 29	237	18.9%	597.2	98	19.8%	246.9	3	37.5%	7.6	0	0.0%	0.0	39,687	8.5%
30 – 34	118	9.4%	344.7	51	10.3%	149.0	1	12.5%	2.9	0	0.0%	0.0	34,231	7.3%
35 – 44	90	7.2%	145.5	58	11.7%	93.8	0	0.0%	0.0	2	25.0%	3.2	61,848	13.2%
45 +	29	2.3%	21.8	24	4.9%	18.1	2	25.0%	1.5	2	25.0%	1.5	132,735	28.4%
Not Specified	8	0.6%	-	3	0.6%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,369	100.0%	581.7	1,084	100.0%	117.4	9	100.0%	1.0	9	100.0%	1.0	928,311	100.0%
Female Total	4,096	76.3%	888.3	584	53.9%	126.7	1	11.1%	0.2	1	11.1%	0.2	461,102	49.7%
American Indian/Alaska Native	23	0.7%	562.6	2	0.5%	48.9	0	0.0%	0.0	0	0.0%	0.0	4,088	0.9%
Asian/Pacific Islander	189	6.0%	438.1	19	4.5%	44.0	0	0.0%	0.0	0	0.0%	0.0	43,139	9.4%
Black/African-American	484	15.4%	2,183.1	114	26.9%	514.2	0	0.0%	0.0	0	0.0%	0.0	22,170	4.8%
Latina/Hispanic	2,078	66.2%	960.0	230	54.2%	106.3	1	100.0%	0.5	1	100.0%	0.5	216,466	46.9%
White	366	11.7%	216.4	59	13.9%	34.9	0	0.0%	0.0	0	0.0%	0.0	169,168	36.7%
Other/Multi/Not Specified	956	23.3%	-	160	27.4%	-	0	0.0%	-	0	0.0%	-	6,071	1.3%
Male Total	1,262	23.5%	270.1	497	45.8%	106.4	8	88.9%	1.7	8	88.9%	1.7	467,209	50.3%
American Indian/Alaska Native	2	0.2%	54.7	3	0.8%	82.1	0	0.0%	0.0	0	0.0%	0.0	3,656	0.8%
Asian/Pacific Islander	40	4.2%	95.7	12	3.0%	28.7	0	0.0%	0.0	0	0.0%	0.0	41,819	9.0%
Black/African-American	231	24.0%	1,030.4	150	37.9%	669.1	0	0.0%	0.0	0	0.0%	0.0	22,418	4.8%
Latina/Hispanic	581	60.4%	248.3	192	48.5%	82.1	5	62.5%	2.1	7	87.5%	3.0	233,963	50.1%
White	108	11.2%	67.6	39	9.8%	24.4	3	37.5%	1.9	1	12.5%	0.6	159,724	34.2%
Other/Multi/Not Specified	300	23.8%	-	101	20.3%	-	0	0.0%	-	0	0.0%	-	5,629	1.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Fresno County, the July 1, 2007 estimate is 923,052).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Glenn County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

s Numbers suppressed for confidentiality

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Glenn County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	63	100.0%	217.1	11	100.0%	37.9	0	100.0%	0.0	0	100.0%	0.0	29,488	100.0%
Female Total	48	76.2%	329.4	7	63.6%	48.0	0	0.0%	0.0	0	0.0%	0.0	14,571	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,089	14.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,091	7.5%
15 – 19	18	38.3%	1,415.1	3	42.9%	235.8	0	0.0%	0.0	0	0.0%	0.0	1,272	8.7%
20 – 24	20	42.6%	1,697.8	1	14.3%	84.9	0	0.0%	0.0	0	0.0%	0.0	1,178	8.1%
25 – 29	6	12.8%	727.3	2	28.6%	242.4	0	0.0%	0.0	0	0.0%	0.0	825	5.7%
30 – 34	1	2.1%	124.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	802	5.5%
35 – 44	2	4.3%	113.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,768	12.1%
45 +	0	0.0%	0.0	1	14.3%	18.0	0	0.0%	0.0	0	0.0%	0.0	5,546	38.1%
Not Specified	1	2.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	15	23.8%	100.6	4	36.4%	26.8	0	0.0%	0.0	0	0.0%	0.0	14,917	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,142	14.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,193	8.0%
15 – 19	2	13.3%	157.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,272	8.5%
20 – 24	2	13.3%	144.5	1	25.0%	72.3	0	0.0%	0.0	0	0.0%	0.0	1,384	9.3%
25 – 29	9	60.0%	916.5	1	25.0%	101.8	0	0.0%	0.0	0	0.0%	0.0	982	6.6%
30 – 34	0	0.0%	0.0	1	25.0%	120.3	0	0.0%	0.0	0	0.0%	0.0	831	5.6%
35 – 44	2	13.3%	107.2	1	25.0%	53.6	0	0.0%	0.0	0	0.0%	0.0	1,866	12.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,247	35.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	63	100.0%	217.1	11	100.0%	37.9	0	100.0%	0.0	0	100.0%	0.0	29,488	100.0%
Female Total	48	76.2%	329.4	7	63.6%	48.0	0	0.0%	0.0	0	0.0%	0.0	14,571	49.4%
American Indian/Alaska Native	s	s	s	s	s	s	0	0.0%	0.0	0	0.0%	0.0	280	1.9%
Asian/Pacific Islander	s	s	s	s	s	s	0	0.0%	0.0	0	0.0%	0.0	523	3.6%
Black/African-American	s	s	s	s	s	s	0	0.0%	0.0	0	0.0%	0.0	51	0.4%
Latina/Hispanic	22	50.0%	497.6	1	14.3%	22.6	0	0.0%	0.0	0	0.0%	0.0	4,421	30.3%
White	17	38.6%	188.4	5	71.4%	55.4	0	0.0%	0.0	0	0.0%	0.0	9,021	61.9%
Other/Multi/Not Specified	4	8.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	275	1.9%
Male Total	15	23.8%	100.6	4	36.4%	26.8	0	0.0%	0.0	0	0.0%	0.0	14,917	50.6%
American Indian/Alaska Native	s	s	s	s	s	s	0	0.0%	0.0	0	0.0%	0.0	221	1.5%
Asian/Pacific Islander	s	s	s	s	s	s	0	0.0%	0.0	0	0.0%	0.0	504	3.4%
Black/African-American	s	s	s	s	s	s	0	0.0%	0.0	0	0.0%	0.0	89	0.6%
Latina/Hispanic	4	50.0%	78.5	1	25.0%	19.6	0	0.0%	0.0	0	0.0%	0.0	5,095	34.2%
White	2	25.0%	22.9	2	50.0%	22.9	0	0.0%	0.0	0	0.0%	0.0	8,748	58.6%
Other/Multi/Not Specified	7	46.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	260	1.7%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Glenn County, the July 1, 2007 estimate is 29,018).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Humboldt County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Humboldt County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	384	100.0%	290.1	62	100.0%	46.8	0	100.0%	0.0	0	100.0%	0.0	132,512	100.0%
Female Total	279	72.7%	417.7	35	56.5%	52.4	0	0.0%	0.0	0	0.0%	0.0	66,798	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,215	10.8%
10 – 14	3	1.1%	78.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,829	5.7%
15 – 19	106	38.0%	2,196.0	10	28.6%	207.2	0	0.0%	0.0	0	0.0%	0.0	4,827	7.2%
20 – 24	109	39.1%	1,712.8	13	37.1%	204.3	0	0.0%	0.0	0	0.0%	0.0	6,364	9.5%
25 – 29	38	13.6%	802.4	8	22.9%	168.9	0	0.0%	0.0	0	0.0%	0.0	4,736	7.1%
30 – 34	12	4.3%	294.8	1	2.9%	24.6	0	0.0%	0.0	0	0.0%	0.0	4,070	6.1%
35 – 44	10	3.6%	122.6	2	5.7%	24.5	0	0.0%	0.0	0	0.0%	0.0	8,159	12.2%
45 +	1	0.4%	3.6	1	2.9%	3.6	0	0.0%	0.0	0	0.0%	0.0	27,598	41.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	105	27.3%	159.8	27	43.5%	41.1	0	0.0%	0.0	0	0.0%	0.0	65,714	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,561	11.5%
10 – 14	1	1.0%	24.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,050	6.2%
15 – 19	31	29.5%	617.4	2	7.7%	39.8	0	0.0%	0.0	0	0.0%	0.0	5,021	7.6%
20 – 24	35	33.3%	532.4	6	23.1%	91.3	0	0.0%	0.0	0	0.0%	0.0	6,574	10.0%
25 – 29	22	21.0%	473.2	4	15.4%	86.0	0	0.0%	0.0	0	0.0%	0.0	4,649	7.1%
30 – 34	6	5.7%	137.5	6	23.1%	137.5	0	0.0%	0.0	0	0.0%	0.0	4,363	6.6%
35 – 44	7	6.7%	82.2	5	19.2%	58.7	0	0.0%	0.0	0	0.0%	0.0	8,519	13.0%
45 +	3	2.9%	12.0	3	11.5%	12.0	0	0.0%	0.0	0	0.0%	0.0	24,977	38.0%
Not Specified	0	0.0%	-	1	3.7%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	384	100.0%	290.1	62	100.0%	46.8	0	100.0%	0.0	0	100.0%	0.0	132,512	100.0%
Female Total	279	72.7%	417.7	35	56.5%	52.4	0	0.0%	0.0	0	0.0%	0.0	66,798	50.4%
American Indian/Alaska Native	35	15.0%	893.5	7	25.0%	178.7	0	0.0%	0.0	0	0.0%	0.0	3,917	5.9%
Asian/Pacific Islander	14	6.0%	1,030.2	1	3.6%	73.6	0	0.0%	0.0	0	0.0%	0.0	1,359	2.0%
Black/African-American	3	1.3%	666.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	450	0.7%
Latina/Hispanic	48	20.6%	1,006.7	3	10.7%	62.9	0	0.0%	0.0	0	0.0%	0.0	4,768	7.1%
White	133	57.1%	245.8	17	60.7%	31.4	0	0.0%	0.0	0	0.0%	0.0	54,109	81.0%
Other/Multi/Not Specified	46	16.5%	-	7	20.0%	-	0	0.0%	-	0	0.0%	-	2,195	3.3%
Male Total	105	27.3%	159.8	27	43.5%	41.1	0	0.0%	0.0	0	0.0%	0.0	65,714	49.6%
American Indian/Alaska Native	8	9.0%	211.9	3	12.5%	79.4	0	0.0%	0.0	0	0.0%	0.0	3,776	5.7%
Asian/Pacific Islander	8	9.0%	688.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,162	1.8%
Black/African-American	6	6.7%	883.7	1	4.2%	147.3	0	0.0%	0.0	0	0.0%	0.0	679	1.0%
Latina/Hispanic	12	13.5%	239.7	1	4.2%	20.0	0	0.0%	0.0	0	0.0%	0.0	5,007	7.6%
White	55	61.8%	103.9	19	79.2%	35.9	0	0.0%	0.0	0	0.0%	0.0	52,928	80.5%
Other/Multi/Not Specified	16	15.2%	-	3	11.1%	-	0	0.0%	-	0	0.0%	-	2,162	3.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Humboldt County, the July 1, 2007 estimate is 132,364).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Imperial County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Imperial County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	680	100.0%	390.1	62	100.0%	35.6	3	100.0%	1.7	7	100.0%	4.0	174,981	100.0%
Female Total	538	79.1%	653.0	29	46.8%	35.2	0	0.0%	0.0	2	28.6%	2.4	82,384	47.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,120	14.7%
10 – 14	4	0.7%	66.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,010	7.3%
15 – 19	166	30.9%	2,006.0	5	17.2%	60.4	0	0.0%	0.0	2	100.0%	24.2	8,275	10.0%
20 – 24	197	36.6%	2,922.4	8	27.6%	118.7	0	0.0%	0.0	0	0.0%	0.0	6,741	8.2%
25 – 29	95	17.7%	2,330.7	6	20.7%	147.2	0	0.0%	0.0	0	0.0%	0.0	4,076	4.9%
30 – 34	38	7.1%	857.2	4	13.8%	90.2	0	0.0%	0.0	0	0.0%	0.0	4,433	5.4%
35 – 44	32	5.9%	263.7	4	13.8%	33.0	0	0.0%	0.0	0	0.0%	0.0	12,134	14.7%
45 +	6	1.1%	21.0	2	6.9%	7.0	0	0.0%	0.0	0	0.0%	0.0	28,595	34.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	138	20.3%	149.0	33	53.2%	35.6	3	100.0%	3.2	5	71.4%	5.4	92,597	52.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,692	13.7%
10 – 14	1	0.7%	15.6	1	3.0%	15.6	0	0.0%	0.0	0	0.0%	0.0	6,403	6.9%
15 – 19	38	27.5%	436.4	6	18.2%	68.9	0	0.0%	0.0	0	0.0%	0.0	8,708	9.4%
20 – 24	38	27.5%	467.7	10	30.3%	123.1	0	0.0%	0.0	2	40.0%	24.6	8,125	8.8%
25 – 29	31	22.5%	484.2	6	18.2%	93.7	1	33.3%	15.6	0	0.0%	0.0	6,402	6.9%
30 – 34	17	12.3%	241.8	2	6.1%	28.4	1	33.3%	14.2	0	0.0%	0.0	7,030	7.6%
35 – 44	11	8.0%	70.9	4	12.1%	25.8	0	0.0%	0.0	1	20.0%	6.4	15,523	16.8%
45 +	2	1.4%	7.2	4	12.1%	14.4	1	33.3%	3.6	2	40.0%	7.2	27,714	29.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	680	100.0%	390.1	62	100.0%	35.6	3	100.0%	1.7	7	100.0%	4.0	174,981	100.0%
Female Total	538	79.1%	653.0	29	46.8%	35.2	0	0.0%	0.0	2	28.6%	2.4	82,384	47.1%
American Indian/Alaska Native	2	0.6%	182.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,095	1.3%
Asian/Pacific Islander	2	0.6%	110.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,809	2.2%
Black/African-American	5	1.6%	331.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,507	1.8%
Latina/Hispanic	287	91.7%	444.3	19	90.5%	29.4	0	0.0%	0.0	2	100.0%	3.1	64,596	78.4%
White	17	5.4%	131.5	2	9.5%	15.5	0	0.0%	0.0	0	0.0%	0.0	12,923	15.7%
Other/Multi/Not Specified	225	41.8%	-	8	27.6%	-	0	0.0%	-	0	0.0%	-	454	0.6%
Male Total	138	20.3%	149.0	33	53.2%	35.6	3	100.0%	3.2	5	71.4%	5.4	92,597	52.9%
American Indian/Alaska Native	0	0.0%	0.0	1	4.0%	88.9	0	0.0%	0.0	0	0.0%	0.0	1,125	1.2%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,407	2.6%
Black/African-American	5	6.0%	110.4	4	16.0%	88.3	1	33.3%	22.1	2	40.0%	44.2	4,529	4.9%
Latina/Hispanic	73	86.9%	105.9	18	72.0%	26.1	2	66.7%	2.9	3	60.0%	4.4	68,963	74.5%
White	6	7.1%	39.8	2	8.0%	13.3	0	0.0%	0.0	0	0.0%	0.0	15,067	16.3%
Other/Multi/Not Specified	54	39.1%	-	8	24.2%	-	0	0.0%	-	0	0.0%	-	506	0.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Imperial County, the July 1, 2007 estimate is 174,322).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Inyo County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Inyo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	31	100.0%	169.8	1	100.0%	5.5	0	100.0%	0.0	0	100.0%	0.0	18,936	100.0%
Female Total	20	64.5%	209.2	1	100.0%	10.5	0	0.0%	0.0	0	0.0%	0.0	9,561	50.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	910	9.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	598	6.3%
15 – 19	10	50.0%	1,385.0	1	100.0%	138.5	0	0.0%	0.0	0	0.0%	0.0	722	7.6%
20 – 24	8	40.0%	1,162.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	688	7.2%
25 – 29	1	5.0%	263.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	379	4.0%
30 – 34	1	5.0%	367.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	272	2.8%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,012	10.6%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,980	52.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	10	32.3%	106.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,375	49.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,028	11.0%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	597	6.4%
15 – 19	2	20.0%	283.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	706	7.5%
20 – 24	4	40.0%	539.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	742	7.9%
25 – 29	3	30.0%	717.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	418	4.5%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	312	3.3%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,005	10.7%
45 +	1	10.0%	21.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,567	48.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	31	100.0%	169.8	1	100.0%	5.5	0	100.0%	0.0	0	100.0%	0.0	18,936	100.0%
Female Total	20	64.5%	209.2	1	100.0%	10.5	0	0.0%	0.0	0	0.0%	0.0	9,561	50.5%
American Indian/Alaska Native	4	21.1%	425.1	1	100.0%	106.3	0	0.0%	0.0	0	0.0%	0.0	941	9.8%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	117	1.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7	0.1%
Latina/Hispanic	10	52.6%	861.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,161	12.1%
White	5	26.3%	71.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,043	73.7%
Other/Multi/Not Specified	1	5.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	292	3.1%
Male Total	10	32.3%	106.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,375	49.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	881	9.4%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	96	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	55	0.6%
Latina/Hispanic	6	60.0%	480.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,249	13.3%
White	4	40.0%	58.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,813	72.7%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	281	3.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Inyo County, the July 1, 2007 estimate is 18,253).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Kern County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Kern County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,633	100.0%	572.0	1,137	100.0%	140.4	23	100.0%	2.8	12	100.0%	1.5	817,095	100.0%
Female Total	2,908	62.8%	730.3	661	58.1%	166.0	6	26.1%	1.5	8	66.7%	2.0	398,174	48.7%
Ages														
0 – 9	1	0.0%	1.5	1	0.2%	1.5	0	0.0%	0.0	0	0.0%	0.0	66,527	16.7%
10 – 14	45	1.6%	133.0	7	1.1%	20.7	0	0.0%	0.0	0	0.0%	0.0	33,840	8.5%
15 – 19	1,103	38.2%	3,189.8	183	27.9%	529.2	0	0.0%	0.0	1	12.5%	2.9	34,579	8.7%
20 – 24	1,066	36.9%	3,164.3	217	33.1%	644.1	0	0.0%	0.0	1	12.5%	3.0	33,688	8.5%
25 – 29	415	14.4%	1,442.7	107	16.3%	372.0	1	16.7%	3.5	3	37.5%	10.4	28,766	7.2%
30 – 34	134	4.6%	529.1	72	11.0%	284.3	2	33.3%	7.9	3	37.5%	11.8	25,325	6.4%
35 – 44	98	3.4%	187.9	53	8.1%	101.6	3	50.0%	5.8	0	0.0%	0.0	52,156	13.1%
45 +	23	0.8%	18.7	16	2.4%	13.0	0	0.0%	0.0	0	0.0%	0.0	123,293	31.0%
Not Specified	23	0.8%	-	5	0.8%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,719	37.1%	410.3	472	41.5%	112.7	17	73.9%	4.1	4	33.3%	1.0	418,921	51.3%
Ages														
0 – 9	1	0.1%	1.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	69,074	16.5%
10 – 14	4	0.2%	11.2	4	0.8%	11.2	1	5.9%	2.8	0	0.0%	0.0	35,560	8.5%
15 – 19	321	18.7%	868.7	98	20.8%	265.2	0	0.0%	0.0	0	0.0%	0.0	36,953	8.8%
20 – 24	719	42.0%	1,736.1	153	32.5%	369.4	3	17.6%	7.2	1	25.0%	2.4	41,415	9.9%
25 – 29	457	26.7%	1,290.8	99	21.0%	279.6	3	17.6%	8.5	1	25.0%	2.8	35,405	8.5%
30 – 34	136	7.9%	462.0	42	8.9%	142.7	3	17.6%	10.2	1	25.0%	3.4	29,435	7.0%
35 – 44	45	2.6%	82.6	54	11.5%	99.1	4	23.5%	7.3	1	25.0%	1.8	54,478	13.0%
45 +	30	1.8%	25.7	21	4.5%	18.0	3	17.6%	2.6	0	0.0%	0.0	116,601	27.8%
Not Specified	6	0.3%	-	1	0.2%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,633	100.0%	572.0	1,137	100.0%	140.4	23	100.0%	2.8	12	100.0%	1.5	817,095	100.0%
Female Total	2,908	62.8%	730.3	661	58.1%	166.0	6	26.1%	1.5	8	66.7%	2.0	398,174	48.7%
American Indian/Alaska Native	8	0.4%	226.6	2	0.4%	56.7	0	0.0%	0.0	0	0.0%	0.0	3,530	0.9%
Asian/Pacific Islander	34	1.6%	217.0	5	1.0%	31.9	0	0.0%	0.0	0	0.0%	0.0	15,670	3.9%
Black/African-American	367	17.2%	1,894.7	127	25.4%	655.7	1	16.7%	5.2	0	0.0%	0.0	19,370	4.9%
Latina/Hispanic	1,282	60.0%	760.0	241	48.2%	142.9	1	16.7%	0.6	2	25.0%	1.2	168,683	42.4%
White	446	20.9%	240.6	125	25.0%	67.4	4	66.7%	2.2	6	75.0%	3.2	185,335	46.5%
Other/Multi/Not Specified	771	26.5%	-	161	24.4%	-	0	0.0%	-	0	0.0%	-	5,586	1.4%
Male Total	1,719	37.1%	410.3	472	41.5%	112.7	17	73.9%	4.1	4	33.3%	1.0	418,921	51.3%
American Indian/Alaska Native	4	0.3%	117.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,412	0.8%
Asian/Pacific Islander	16	1.2%	103.6	3	0.8%	19.4	0	0.0%	0.0	0	0.0%	0.0	15,441	3.7%
Black/African-American	321	23.2%	1,249.2	136	34.2%	529.3	2	12.5%	7.8	0	0.0%	0.0	25,696	6.1%
Latina/Hispanic	833	60.2%	443.0	182	45.7%	96.8	4	25.0%	2.1	1	25.0%	0.5	188,046	44.9%
White	209	15.1%	115.7	77	19.3%	42.6	10	62.5%	5.5	3	75.0%	1.7	180,697	43.1%
Other/Multi/Not Specified	336	19.5%	-	74	15.7%	-	1	5.9%	-	0	0.0%	-	5,629	1.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Kern County, the July 1, 2007 estimate is 809,903).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Kings County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female — Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Kings County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	492	100.0%	321.0	98	100.0%	63.9	0	100.0%	0.0	2	100.0%	1.3	154,154	100.0%
Female Total	364	74.0%	541.1	54	55.1%	80.3	0	0.0%	0.0	1	50.0%	1.5	67,273	43.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,902	17.7%
10 – 14	5	1.4%	84.6	1	1.9%	16.9	0	0.0%	0.0	0	0.0%	0.0	5,908	8.8%
15 – 19	98	26.9%	1,692.3	14	25.9%	241.8	0	0.0%	0.0	0	0.0%	0.0	5,791	8.6%
20 – 24	150	41.2%	2,775.7	14	25.9%	259.1	0	0.0%	0.0	0	0.0%	0.0	5,404	8.0%
25 – 29	62	17.0%	1,310.5	11	20.4%	232.5	0	0.0%	0.0	1	100.0%	21.1	4,731	7.0%
30 – 34	27	7.4%	606.5	2	3.7%	44.9	0	0.0%	0.0	0	0.0%	0.0	4,452	6.6%
35 – 44	21	5.8%	225.6	9	16.7%	96.7	0	0.0%	0.0	0	0.0%	0.0	9,310	13.8%
45 +	1	0.3%	5.1	3	5.6%	15.2	0	0.0%	0.0	0	0.0%	0.0	19,775	29.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	128	26.0%	147.3	44	44.9%	50.6	0	0.0%	0.0	1	50.0%	1.2	86,881	56.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,441	14.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,177	7.1%
15 – 19	23	18.0%	333.1	7	16.3%	101.4	0	0.0%	0.0	0	0.0%	0.0	6,905	7.9%
20 – 24	57	44.5%	632.8	13	30.2%	144.3	0	0.0%	0.0	1	100.0%	11.1	9,007	10.4%
25 – 29	26	20.3%	305.2	8	18.6%	93.9	0	0.0%	0.0	0	0.0%	0.0	8,518	9.8%
30 – 34	15	11.7%	185.0	11	25.6%	135.7	0	0.0%	0.0	0	0.0%	0.0	8,108	9.3%
35 – 44	3	2.3%	19.9	1	2.3%	6.6	0	0.0%	0.0	0	0.0%	0.0	15,080	17.4%
45 +	4	3.1%	19.4	3	7.0%	14.5	0	0.0%	0.0	0	0.0%	0.0	20,645	23.8%
Not Specified	0	0.0%	-	1	2.3%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	492	100.0%	321.0	98	100.0%	63.9	0	100.0%	0.0	2	100.0%	1.3	154,154	100.0%
Female Total	364	74.0%	541.1	54	55.1%	80.3	0	0.0%	0.0	1	50.0%	1.5	67,273	43.6%
American Indian/Alaska Native	3	0.9%	469.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	639	0.9%
Asian/Pacific Islander	9	2.7%	369.2	1	2.1%	41.0	0	0.0%	0.0	0	0.0%	0.0	2,438	3.6%
Black/African-American	43	13.1%	1,238.1	6	12.8%	172.8	0	0.0%	0.0	0	0.0%	0.0	3,473	5.2%
Latina/Hispanic	178	54.1%	572.1	25	53.2%	80.4	0	0.0%	0.0	1	100.0%	3.2	31,113	46.2%
White	96	29.2%	336.4	15	31.9%	52.6	0	0.0%	0.0	0	0.0%	0.0	28,540	42.4%
Other/Multi/Not Specified	35	9.6%	-	7	13.0%	-	0	0.0%	-	0	0.0%	-	1,070	1.6%
Male Total	128	26.0%	147.3	44	44.9%	50.6	0	0.0%	0.0	1	50.0%	1.2	86,881	56.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	777	0.9%
Asian/Pacific Islander	1	0.9%	48.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,068	2.4%
Black/African-American	22	18.8%	249.2	10	26.3%	113.3	0	0.0%	0.0	0	0.0%	0.0	8,828	10.2%
Latina/Hispanic	65	55.6%	160.7	17	44.7%	42.0	0	0.0%	0.0	1	100.0%	2.5	40,443	46.5%
White	29	24.8%	86.0	11	28.9%	32.6	0	0.0%	0.0	0	0.0%	0.0	33,726	38.8%
Other/Multi/Not Specified	11	8.6%	-	6	13.6%	-	0	0.0%	-	0	0.0%	-	1,039	1.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Kings County, the July 1, 2007 estimate is 153,268).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Lake County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Lake County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	117	100.0%	183.3	17	100.0%	26.6	0	100.0%	0.0	0	100.0%	0.0	65,198	100.0%
Female Total	85	72.6%	259.1	7	41.2%	21.3	0	0.0%	0.0	0	0.0%	0.0	32,806	50.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,120	9.5%
10 – 14	2	2.4%	117.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,699	5.2%
15 – 19	39	45.9%	1,639.3	4	57.1%	168.1	0	0.0%	0.0	0	0.0%	0.0	2,379	7.3%
20 – 24	22	25.9%	1,107.2	2	28.6%	100.7	0	0.0%	0.0	0	0.0%	0.0	1,987	6.1%
25 – 29	12	14.1%	1,166.2	1	14.3%	97.2	0	0.0%	0.0	0	0.0%	0.0	1,029	3.1%
30 – 34	6	7.1%	475.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,261	3.8%
35 – 44	4	4.7%	95.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,180	12.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,151	52.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	31	26.5%	95.7	9	52.9%	27.8	0	0.0%	0.0	0	0.0%	0.0	32,392	49.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,353	10.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,947	6.0%
15 – 19	4	12.9%	159.7	3	33.3%	119.8	0	0.0%	0.0	0	0.0%	0.0	2,504	7.7%
20 – 24	17	54.8%	770.3	5	55.6%	226.6	0	0.0%	0.0	0	0.0%	0.0	2,207	6.8%
25 – 29	5	16.1%	437.1	1	11.1%	87.4	0	0.0%	0.0	0	0.0%	0.0	1,144	3.5%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,174	3.6%
35 – 44	4	12.9%	105.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,811	11.8%
45 +	1	3.2%	6.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,252	50.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	117	100.0%	183.3	17	100.0%	26.6	0	100.0%	0.0	0	100.0%	0.0	65,198	100.0%
Female Total	85	72.6%	259.1	7	41.2%	21.3	0	0.0%	0.0	0	0.0%	0.0	32,806	50.3%
American Indian/Alaska Native	5	6.6%	596.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	838	2.6%
Asian/Pacific Islander	2	2.6%	560.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	357	1.1%
Black/African-American	6	7.9%	991.7	1	14.3%	165.3	0	0.0%	0.0	0	0.0%	0.0	605	1.8%
Latina/Hispanic	9	11.8%	199.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,522	13.8%
White	54	71.1%	210.8	6	85.7%	23.4	0	0.0%	0.0	0	0.0%	0.0	25,620	78.1%
Other/Multi/Not Specified	9	10.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	864	2.6%
Male Total	31	26.5%	95.7	9	52.9%	27.8	0	0.0%	0.0	0	0.0%	0.0	32,392	49.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	789	2.4%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	267	0.8%
Black/African-American	3	12.5%	474.7	5	62.5%	791.1	0	0.0%	0.0	0	0.0%	0.0	632	2.0%
Latina/Hispanic	5	20.8%	100.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,973	15.4%
White	16	66.7%	64.2	3	37.5%	12.0	0	0.0%	0.0	0	0.0%	0.0	24,934	77.0%
Other/Multi/Not Specified	7	22.6%	-	1	11.1%	-	0	0.0%	-	0	0.0%	-	797	2.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Lake County, the July 1, 2007 estimate is 63,821).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Lassen County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Lassen County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	39	100.0%	107.7	4	100.0%	11.0	0	100.0%	0.0	1	100.0%	2.8	36,891	100.0%
Female Total	23	59.0%	163.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,034	38.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,569	11.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,027	7.3%
15 – 19	10	45.5%	863.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,158	8.3%
20 – 24	8	36.4%	687.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,164	8.3%
25 – 29	3	13.6%	432.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	693	4.9%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	622	4.4%
35 – 44	1	4.5%	54.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,843	13.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,958	42.5%
Not Specified	1	4.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	14	35.9%	61.3	3	75.0%	13.1	0	0.0%	0.0	1	100.0%	4.4	22,857	62.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,800	7.9%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,104	4.8%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,618	7.1%
20 – 24	6	42.9%	218.7	1	33.3%	36.5	0	0.0%	0.0	0	0.0%	0.0	2,743	12.0%
25 – 29	5	35.7%	215.1	1	33.3%	43.0	0	0.0%	0.0	0	0.0%	0.0	2,325	10.2%
30 – 34	3	21.4%	132.0	1	33.3%	44.0	0	0.0%	0.0	0	0.0%	0.0	2,273	9.9%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	24.1	4,149	18.2%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,845	29.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	39	100.0%	107.7	4	100.0%	11.0	0	100.0%	0.0	1	100.0%	2.8	36,891	100.0%
Female Total	23	59.0%	163.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,034	38.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	461	3.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	212	1.5%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	172	1.2%
Latina/Hispanic	1	12.5%	76.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,315	9.4%
White	7	87.5%	60.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,517	82.1%
Other/Multi/Not Specified	15	65.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	357	2.5%
Male Total	14	35.9%	61.3	3	75.0%	13.1	0	0.0%	0.0	1	100.0%	4.4	22,857	62.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	565	2.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	259	1.1%
Black/African-American	3	25.0%	99.4	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	33.1	3,017	13.2%
Latina/Hispanic	4	33.3%	105.7	1	33.3%	26.4	0	0.0%	0.0	0	0.0%	0.0	3,783	16.6%
White	5	41.7%	33.7	2	66.7%	13.5	0	0.0%	0.0	0	0.0%	0.0	14,839	64.9%
Other/Multi/Not Specified	2	14.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	394	1.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Lassen County, the July 1, 2007 estimate is 36,223).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Long Beach City – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Long Beach City – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	2,666	100.0%	542.9	640	100.0%	130.3	76	100.0%	15.5	54	100.0%	11.0	491,069	100.0%
Female Total	1,947	73.0%	779.3	291	45.5%	116.5	3	3.9%	1.2	3	5.6%	1.2	249,836	50.9%
Ages														
0 – 9	0	0.0%	0.0	3	1.0%	7.2	0	0.0%	0.0	0	0.0%	0.0	41,707	16.7%
10 – 14	14	0.7%	76.0	4	1.4%	21.7	0	0.0%	0.0	0	0.0%	0.0	18,429	7.4%
15 – 19	653	33.7%	3,636.5	108	37.2%	601.4	2	66.7%	11.1	0	0.0%	0.0	17,957	7.2%
20 – 24	724	37.4%	3,669.0	89	30.7%	451.0	1	33.3%	5.1	0	0.0%	0.0	19,733	7.9%
25 – 29	295	15.2%	1,382.7	46	15.9%	215.6	0	0.0%	0.0	1	33.3%	4.7	21,335	8.5%
30 – 34	140	7.2%	655.9	22	7.6%	103.1	0	0.0%	0.0	1	33.3%	4.7	21,345	8.5%
35 – 44	92	4.8%	241.1	15	5.2%	39.3	0	0.0%	0.0	0	0.0%	0.0	38,160	15.3%
45 +	18	0.9%	25.3	3	1.0%	4.2	0	0.0%	0.0	1	33.3%	1.4	71,169	28.5%
Not Specified	11	0.6%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-		
Male Total	699	26.2%	289.8	342	53.4%	141.8	73	96.1%	30.3	51	94.4%	21.1	241,233	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	43,346	18.0%
10 – 14	1	0.1%	5.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,494	8.1%
15 – 19	132	19.1%	744.4	45	13.2%	253.8	1	1.4%	5.6	5	9.8%	28.2	17,732	7.4%
20 – 24	241	34.8%	1,322.1	88	25.8%	482.7	7	9.6%	38.4	4	7.8%	21.9	18,229	7.6%
25 – 29	154	22.3%	760.0	73	21.4%	360.3	9	12.3%	44.4	6	11.8%	29.6	20,262	8.4%
30 – 34	64	9.2%	295.0	38	11.1%	175.2	7	9.6%	32.3	5	9.8%	23.0	21,692	9.0%
35 – 44	76	11.0%	195.8	67	19.6%	172.6	33	45.2%	85.0	13	25.5%	33.5	38,813	16.1%
45 +	24	3.5%	38.9	30	8.8%	48.7	16	21.9%	25.9	18	35.3%	29.2	61,664	25.6%
Not Specified	7	1.0%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	2,666	100.0%	542.9	640	100.0%	130.3	76	100.0%	15.5	54	100.0%	11.0	491,069	100.0%
Female Total	1,947	73.0%	779.3	291	45.5%	116.5	3	3.9%	1.2	3	5.6%	1.2	249,836	50.9%
American Indian/Alaska Native	5	0.4%	519.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	962	0.4%
Asian/Pacific Islander	88	7.5%	258.8	10	5.7%	29.4	0	0.0%	0.0	0	0.0%	0.0	34,009	13.6%
Black/African-American	466	39.8%	1,216.6	111	63.8%	289.8	0	0.0%	0.0	1	33.3%	2.6	38,303	15.3%
Latina/Hispanic	503	42.9%	583.5	35	20.1%	40.6	3	100.0%	3.5	2	66.7%	2.3	86,200	34.5%
White	110	9.4%	133.4	18	10.3%	21.8	0	0.0%	0.0	0	0.0%	0.0	82,488	33.0%
Other/Multi/Not Specified	775	39.8%	-	117	40.2%	-	0	0.0%	-	0	0.0%	-	7,875	3.2%
Male Total	699	26.2%	289.8	342	53.4%	141.8	73	96.1%	30.3	51	94.4%	21.1	241,233	49.1%
American Indian/Alaska Native	1	0.3%	108.2	0	0.0%	0.0	0	0.0%	0.0	1	2.0%	108.2	924	0.4%
Asian/Pacific Islander	14	3.8%	46.4	8	5.4%	26.5	3	4.3%	9.9	3	6.0%	9.9	30,182	12.5%
Black/African-American	163	44.8%	496.8	78	52.3%	237.7	8	11.6%	24.4	5	10.0%	15.2	32,812	13.6%
Latina/Hispanic	141	38.7%	157.6	28	18.8%	31.3	22	31.9%	24.6	20	40.0%	22.4	89,462	37.1%
White	45	12.4%	56.1	35	23.5%	43.6	36	52.2%	44.9	21	42.0%	26.2	80,200	33.2%
Other/Multi/Not Specified	335	47.9%	-	193	56.4%	-	4	5.5%	-	1	2.0%	-	7,654	3.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/age/race distribution percentages were then applied to this total.










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Los Angeles County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population. Los Angeles County includes Long Beach & Pasadena City Health Jurisdictions.

Source: California Department of Public Health, STD Control Branch

Los Angeles County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	44,049	100.0%	427.9	10,061	100.0%	97.7	935	100.0%	9.1	848	100.0%	8.2	10,323,161	100.0%
Female Total	30,479	69.2%	586.3	4,602	45.7%	88.5	54	5.8%	1.0	122	14.4%	2.3	5,198,625	50.4%
Ages														
0 – 9	9	0.0%	1.2	7	0.2%	1.0	0	0.0%	0.0	0	0.0%	0.0	724,595	13.9%
10 – 14	282	0.9%	69.3	66	1.4%	16.2	0	0.0%	0.0	0	0.0%	0.0	406,685	7.8%
15 – 19	9,630	31.7%	2,411.7	1,644	35.8%	411.7	6	11.1%	1.5	7	5.8%	1.8	399,306	7.7%
20 – 24	10,832	35.7%	3,263.2	1,445	31.5%	435.3	7	13.0%	2.1	22	18.2%	6.6	331,943	6.4%
25 – 29	5,176	17.0%	1,587.7	716	15.6%	219.6	6	11.1%	1.8	26	21.5%	8.0	326,003	6.3%
30 – 34	2,271	7.5%	663.5	328	7.2%	95.8	10	18.5%	2.9	22	18.2%	6.4	342,270	6.6%
35 – 44	1,664	5.5%	210.5	287	6.3%	36.3	8	14.8%	1.0	25	20.7%	3.2	790,668	15.2%
45 +	506	1.7%	27.0	94	2.0%	5.0	17	31.5%	0.9	19	15.7%	1.0	1,877,155	36.1%
Not Specified	109	0.4%	-	15	0.3%	-	0	0.0%	-	1	0.8%	-		
Male Total	13,386	30.4%	261.2	5,428	54.0%	105.9	880	94.1%	17.2	726	85.6%	14.2	5,124,536	49.6%
Ages														
0 – 9	7	0.1%	0.9	2	0.0%	0.3	0	0.0%	0.0	0	0.0%	0.0	755,157	14.7%
10 – 14	60	0.5%	14.1	20	0.4%	4.7	0	0.0%	0.0	0	0.0%	0.0	425,449	8.3%
15 – 19	2,729	20.5%	652.6	796	14.7%	190.4	19	2.2%	4.5	25	3.4%	6.0	418,148	8.2%
20 – 24	4,203	31.6%	1,221.5	1,416	26.2%	411.5	115	13.1%	33.4	87	12.0%	25.3	344,084	6.7%
25 – 29	2,771	20.8%	848.4	1,090	20.1%	333.7	142	16.2%	43.5	101	13.9%	30.9	326,622	6.4%
30 – 34	1,373	10.3%	398.2	670	12.4%	194.3	119	13.6%	34.5	110	15.2%	31.9	344,828	6.7%
35 – 44	1,554	11.7%	185.5	941	17.4%	112.3	305	34.7%	36.4	243	33.5%	29.0	837,669	16.3%
45 +	622	4.7%	37.2	479	8.8%	28.6	178	20.3%	10.6	159	21.9%	9.5	1,672,579	32.6%
Not Specified	67	0.5%	-	14	0.3%	-	2	0.2%	-	1	0.1%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	44,049	100.0%	427.9	10,061	100.0%	97.7	935	100.0%	9.1	848	100.0%	8.2	10,323,161	100.0%
Female Total	30,479	69.2%	586.3	4,602	45.7%	88.5	54	5.8%	1.0	122	14.4%	2.3	5,198,625	50.4%
American Indian/Alaska Native	44	0.2%	283.2	9	0.2%	57.9	0	0.0%	0.0	0	0.0%	0.0	15,534	0.3%
Asian/Pacific Islander	1,115	4.7%	154.7	103	2.7%	14.3	0	0.0%	0.0	2	1.7%	0.3	720,588	13.9%
Black/African-American	7,179	30.1%	1,502.4	2,231	58.4%	466.9	22	42.3%	4.6	43	36.1%	9.0	477,832	9.2%
Latina/Hispanic	13,023	54.5%	544.1	1,013	26.5%	42.3	23	44.2%	1.0	61	51.3%	2.5	2,393,468	46.0%
White	2,520	10.6%	167.9	465	12.2%	31.0	7	13.5%	0.5	13	10.9%	0.9	1,500,823	28.9%
Other/Multi/Not Specified	6,598	21.6%	-	781	17.0%	-	2	3.7%	-	3	2.5%	-	90,380	1.7%
Male Total	13,386	30.4%	261.2	5,428	54.0%	105.9	880	94.1%	17.2	726	85.6%	14.2	5,124,536	49.6%
American Indian/Alaska Native	32	0.3%	217.6	10	0.2%	68.0	0	0.0%	0.0	3	0.4%	20.4	14,706	0.3%
Asian/Pacific Islander	410	4.1%	63.5	103	2.4%	16.0	30	3.5%	4.6	29	4.1%	4.5	645,429	12.6%
Black/African-American	3,554	35.8%	858.5	2,055	48.2%	496.4	149	17.6%	36.0	120	16.9%	29.0	413,956	8.1%
Latina/Hispanic	4,578	46.1%	184.8	1,206	28.3%	48.7	350	41.4%	14.1	357	50.4%	14.4	2,477,387	48.3%
White	1,349	13.6%	90.8	890	20.9%	59.9	317	37.5%	21.3	200	28.2%	13.5	1,486,185	29.0%
Other/Multi/Not Specified	3,463	25.9%	-	1,164	21.4%	-	34	3.9%	-	17	2.3%	-	86,873	1.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Los Angeles County, the July 1, 2007 estimate is 10,294,280).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Madera County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Madera County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	720	100.0%	480.3	114	100.0%	76.0	1	100.0%	0.7	1	100.0%	0.7	150,555	100.0%
Female Total	640	88.9%	823.2	106	93.0%	136.3	0	0.0%	0.0	0	0.0%	0.0	77,749	51.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,619	13.7%
10 – 14	3	0.5%	50.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,984	7.7%
15 – 19	121	18.9%	1,984.3	12	11.3%	196.8	0	0.0%	0.0	0	0.0%	0.0	6,098	7.8%
20 – 24	192	30.0%	4,154.9	29	27.4%	627.6	0	0.0%	0.0	0	0.0%	0.0	4,621	5.9%
25 – 29	154	24.1%	4,302.9	24	22.6%	670.6	0	0.0%	0.0	0	0.0%	0.0	3,579	4.6%
30 – 34	69	10.8%	1,381.7	19	17.9%	380.5	0	0.0%	0.0	0	0.0%	0.0	4,994	6.4%
35 – 44	79	12.3%	569.5	17	16.0%	122.5	0	0.0%	0.0	0	0.0%	0.0	13,872	17.8%
45 +	22	3.4%	78.6	5	4.7%	17.9	0	0.0%	0.0	0	0.0%	0.0	27,982	36.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	79	11.0%	108.5	8	7.0%	11.0	1	100.0%	1.4	1	100.0%	1.4	72,806	48.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,280	15.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,526	9.0%
15 – 19	24	30.4%	371.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,455	8.9%
20 – 24	27	34.2%	559.2	5	62.5%	103.6	0	0.0%	0.0	0	0.0%	0.0	4,828	6.6%
25 – 29	15	19.0%	420.2	2	25.0%	56.0	0	0.0%	0.0	0	0.0%	0.0	3,570	4.9%
30 – 34	9	11.4%	224.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,002	5.5%
35 – 44	2	2.5%	18.5	0	0.0%	0.0	1	100.0%	9.3	1	100.0%	9.3	10,785	14.8%
45 +	2	2.5%	7.9	1	12.5%	3.9	0	0.0%	0.0	0	0.0%	0.0	25,360	34.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	720	100.0%	480.3	114	100.0%	76.0	1	100.0%	0.7	1	100.0%	0.7	150,555	100.0%
Female Total	640	88.9%	823.2	106	93.0%	136.3	0	0.0%	0.0	0	0.0%	0.0	77,749	51.6%
American Indian/Alaska Native	1	0.3%	74.4	1	4.2%	74.4	0	0.0%	0.0	0	0.0%	0.0	1,344	1.7%
Asian/Pacific Islander	1	0.3%	93.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,070	1.4%
Black/African-American	7	2.3%	211.7	2	8.3%	60.5	0	0.0%	0.0	0	0.0%	0.0	3,307	4.3%
Latina/Hispanic	261	86.1%	747.6	17	70.8%	48.7	0	0.0%	0.0	0	0.0%	0.0	34,912	44.9%
White	33	10.9%	92.6	4	16.7%	11.2	0	0.0%	0.0	0	0.0%	0.0	35,656	45.9%
Other/Multi/Not Specified	337	52.7%	-	82	77.4%	-	0	0.0%	-	0	0.0%	-	1,460	1.9%
Male Total	79	11.0%	108.5	8	7.0%	11.0	1	100.0%	1.4	1	100.0%	1.4	72,806	48.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	909	1.2%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	855	1.2%
Black/African-American	4	6.0%	365.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,096	1.5%
Latina/Hispanic	53	79.1%	145.7	2	66.7%	5.5	0	0.0%	0.0	0	0.0%	0.0	36,366	49.9%
White	10	14.9%	30.7	1	33.3%	3.1	1	100.0%	3.1	1	100.0%	3.1	32,526	44.7%
Other/Multi/Not Specified	12	15.2%	-	5	62.5%	-	0	0.0%	-	0	0.0%	-	1,054	1.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Madera County, the July 1, 2007 estimate is 149,916).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Marin County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Marin County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	528	100.0%	206.0	78	100.0%	30.4	4	100.0%	1.6	1	100.0%	0.4	253,113	100.0%
Female Total	298	56.4%	233.2	28	35.9%	21.9	0	0.0%	0.0	0	0.0%	0.0	127,792	50.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,768	11.6%
10 – 14	3	1.0%	41.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,297	5.7%
15 – 19	86	28.9%	1,181.6	10	37.0%	137.4	0	0.0%	0.0	0	0.0%	0.0	7,278	5.7%
20 – 24	114	38.3%	1,685.1	5	18.5%	73.9	0	0.0%	0.0	0	0.0%	0.0	6,765	5.3%
25 – 29	53	17.8%	1,216.7	4	14.8%	91.8	0	0.0%	0.0	0	0.0%	0.0	4,356	3.4%
30 – 34	25	8.4%	479.2	4	14.8%	76.7	0	0.0%	0.0	0	0.0%	0.0	5,217	4.1%
35 – 44	13	4.4%	76.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,032	13.3%
45 +	4	1.3%	6.1	4	14.8%	6.1	0	0.0%	0.0	0	0.0%	0.0	65,079	50.9%
Not Specified	0	0.0%	-	1	3.6%	-	0	0.0%	-	0	0.0%	-		
Male Total	230	43.6%	183.5	50	64.1%	39.9	4	100.0%	3.2	1	100.0%	0.8	125,321	49.5%
Ages														
0 – 9	1	0.4%	6.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,259	12.2%
10 – 14	1	0.4%	13.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,193	5.7%
15 – 19	16	7.0%	196.3	3	6.0%	36.8	0	0.0%	0.0	0	0.0%	0.0	8,152	6.5%
20 – 24	77	33.5%	906.1	5	10.0%	58.8	1	25.0%	11.8	0	0.0%	0.0	8,498	6.8%
25 – 29	84	36.5%	1,429.3	15	30.0%	255.2	0	0.0%	0.0	0	0.0%	0.0	5,877	4.7%
30 – 34	20	8.7%	318.9	6	12.0%	95.7	1	25.0%	15.9	0	0.0%	0.0	6,272	5.0%
35 – 44	20	8.7%	115.4	10	20.0%	57.7	1	25.0%	5.8	0	0.0%	0.0	17,331	13.8%
45 +	11	4.8%	19.4	11	22.0%	19.4	1	25.0%	1.8	1	100.0%	1.8	56,739	45.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	528	100.0%	206.0	78	100.0%	30.4	4	100.0%	1.6	1	100.0%	0.4	253,113	100.0%
Female Total	298	56.4%	233.2	28	35.9%	21.9	0	0.0%	0.0	0	0.0%	0.0	127,792	50.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	291	0.2%
Asian/Pacific Islander	8	3.0%	127.1	1	3.7%	15.9	0	0.0%	0.0	0	0.0%	0.0	6,293	4.9%
Black/African-American	10	3.7%	401.9	6	22.2%	241.2	0	0.0%	0.0	0	0.0%	0.0	2,488	1.9%
Latina/Hispanic	95	35.4%	488.4	6	22.2%	30.8	0	0.0%	0.0	0	0.0%	0.0	19,452	15.2%
White	155	57.8%	160.6	14	51.9%	14.5	0	0.0%	0.0	0	0.0%	0.0	96,516	75.5%
Other/Multi/Not Specified	30	10.1%	-	1	3.6%	-	0	0.0%	-	0	0.0%	-	2,752	2.2%
Male Total	230	43.6%	183.5	50	64.1%	39.9	4	100.0%	3.2	1	100.0%	0.8	125,321	49.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	380	0.3%
Asian/Pacific Islander	3	1.7%	58.3	2	4.8%	38.9	0	0.0%	0.0	0	0.0%	0.0	5,143	4.1%
Black/African-American	2	1.1%	39.5	6	14.3%	118.5	0	0.0%	0.0	0	0.0%	0.0	5,064	4.0%
Latina/Hispanic	68	38.4%	313.2	9	21.4%	41.5	2	50.0%	9.2	0	0.0%	0.0	21,708	17.3%
White	104	58.8%	114.9	25	59.5%	27.6	2	50.0%	2.2	1	100.0%	1.1	90,506	72.2%
Other/Multi/Not Specified	53	23.0%	-	8	16.0%	-	0	0.0%	-	0	0.0%	-	2,520	2.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Marin County, the July 1, 2007 estimate is 256,310).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Mariposa County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Mariposa County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	16	100.0%	87.2	3	100.0%	16.3	1	100.0%	5.4	1	100.0%	5.4	18,613	100.0%
Female Total	15	93.8%	164.7	1	33.3%	11.0	0	0.0%	0.0	0	0.0%	0.0	9,108	48.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	753	8.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	477	5.2%
15 – 19	4	26.7%	630.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	634	7.0%
20 – 24	7	46.7%	1,270.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	551	6.0%
25 – 29	3	20.0%	1,038.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	289	3.2%
30 – 34	1	6.7%	302.1	1	100.0%	302.1	0	0.0%	0.0	0	0.0%	0.0	331	3.6%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,088	11.9%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,985	54.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	1	6.3%	10.5	1	33.3%	10.5	1	100.0%	10.5	1	100.0%	10.5	9,505	51.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	679	7.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	483	5.1%
15 – 19	1	100.0%	151.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	659	6.9%
20 – 24	0	0.0%	0.0	1	100.0%	171.5	0	0.0%	0.0	0	0.0%	0.0	583	6.1%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	539	5.7%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	403	4.2%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	86.7	1	100.0%	86.7	1,153	12.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,006	52.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	16	100.0%	87.2	3	100.0%	16.3	1	100.0%	5.4	1	100.0%	5.4	18,613	100.0%
Female Total	15	93.8%	164.7	1	33.3%	11.0	0	0.0%	0.0	0	0.0%	0.0	9,108	48.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	294	3.2%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	93	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	39	0.4%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	644	7.1%
White	10	100.0%	128.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,792	85.6%
Other/Multi/Not Specified	5	33.3%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	246	2.7%
Male Total	1	6.3%	10.5	1	33.3%	10.5	1	100.0%	10.5	1	100.0%	10.5	9,505	51.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	296	3.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	82	0.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	83	0.9%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	782	8.2%
White	0	0.0%	0.0	1	100.0%	12.5	1	100.0%	12.5	1	100.0%	12.5	7,990	84.1%
Other/Multi/Not Specified	1	100.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	272	2.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Mariposa County, the July 1, 2007 estimate is 18,356).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Mendocino County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Mendocino County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	210	100.0%	234.2	19	100.0%	21.2	0	100.0%	0.0	0	100.0%	0.0	91,139	100.0%
Female Total	157	74.8%	343.9	9	47.4%	19.7	0	0.0%	0.0	0	0.0%	0.0	45,654	50.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,331	11.7%
10 – 14	3	1.9%	108.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,775	6.1%
15 – 19	54	34.4%	1,634.4	2	22.2%	60.5	0	0.0%	0.0	0	0.0%	0.0	3,304	7.2%
20 – 24	49	31.2%	1,403.2	4	44.4%	114.5	0	0.0%	0.0	0	0.0%	0.0	3,492	7.6%
25 – 29	30	19.1%	1,185.8	2	22.2%	79.1	0	0.0%	0.0	0	0.0%	0.0	2,530	5.5%
30 – 34	13	8.3%	604.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,152	4.7%
35 – 44	5	3.2%	97.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,125	11.2%
45 +	3	1.9%	14.3	1	11.1%	4.8	0	0.0%	0.0	0	0.0%	0.0	20,945	45.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	53	25.2%	116.5	10	52.6%	22.0	0	0.0%	0.0	0	0.0%	0.0	45,485	49.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,568	12.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,894	6.4%
15 – 19	12	22.6%	346.0	2	20.0%	57.7	0	0.0%	0.0	0	0.0%	0.0	3,468	7.6%
20 – 24	25	47.2%	667.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,748	8.2%
25 – 29	8	15.1%	261.7	5	50.0%	163.6	0	0.0%	0.0	0	0.0%	0.0	3,057	6.7%
30 – 34	3	5.7%	118.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,530	5.6%
35 – 44	4	7.5%	75.1	2	20.0%	37.5	0	0.0%	0.0	0	0.0%	0.0	5,329	11.7%
45 +	1	1.9%	5.3	1	10.0%	5.3	0	0.0%	0.0	0	0.0%	0.0	18,891	41.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	210	100.0%	234.2	19	100.0%	21.2	0	100.0%	0.0	0	100.0%	0.0	91,139	100.0%
Female Total	157	74.8%	343.9	9	47.4%	19.7	0	0.0%	0.0	0	0.0%	0.0	45,654	50.1%
American Indian/Alaska Native	1	0.6%	36.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,718	6.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	709	1.6%
Black/African-American	1	0.6%	520.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	192	0.4%
Latina/Hispanic	19	12.1%	235.0	1	11.1%	12.4	0	0.0%	0.0	0	0.0%	0.0	8,086	17.7%
White	136	86.6%	413.9	8	88.9%	24.3	0	0.0%	0.0	0	0.0%	0.0	32,857	72.0%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	1,092	2.4%
Male Total	53	25.2%	116.5	10	52.6%	22.0	0	0.0%	0.0	0	0.0%	0.0	45,485	49.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,526	5.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	499	1.1%
Black/African-American	1	1.9%	313.5	1	10.0%	313.5	0	0.0%	0.0	0	0.0%	0.0	319	0.7%
Latina/Hispanic	7	13.2%	73.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,574	21.0%
White	45	84.9%	142.2	9	90.0%	28.4	0	0.0%	0.0	0	0.0%	0.0	31,640	69.6%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	927	2.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Mendocino County, the July 1, 2007 estimate is 89,669).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Merced County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Merced County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	901	100.0%	356.8	149	100.0%	59.0	1	100.0%	0.4	1	100.0%	0.4	255,602	100.0%
Female Total	712	79.0%	561.3	91	61.1%	71.7	0	0.0%	0.0	0	0.0%	0.0	126,841	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	20,973	16.5%
10 – 14	8	1.1%	72.8	2	2.2%	18.2	0	0.0%	0.0	0	0.0%	0.0	10,988	8.7%
15 – 19	230	32.3%	2,004.5	18	19.8%	156.9	0	0.0%	0.0	0	0.0%	0.0	11,474	9.0%
20 – 24	273	38.3%	2,492.0	35	38.5%	319.5	0	0.0%	0.0	0	0.0%	0.0	10,955	8.6%
25 – 29	119	16.7%	1,282.3	23	25.3%	247.8	0	0.0%	0.0	0	0.0%	0.0	9,280	7.3%
30 – 34	46	6.5%	549.5	5	5.5%	59.7	0	0.0%	0.0	0	0.0%	0.0	8,371	6.6%
35 – 44	28	3.9%	167.7	5	5.5%	29.9	0	0.0%	0.0	0	0.0%	0.0	16,697	13.2%
45 +	8	1.1%	21.0	3	3.3%	7.9	0	0.0%	0.0	0	0.0%	0.0	38,103	30.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	189	21.0%	146.8	57	38.3%	44.3	1	100.0%	0.8	1	100.0%	0.8	128,761	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	21,729	16.9%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,396	8.9%
15 – 19	48	25.4%	398.1	8	14.0%	66.3	0	0.0%	0.0	0	0.0%	0.0	12,058	9.4%
20 – 24	79	41.8%	653.2	19	33.3%	157.1	0	0.0%	0.0	1	100.0%	8.3	12,094	9.4%
25 – 29	35	18.5%	325.6	15	26.3%	139.5	0	0.0%	0.0	0	0.0%	0.0	10,751	8.3%
30 – 34	11	5.8%	120.6	6	10.5%	65.8	0	0.0%	0.0	0	0.0%	0.0	9,118	7.1%
35 – 44	11	5.8%	64.0	6	10.5%	34.9	0	0.0%	0.0	0	0.0%	0.0	17,179	13.3%
45 +	5	2.6%	14.5	3	5.3%	8.7	1	100.0%	2.9	0	0.0%	0.0	34,436	26.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	901	100.0%	356.8	149	100.0%	59.0	1	100.0%	0.4	1	100.0%	0.4	255,602	100.0%
Female Total	712	79.0%	561.3	91	61.1%	71.7	0	0.0%	0.0	0	0.0%	0.0	126,841	49.6%
American Indian/Alaska Native	3	0.6%	503.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	596	0.5%
Asian/Pacific Islander	25	5.0%	315.0	1	1.9%	12.6	0	0.0%	0.0	0	0.0%	0.0	7,937	6.3%
Black/African-American	60	11.9%	1,747.7	12	22.6%	349.5	0	0.0%	0.0	0	0.0%	0.0	3,433	2.7%
Latina/Hispanic	308	61.2%	462.9	19	35.8%	28.6	0	0.0%	0.0	0	0.0%	0.0	66,537	52.5%
White	107	21.3%	231.1	21	39.6%	45.4	0	0.0%	0.0	0	0.0%	0.0	46,298	36.5%
Other/Multi/Not Specified	209	29.4%	-	38	41.8%	-	0	0.0%	-	0	0.0%	-	2,040	1.6%
Male Total	189	21.0%	146.8	57	38.3%	44.3	1	100.0%	0.8	1	100.0%	0.8	128,761	50.4%
American Indian/Alaska Native	1	0.7%	164.5	1	3.0%	164.5	0	0.0%	0.0	0	0.0%	0.0	608	0.5%
Asian/Pacific Islander	5	3.3%	64.7	2	6.1%	25.9	0	0.0%	0.0	0	0.0%	0.0	7,728	6.0%
Black/African-American	21	13.9%	576.1	10	30.3%	274.3	0	0.0%	0.0	0	0.0%	0.0	3,645	2.8%
Latina/Hispanic	91	60.3%	128.5	13	39.4%	18.4	0	0.0%	0.0	0	0.0%	0.0	70,833	55.0%
White	33	21.9%	74.8	7	21.2%	15.9	1	100.0%	2.3	1	100.0%	2.3	44,117	34.3%
Other/Multi/Not Specified	38	20.1%	-	24	42.1%	-	0	0.0%	-	0	0.0%	-	1,830	1.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Merced County, the July 1, 2007 estimate is 252,544).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Modoc County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Modoc County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	14	100.0%	143.6	10	100.0%	102.6	0	100.0%	0.0	0	100.0%	0.0	10,448	100.0%
Female Total	10	71.4%	194.1	6	60.0%	116.5	0	0.0%	0.0	0	0.0%	0.0	5,152	49.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	464	9.0%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	338	6.6%
15 – 19	5	50.0%	1,355.0	3	50.0%	813.0	0	0.0%	0.0	0	0.0%	0.0	369	7.2%
20 – 24	4	40.0%	963.9	1	16.7%	241.0	0	0.0%	0.0	0	0.0%	0.0	415	8.1%
25 – 29	1	10.0%	505.1	1	16.7%	505.1	0	0.0%	0.0	0	0.0%	0.0	198	3.8%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	186	3.6%
35 – 44	0	0.0%	0.0	1	16.7%	173.3	0	0.0%	0.0	0	0.0%	0.0	577	11.2%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,605	50.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	4	28.6%	75.5	3	30.0%	56.6	0	0.0%	0.0	0	0.0%	0.0	5,296	50.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	495	9.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	378	7.1%
15 – 19	1	25.0%	237.5	1	33.3%	237.5	0	0.0%	0.0	0	0.0%	0.0	421	7.9%
20 – 24	3	75.0%	646.6	2	66.7%	431.0	0	0.0%	0.0	0	0.0%	0.0	464	8.8%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	238	4.5%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	191	3.6%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	617	11.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,492	47.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	14	100.0%	143.6	10	100.0%	102.6	0	100.0%	0.0	0	100.0%	0.0	10,448	100.0%
Female Total	10	71.4%	194.1	6	60.0%	116.5	0	0.0%	0.0	0	0.0%	0.0	5,152	49.3%
American Indian/Alaska Native	1	14.3%	555.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	180	3.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	39	0.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16	0.3%
Latina/Hispanic	1	14.3%	203.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	492	9.5%
White	5	71.4%	116.3	4	100.0%	93.0	0	0.0%	0.0	0	0.0%	0.0	4,299	83.4%
Other/Multi/Not Specified	3	30.0%	-	2	33.3%	-	0	0.0%	-	0	0.0%	-	126	2.4%
Male Total	4	28.6%	75.5	3	30.0%	56.6	0	0.0%	0.0	0	0.0%	0.0	5,296	50.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	192	3.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	30	0.6%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	49	0.9%
Latina/Hispanic	1	33.3%	167.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	597	11.3%
White	2	66.7%	46.5	1	100.0%	23.3	0	0.0%	0.0	0	0.0%	0.0	4,300	81.2%
Other/Multi/Not Specified	1	25.0%	-	2	66.7%	-	0	0.0%	-	0	0.0%	-	128	2.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Modoc County, the July 1, 2007 estimate is 9,747).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Mono County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

s Numbers suppressed for confidentiality

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Mono County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	15	100.0%	106.7	1	100.0%	7.1	0	100.0%	0.0	0	100.0%	0.0	14,118	100.0%
Female Total	12	80.0%	183.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,538	46.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	748	11.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	452	6.9%
15 – 19	1	8.3%	215.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	465	7.1%
20 – 24	6	50.0%	1,330.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	451	6.9%
25 – 29	4	33.3%	1,033.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	387	5.9%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	427	6.5%
35 – 44	1	8.3%	113.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	885	13.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,723	41.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	3	20.0%	39.6	1	100.0%	13.2	0	0.0%	0.0	0	0.0%	0.0	7,580	53.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	791	10.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	381	5.0%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	506	6.7%
20 – 24	3	100.0%	560.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	535	7.1%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	624	8.2%
30 – 34	0	0.0%	0.0	1	100.0%	161.0	0	0.0%	0.0	0	0.0%	0.0	621	8.2%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,113	14.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,009	39.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	15	100.0%	106.7	1	100.0%	7.1	0	100.0%	0.0	0	100.0%	0.0	14,118	100.0%
Female Total	12	80.0%	183.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,538	46.3%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	136	2.1%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	87	1.3%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17	0.3%
Latina/Hispanic	2	18.2%	121.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,650	25.2%
White	8	72.7%	176.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,538	69.4%
Other/Multi/Not Specified	1	8.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	110	1.7%
Male Total	3	20.0%	39.6	1	100.0%	13.2	0	0.0%	0.0	0	0.0%	0.0	7,580	53.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	155	2.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	92	1.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	52	0.7%
Latina/Hispanic	1	33.3%	52.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,919	25.3%
White	2	66.7%	38.2	1	100.0%	19.1	0	0.0%	0.0	0	0.0%	0.0	5,232	69.0%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	130	1.7%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Mono County, the July 1, 2007 estimate is 14,055).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Monterey County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female — Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Monterey County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,229	100.0%	288.9	140	100.0%	32.9	1	100.0%	0.2	0	100.0%	0.0	424,769	100.0%
Female Total	1,001	81.4%	482.8	55	39.3%	26.5	0	0.0%	0.0	0	0.0%	0.0	207,345	48.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	33,977	16.4%
10 – 14	5	0.5%	32.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,432	7.4%
15 – 19	268	26.8%	1,726.8	15	27.3%	96.6	0	0.0%	0.0	0	0.0%	0.0	15,520	7.5%
20 – 24	389	38.9%	2,723.1	14	25.5%	98.0	0	0.0%	0.0	0	0.0%	0.0	14,285	6.9%
25 – 29	192	19.2%	1,376.3	13	23.6%	93.2	0	0.0%	0.0	0	0.0%	0.0	13,950	6.7%
30 – 34	75	7.5%	558.0	8	14.5%	59.5	0	0.0%	0.0	0	0.0%	0.0	13,442	6.5%
35 – 44	54	5.4%	199.8	3	5.5%	11.1	0	0.0%	0.0	0	0.0%	0.0	27,028	13.0%
45 +	17	1.7%	23.1	2	3.6%	2.7	0	0.0%	0.0	0	0.0%	0.0	73,711	35.5%
Not Specified	1	0.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	227	18.5%	104.4	85	60.7%	39.1	1	100.0%	0.5	0	0.0%	0.0	217,424	51.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	35,707	16.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,992	7.4%
15 – 19	36	15.9%	215.7	10	11.8%	59.9	0	0.0%	0.0	0	0.0%	0.0	16,687	7.7%
20 – 24	86	37.9%	462.0	33	38.8%	177.3	1	100.0%	5.4	0	0.0%	0.0	18,616	8.6%
25 – 29	60	26.4%	306.9	14	16.5%	71.6	0	0.0%	0.0	0	0.0%	0.0	19,549	9.0%
30 – 34	18	7.9%	115.8	9	10.6%	57.9	0	0.0%	0.0	0	0.0%	0.0	15,544	7.1%
35 – 44	19	8.4%	67.1	11	12.9%	38.9	0	0.0%	0.0	0	0.0%	0.0	28,297	13.0%
45 +	8	3.5%	11.9	8	9.4%	11.9	0	0.0%	0.0	0	0.0%	0.0	67,032	30.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,229	100.0%	288.9	140	100.0%	32.9	1	100.0%	0.2	0	100.0%	0.0	424,769	100.0%
Female Total	1,001	81.4%	482.8	55	39.3%	26.5	0	0.0%	0.0	0	0.0%	0.0	207,345	48.8%
American Indian/Alaska Native	4	0.6%	435.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	919	0.4%
Asian/Pacific Islander	32	4.5%	218.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,653	7.1%
Black/African-American	34	4.8%	937.4	4	10.8%	110.3	0	0.0%	0.0	0	0.0%	0.0	3,627	1.7%
Latina/Hispanic	521	73.6%	476.5	25	67.6%	22.9	0	0.0%	0.0	0	0.0%	0.0	109,336	52.7%
White	117	16.5%	158.3	8	21.6%	10.8	0	0.0%	0.0	0	0.0%	0.0	73,897	35.6%
Other/Multi/Not Specified	293	29.3%	-	18	32.7%	-	0	0.0%	-	0	0.0%	-	4,913	2.4%
Male Total	227	18.5%	104.4	85	60.7%	39.1	1	100.0%	0.5	0	0.0%	0.0	217,424	51.2%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,029	0.5%
Asian/Pacific Islander	5	3.0%	37.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,180	6.1%
Black/African-American	15	8.9%	191.8	8	12.7%	102.3	0	0.0%	0.0	0	0.0%	0.0	7,822	3.6%
Latina/Hispanic	118	69.8%	96.7	48	76.2%	39.3	1	100.0%	0.8	0	0.0%	0.0	122,009	56.1%
White	31	18.3%	45.1	7	11.1%	10.2	0	0.0%	0.0	0	0.0%	0.0	68,711	31.6%
Other/Multi/Not Specified	58	25.6%	-	22	25.9%	-	0	0.0%	-	0	0.0%	-	4,673	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Monterey County, the July 1, 2007 estimate is 425,356).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Napa County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Napa County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	241	100.0%	177.8	20	100.0%	14.8	1	100.0%	0.7	2	100.0%	1.5	137,125	100.0%
Female Total	182	75.5%	264.7	10	50.0%	14.5	0	0.0%	0.0	1	50.0%	1.5	68,753	50.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,038	13.1%
10 – 14	1	0.5%	21.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,769	6.9%
15 – 19	56	30.8%	1,185.2	4	40.0%	84.7	0	0.0%	0.0	0	0.0%	0.0	4,725	6.9%
20 – 24	78	42.9%	1,694.5	2	20.0%	43.4	0	0.0%	0.0	0	0.0%	0.0	4,603	6.7%
25 – 29	24	13.2%	598.5	1	10.0%	24.9	0	0.0%	0.0	0	0.0%	0.0	4,010	5.8%
30 – 34	8	4.4%	235.9	1	10.0%	29.5	0	0.0%	0.0	1	100.0%	29.5	3,391	4.9%
35 – 44	14	7.7%	164.2	1	10.0%	11.7	0	0.0%	0.0	0	0.0%	0.0	8,527	12.4%
45 +	1	0.5%	3.4	1	10.0%	3.4	0	0.0%	0.0	0	0.0%	0.0	29,690	43.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	59	24.5%	86.3	10	50.0%	14.6	1	100.0%	1.5	1	50.0%	1.5	68,372	49.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,651	14.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,784	7.0%
15 – 19	6	10.2%	123.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,873	7.1%
20 – 24	20	33.9%	404.8	4	40.0%	81.0	0	0.0%	0.0	0	0.0%	0.0	4,941	7.2%
25 – 29	14	23.7%	303.3	1	10.0%	21.7	0	0.0%	0.0	0	0.0%	0.0	4,616	6.8%
30 – 34	3	5.1%	76.0	1	10.0%	25.3	0	0.0%	0.0	1	100.0%	25.3	3,949	5.8%
35 – 44	11	18.6%	122.4	2	20.0%	22.2	1	100.0%	11.1	0	0.0%	0.0	8,989	13.1%
45 +	5	8.5%	18.8	2	20.0%	7.5	0	0.0%	0.0	0	0.0%	0.0	26,569	38.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	241	100.0%	177.8	20	100.0%	14.8	1	100.0%	0.7	2	100.0%	1.5	137,125	100.0%
Female Total	182	75.5%	264.7	10	50.0%	14.5	0	0.0%	0.0	1	50.0%	1.5	68,753	50.1%
American Indian/Alaska Native	1	1.0%	310.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	322	0.5%
Asian/Pacific Islander	3	3.0%	84.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,568	5.2%
Black/African-American	1	1.0%	149.5	2	50.0%	299.0	0	0.0%	0.0	0	0.0%	0.0	669	1.0%
Latina/Hispanic	45	45.0%	230.4	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	5.1	19,528	28.4%
White	50	50.0%	115.2	2	50.0%	4.6	0	0.0%	0.0	0	0.0%	0.0	43,418	63.2%
Other/Multi/Not Specified	82	45.1%	-	6	60.0%	-	0	0.0%	-	0	0.0%	-	1,248	1.8%
Male Total	59	24.5%	86.3	10	50.0%	14.6	1	100.0%	1.5	1	50.0%	1.5	68,372	49.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	363	0.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,257	4.8%
Black/African-American	3	8.6%	301.5	1	20.0%	100.5	0	0.0%	0.0	0	0.0%	0.0	995	1.5%
Latina/Hispanic	13	37.1%	59.7	2	40.0%	9.2	1	100.0%	4.6	1	100.0%	4.6	21,758	31.8%
White	19	54.3%	46.6	2	40.0%	4.9	0	0.0%	0.0	0	0.0%	0.0	40,747	59.6%
Other/Multi/Not Specified	24	40.7%	-	5	50.0%	-	0	0.0%	-	0	0.0%	-	1,252	1.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Napa County, the July 1, 2007 estimate is 135,554).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Nevada County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Nevada County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	138	100.0%	138.6	16	100.0%	16.1	0	100.0%	0.0	0	100.0%	0.0	100,219	100.0%
Female Total	106	76.8%	210.6	8	50.0%	15.9	0	0.0%	0.0	0	0.0%	0.0	50,328	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,987	7.9%
10 – 14	1	1.0%	34.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,904	5.8%
15 – 19	66	63.5%	1,779.5	3	37.5%	80.9	0	0.0%	0.0	0	0.0%	0.0	3,709	7.4%
20 – 24	25	24.0%	819.9	3	37.5%	98.4	0	0.0%	0.0	0	0.0%	0.0	3,049	6.1%
25 – 29	6	5.8%	483.5	1	12.5%	80.6	0	0.0%	0.0	0	0.0%	0.0	1,241	2.5%
30 – 34	6	5.8%	394.7	1	12.5%	65.8	0	0.0%	0.0	0	0.0%	0.0	1,520	3.0%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,486	12.9%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	27,432	54.5%
Not Specified	2	1.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	32	23.2%	64.1	8	50.0%	16.0	0	0.0%	0.0	0	0.0%	0.0	49,891	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,387	8.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,222	6.5%
15 – 19	12	38.7%	298.4	1	12.5%	24.9	0	0.0%	0.0	0	0.0%	0.0	4,022	8.1%
20 – 24	10	32.3%	277.2	4	50.0%	110.9	0	0.0%	0.0	0	0.0%	0.0	3,608	7.2%
25 – 29	3	9.7%	174.3	1	12.5%	58.1	0	0.0%	0.0	0	0.0%	0.0	1,721	3.4%
30 – 34	0	0.0%	0.0	1	12.5%	59.8	0	0.0%	0.0	0	0.0%	0.0	1,672	3.4%
35 – 44	3	9.7%	48.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,193	12.4%
45 +	3	9.7%	12.0	1	12.5%	4.0	0	0.0%	0.0	0	0.0%	0.0	25,066	50.2%
Not Specified	1	3.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	138	100.0%	138.6	16	100.0%	16.1	0	100.0%	0.0	0	100.0%	0.0	100,219	100.0%
Female Total	106	76.8%	210.6	8	50.0%	15.9	0	0.0%	0.0	0	0.0%	0.0	50,328	50.2%
American Indian/Alaska Native	2	3.5%	557.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	359	0.7%
Asian/Pacific Islander	1	1.8%	207.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	481	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	105	0.2%
Latina/Hispanic	12	21.1%	399.9	1	25.0%	33.3	0	0.0%	0.0	0	0.0%	0.0	3,001	6.0%
White	42	73.7%	92.5	3	75.0%	6.6	0	0.0%	0.0	0	0.0%	0.0	45,421	90.2%
Other/Multi/Not Specified	49	46.2%	-	4	50.0%	-	0	0.0%	-	0	0.0%	-	961	1.9%
Male Total	32	23.2%	64.1	8	50.0%	16.0	0	0.0%	0.0	0	0.0%	0.0	49,891	49.8%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	359	0.7%
Asian/Pacific Islander	1	4.8%	268.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	373	0.7%
Black/African-American	1	4.8%	641.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	156	0.3%
Latina/Hispanic	2	9.5%	62.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,220	6.5%
White	17	81.0%	37.9	4	100.0%	8.9	0	0.0%	0.0	0	0.0%	0.0	44,829	89.9%
Other/Multi/Not Specified	11	34.4%	-	4	50.0%	-	0	0.0%	-	0	0.0%	-	954	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Nevada County, the July 1, 2007 estimate is 99,587).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Orange County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Orange County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,092	100.0%	261.2	973	100.0%	31.4	141	100.0%	4.6	69	100.0%	2.2	3,115,411	100.0%
Female Total	5,893	72.8%	375.9	392	40.3%	25.0	6	4.3%	0.4	5	7.2%	0.3	1,567,854	50.3%
Ages														
0 – 9	2	0.0%	0.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	213,471	13.6%
10 – 14	30	0.5%	27.4	5	1.3%	4.6	0	0.0%	0.0	0	0.0%	0.0	109,427	7.0%
15 – 19	1,516	25.7%	1,361.3	92	23.5%	82.6	1	16.7%	0.9	3	60.0%	2.7	111,363	7.1%
20 – 24	2,300	39.0%	2,274.9	139	35.5%	137.5	2	33.3%	2.0	0	0.0%	0.0	101,103	6.4%
25 – 29	1,078	18.3%	1,053.3	68	17.3%	66.4	1	16.7%	1.0	2	40.0%	2.0	102,345	6.5%
30 – 34	490	8.3%	444.6	28	7.1%	25.4	1	16.7%	0.9	0	0.0%	0.0	110,223	7.0%
35 – 44	348	5.9%	141.0	44	11.2%	17.8	1	16.7%	0.4	0	0.0%	0.0	246,844	15.7%
45 +	129	2.2%	22.5	16	4.1%	2.8	0	0.0%	0.0	0	0.0%	0.0	573,078	36.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,195	27.1%	141.8	581	59.7%	37.5	135	95.7%	8.7	64	92.8%	4.1	1,547,557	49.7%
Ages														
0 – 9	2	0.1%	0.9	1	0.2%	0.4	0	0.0%	0.0	0	0.0%	0.0	222,663	14.4%
10 – 14	5	0.2%	4.4	1	0.2%	0.9	0	0.0%	0.0	0	0.0%	0.0	114,793	7.4%
15 – 19	314	14.3%	267.0	55	9.5%	46.8	2	1.5%	1.7	3	4.7%	2.6	117,582	7.6%
20 – 24	755	34.4%	693.5	174	29.9%	159.8	15	11.1%	13.8	16	25.0%	14.7	108,869	7.0%
25 – 29	536	24.4%	485.1	121	20.8%	109.5	29	21.5%	26.2	9	14.1%	8.1	110,493	7.1%
30 – 34	250	11.4%	221.7	73	12.6%	64.7	14	10.4%	12.4	10	15.6%	8.9	112,790	7.3%
35 – 44	242	11.0%	97.0	109	18.8%	43.7	50	37.0%	20.0	14	21.9%	5.6	249,551	16.1%
45 +	91	4.1%	17.8	47	8.1%	9.2	25	18.5%	4.9	12	18.8%	2.3	510,816	33.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,092	100.0%	261.2	973	100.0%	31.4	141	100.0%	4.6	69	100.0%	2.2	3,115,411	100.0%
Female Total	5,893	72.8%	375.9	392	40.3%	25.0	6	4.3%	0.4	5	7.2%	0.3	1,567,854	50.3%
American Indian/Alaska Native	5	0.1%	84.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,894	0.4%
Asian/Pacific Islander	400	7.8%	157.8	18	5.3%	7.1	1	16.7%	0.4	0	0.0%	0.0	253,492	16.2%
Black/African-American	48	0.9%	227.1	10	3.0%	47.3	0	0.0%	0.0	0	0.0%	0.0	21,137	1.3%
Latina/Hispanic	3,472	67.7%	661.4	177	52.5%	33.7	2	33.3%	0.4	5	100.0%	1.0	524,963	33.5%
White	1,202	23.4%	164.1	132	39.2%	18.0	3	50.0%	0.4	0	0.0%	0.0	732,279	46.7%
Other/Multi/Not Specified	766	13.0%	-	55	14.0%	-	0	0.0%	-	0	0.0%	-	30,089	1.9%
Male Total	2,195	27.1%	141.8	581	59.7%	37.5	135	95.7%	8.7	64	92.8%	4.1	1,547,557	49.7%
American Indian/Alaska Native	1	0.1%	17.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,756	0.4%
Asian/Pacific Islander	113	6.0%	47.4	18	3.7%	7.6	7	5.2%	2.9	5	7.8%	2.1	238,379	15.4%
Black/African-American	33	1.7%	144.0	11	2.3%	48.0	7	5.2%	30.5	7	10.9%	30.5	22,915	1.5%
Latina/Hispanic	1,155	61.2%	212.2	279	57.2%	51.3	52	38.8%	9.6	32	50.0%	5.9	544,314	35.2%
White	584	31.0%	82.7	180	36.9%	25.5	68	50.7%	9.6	20	31.3%	2.8	706,196	45.6%
Other/Multi/Not Specified	309	14.1%	-	93	16.0%	-	1	0.7%	-	0	0.0%	-	29,997	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Orange County, the July 1, 2007 estimate is 3,098,183).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Pasadena City – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Pasadena City – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	451	100.0%	307.4	95	100.0%	64.8	8	100.0%	5.5	4	100.0%	2.7	146,714	100.0%
Female Total	311	69.0%	414.8	48	50.5%	64.0	0	0.0%	0.0	0	0.0%	0.0	74,970	51.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,000	13.3%
10 – 14	1	0.3%	23.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,317	5.8%
15 – 19	100	32.5%	2,648.3	16	33.3%	423.7	0	0.0%	0.0	0	0.0%	0.0	3,776	5.0%
20 – 24	124	40.3%	2,569.4	23	47.9%	476.6	0	0.0%	0.0	0	0.0%	0.0	4,826	6.4%
25 – 29	53	17.2%	801.6	5	10.4%	75.6	0	0.0%	0.0	0	0.0%	0.0	6,612	8.8%
30 – 34	9	2.9%	135.2	1	2.1%	15.0	0	0.0%	0.0	0	0.0%	0.0	6,659	8.9%
35 – 44	16	5.2%	133.3	3	6.3%	25.0	0	0.0%	0.0	0	0.0%	0.0	12,007	16.0%
45 +	5	1.6%	18.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	26,774	35.7%
Not Specified	3	1.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	134	29.7%	186.8	43	45.3%	59.9	8	100.0%	11.2	4	100.0%	5.6	71,743	48.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,290	14.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,558	6.4%
15 – 19	21	16.0%	476.8	5	11.9%	113.5	0	0.0%	0.0	0	0.0%	0.0	4,404	6.1%
20 – 24	52	39.7%	963.3	9	21.4%	166.7	1	12.5%	18.5	0	0.0%	0.0	5,398	7.5%
25 – 29	19	14.5%	277.3	12	28.6%	175.2	1	12.5%	14.6	0	0.0%	0.0	6,851	9.5%
30 – 34	16	12.2%	229.1	4	9.5%	57.3	2	25.0%	28.6	0	0.0%	0.0	6,983	9.7%
35 – 44	13	9.9%	107.5	6	14.3%	49.6	3	37.5%	24.8	1	25.0%	8.3	12,097	16.9%
45 +	10	7.6%	47.3	6	14.3%	28.4	1	12.5%	4.7	3	75.0%	14.2	21,163	29.5%
Not Specified	3	2.2%	-	1	2.3%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	451	100.0%	307.4	95	100.0%	64.8	8	100.0%	5.5	4	100.0%	2.7	146,714	100.0%
Female Total	311	69.0%	414.8	48	50.5%	64.0	0	0.0%	0.0	0	0.0%	0.0	74,970	51.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	186	0.2%
Asian/Pacific Islander	9	4.9%	114.6	3	9.4%	38.2	0	0.0%	0.0	0	0.0%	0.0	7,856	10.5%
Black/African-American	57	31.1%	511.1	17	53.1%	152.4	0	0.0%	0.0	0	0.0%	0.0	11,152	14.9%
Latina/Hispanic	92	50.3%	379.5	7	21.9%	28.9	0	0.0%	0.0	0	0.0%	0.0	24,242	32.3%
White	25	13.7%	86.0	5	15.6%	17.2	0	0.0%	0.0	0	0.0%	0.0	29,075	38.8%
Other/Multi/Not Specified	128	41.2%	-	16	33.3%	-	0	0.0%	-	0	0.0%	-	2,458	3.3%
Male Total	134	29.7%	186.8	43	45.3%	59.9	8	100.0%	11.2	4	100.0%	5.6	71,743	48.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	169	0.2%
Asian/Pacific Islander	4	5.9%	59.0	0	0.0%	0.0	2	25.0%	29.5	0	0.0%	0.0	6,775	9.4%
Black/African-American	30	44.1%	321.1	15	62.5%	160.5	0	0.0%	0.0	0	0.0%	0.0	9,344	13.0%
Latina/Hispanic	23	33.8%	92.9	6	25.0%	24.2	3	37.5%	12.1	2	50.0%	8.1	24,759	34.5%
White	11	16.2%	38.9	3	12.5%	10.6	3	37.5%	10.6	2	50.0%	7.1	28,303	39.5%
Other/Multi/Not Specified	66	49.3%	-	19	44.2%	-	0	0.0%	-	0	0.0%	-	2,393	3.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/age/race distribution percentages were then applied to this total.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Placer County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Placer County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	620	100.0%	188.0	63	100.0%	19.1	0	100.0%	0.0	1	100.0%	0.3	327,388	100.0%
Female Total	475	76.6%	283.3	29	46.0%	17.3	0	0.0%	0.0	0	0.0%	0.0	167,655	51.2%
Ages														
0 – 9	1	0.2%	4.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	20,458	12.2%
10 – 14	2	0.4%	15.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,725	7.6%
15 – 19	171	36.0%	1,326.2	9	31.0%	69.8	0	0.0%	0.0	0	0.0%	0.0	12,894	7.7%
20 – 24	188	39.6%	1,776.6	10	34.5%	94.5	0	0.0%	0.0	0	0.0%	0.0	10,582	6.3%
25 – 29	75	15.8%	1,215.6	2	6.9%	32.4	0	0.0%	0.0	0	0.0%	0.0	6,170	3.7%
30 – 34	25	5.3%	347.7	3	10.3%	41.7	0	0.0%	0.0	0	0.0%	0.0	7,191	4.3%
35 – 44	9	1.9%	35.6	5	17.2%	19.8	0	0.0%	0.0	0	0.0%	0.0	25,297	15.1%
45 +	4	0.8%	5.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	72,338	43.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	145	23.4%	90.8	34	54.0%	21.3	0	0.0%	0.0	1	100.0%	0.6	159,733	48.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	21,663	13.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,504	7.8%
15 – 19	26	17.9%	197.6	2	5.9%	15.2	0	0.0%	0.0	0	0.0%	0.0	13,157	8.2%
20 – 24	55	37.9%	500.7	5	14.7%	45.5	0	0.0%	0.0	1	100.0%	9.1	10,984	6.9%
25 – 29	35	24.1%	498.7	9	26.5%	128.2	0	0.0%	0.0	0	0.0%	0.0	7,018	4.4%
30 – 34	14	9.7%	203.8	5	14.7%	72.8	0	0.0%	0.0	0	0.0%	0.0	6,870	4.3%
35 – 44	11	7.6%	46.5	7	20.6%	29.6	0	0.0%	0.0	0	0.0%	0.0	23,660	14.8%
45 +	4	2.8%	6.3	6	17.6%	9.4	0	0.0%	0.0	0	0.0%	0.0	63,877	40.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	620	100.0%	188.0	63	100.0%	19.1	0	100.0%	0.0	1	100.0%	0.3	327,388	100.0%
Female Total	475	76.6%	283.3	29	46.0%	17.3	0	0.0%	0.0	0	0.0%	0.0	167,655	51.2%
American Indian/Alaska Native	3	1.2%	316.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	947	0.6%
Asian/Pacific Islander	6	2.3%	74.1	1	4.5%	12.3	0	0.0%	0.0	0	0.0%	0.0	8,101	4.8%
Black/African-American	10	3.9%	1,040.6	4	18.2%	416.2	0	0.0%	0.0	0	0.0%	0.0	961	0.6%
Latina/Hispanic	51	19.8%	246.4	4	18.2%	19.3	0	0.0%	0.0	0	0.0%	0.0	20,696	12.3%
White	187	72.8%	140.0	13	59.1%	9.7	0	0.0%	0.0	0	0.0%	0.0	133,556	79.7%
Other/Multi/Not Specified	218	45.9%	-	7	24.1%	-	0	0.0%	-	0	0.0%	-	3,394	2.0%
Male Total	145	23.4%	90.8	34	54.0%	21.3	0	0.0%	0.0	1	100.0%	0.6	159,733	48.8%
American Indian/Alaska Native	1	1.3%	109.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	917	0.6%
Asian/Pacific Islander	2	2.6%	27.6	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	13.8	7,256	4.5%
Black/African-American	4	5.2%	357.8	3	15.0%	268.3	0	0.0%	0.0	0	0.0%	0.0	1,118	0.7%
Latina/Hispanic	13	16.9%	63.9	3	15.0%	14.7	0	0.0%	0.0	0	0.0%	0.0	20,339	12.7%
White	57	74.0%	45.0	14	70.0%	11.0	0	0.0%	0.0	0	0.0%	0.0	126,740	79.3%
Other/Multi/Not Specified	68	46.9%	-	14	41.2%	-	0	0.0%	-	0	0.0%	-	3,363	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Placer County, the July 1, 2007 estimate is 329,818).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Plumas County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

s Numbers suppressed for confidentiality

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Plumas County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	33	100.0%	158.0	2	100.0%	9.6	0	100.0%	0.0	0	100.0%	0.0	21,602	100.0%
Female Total	24	72.7%	220.3	2	100.0%	18.4	0	0.0%	0.0	0	0.0%	0.0	10,892	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	951	8.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	600	5.5%
15 – 19	11	45.8%	1,457.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	755	6.9%
20 – 24	10	41.7%	1,228.5	2	100.0%	245.7	0	0.0%	0.0	0	0.0%	0.0	814	7.5%
25 – 29	2	8.3%	417.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	479	4.4%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	361	3.3%
35 – 44	1	4.2%	92.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,080	9.9%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,852	53.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	9	27.3%	84.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,710	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	907	8.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	602	5.6%
15 – 19	3	37.5%	372.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	806	7.5%
20 – 24	4	50.0%	456.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	876	8.2%
25 – 29	1	12.5%	180.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	554	5.2%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	376	3.5%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,047	9.8%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,542	51.7%
Not Specified	1	11.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	33	100.0%	158.0	2	100.0%	9.6	0	100.0%	0.0	0	100.0%	0.0	21,602	100.0%
Female Total	24	72.7%	220.3	2	100.0%	18.4	0	0.0%	0.0	0	0.0%	0.0	10,892	50.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	254	2.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	85	0.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	59	0.5%
Latina/Hispanic	1	16.7%	157.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	635	5.8%
White	5	83.3%	52.1	1	100.0%	10.4	0	0.0%	0.0	0	0.0%	0.0	9,598	88.1%
Other/Multi/Not Specified	18	75.0%	-	1	50.0%	-	0	0.0%	-	0	0.0%	-	261	2.4%
Male Total	9	27.3%	84.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,710	49.6%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	240	2.2%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	67	0.6%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	92	0.9%
Latina/Hispanic	1	25.0%	148.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	675	6.3%
White	1	25.0%	10.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,403	87.8%
Other/Multi/Not Specified	5	55.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	233	2.2%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Plumas County, the July 1, 2007 estimate is 20,891).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Riverside County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Riverside County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6,328	100.0%	305.7	1,168	100.0%	56.4	77	100.0%	3.7	37	100.0%	1.8	2,061,597	100.0%
Female Total	4,757	75.2%	459.7	577	49.4%	55.8	4	5.2%	0.4	4	10.8%	0.4	1,034,811	50.2%
Ages														
0 – 9	2	0.0%	1.4	1	0.2%	0.7	0	0.0%	0.0	0	0.0%	0.0	148,038	14.3%
10 – 14	27	0.6%	31.4	5	0.9%	5.8	0	0.0%	0.0	0	0.0%	0.0	86,083	8.3%
15 – 19	1,534	32.3%	1,664.1	183	31.9%	198.5	0	0.0%	0.0	1	25.0%	1.1	92,180	8.9%
20 – 24	1,837	38.7%	2,205.4	182	31.7%	218.5	1	25.0%	1.2	0	0.0%	0.0	83,296	8.0%
25 – 29	778	16.4%	1,105.8	102	17.8%	145.0	2	50.0%	2.8	0	0.0%	0.0	70,355	6.8%
30 – 34	329	6.9%	531.6	54	9.4%	87.3	0	0.0%	0.0	1	25.0%	1.6	61,888	6.0%
35 – 44	191	4.0%	131.4	36	6.3%	24.8	1	25.0%	0.7	2	50.0%	1.4	145,381	14.0%
45 +	53	1.1%	15.2	11	1.9%	3.2	0	0.0%	0.0	0	0.0%	0.0	347,590	33.6%
Not Specified	6	0.1%	-	3	0.5%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,567	24.8%	152.6	582	49.8%	56.7	72	93.5%	7.0	33	89.2%	3.2	1,026,786	49.8%
Ages														
0 – 9	0	0.0%	0.0	1	0.2%	0.6	0	0.0%	0.0	0	0.0%	0.0	154,940	15.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	90,541	8.8%
15 – 19	344	22.0%	357.2	98	16.9%	101.7	2	2.8%	2.1	0	0.0%	0.0	96,316	9.4%
20 – 24	570	36.4%	650.6	152	26.2%	173.5	5	6.9%	5.7	1	3.0%	1.1	87,605	8.5%
25 – 29	330	21.1%	433.9	133	22.9%	174.9	5	6.9%	6.6	7	21.2%	9.2	76,051	7.4%
30 – 34	135	8.6%	207.5	59	10.2%	90.7	5	6.9%	7.7	5	15.2%	7.7	65,057	6.3%
35 – 44	123	7.9%	86.0	85	14.6%	59.4	31	43.1%	21.7	10	30.3%	7.0	143,021	13.9%
45 +	64	4.1%	20.4	53	9.1%	16.9	24	33.3%	7.7	10	30.3%	3.2	313,255	30.5%
Not Specified	1	0.1%	-	1	0.2%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6,328	100.0%	305.7	1,168	100.0%	56.4	77	100.0%	3.7	37	100.0%	1.8	2,061,597	100.0%
Female Total	4,757	75.2%	459.7	577	49.4%	55.8	4	5.2%	0.4	4	10.8%	0.4	1,034,811	50.2%
American Indian/Alaska Native	35	0.8%	634.2	7	2.0%	126.8	0	0.0%	0.0	0	0.0%	0.0	5,519	0.5%
Asian/Pacific Islander	125	2.9%	256.8	10	2.8%	20.5	0	0.0%	0.0	0	0.0%	0.0	48,672	4.7%
Black/African-American	621	14.3%	954.7	97	27.1%	149.1	0	0.0%	0.0	0	0.0%	0.0	65,045	6.3%
Latina/Hispanic	2,349	54.2%	575.8	139	38.8%	34.1	3	75.0%	0.7	2	50.0%	0.5	407,956	39.4%
White	1,207	27.8%	246.3	105	29.3%	21.4	1	25.0%	0.2	2	50.0%	0.4	490,034	47.4%
Other/Multi/Not Specified	420	8.8%	-	219	38.0%	-	0	0.0%	-	0	0.0%	-	17,585	1.7%
Male Total	1,567	24.8%	152.6	582	49.8%	56.7	72	93.5%	7.0	33	89.2%	3.2	1,026,786	49.8%
American Indian/Alaska Native	14	1.0%	263.4	9	2.4%	169.3	0	0.0%	0.0	0	0.0%	0.0	5,315	0.5%
Asian/Pacific Islander	38	2.7%	88.2	6	1.6%	13.9	0	0.0%	0.0	0	0.0%	0.0	43,070	4.2%
Black/African-American	272	19.3%	415.6	99	26.6%	151.3	4	5.6%	6.1	1	3.0%	1.5	65,440	6.4%
Latina/Hispanic	714	50.7%	168.5	152	40.9%	35.9	20	28.2%	4.7	12	36.4%	2.8	423,809	41.3%
White	369	26.2%	78.2	106	28.5%	22.5	47	66.2%	10.0	20	60.6%	4.2	471,891	46.0%
Other/Multi/Not Specified	160	10.2%	-	210	36.1%	-	1	1.4%	-	0	0.0%	-	17,261	1.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Riverside County, the July 1, 2007 estimate is 2,070,315).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sacramento County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Sacramento County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	7,671	100.0%	542.1	2,198	100.0%	155.3	62	100.0%	4.4	18	100.0%	1.3	1,408,332	100.0%
Female Total	5,493	71.6%	766.3	1,141	51.9%	159.2	3	4.8%	0.4	1	5.6%	0.1	716,781	50.9%
Ages														
0 – 9	1	0.0%	1.0	1	0.1%	1.0	0	0.0%	0.0	0	0.0%	0.0	99,136	13.8%
10 – 14	138	2.5%	260.4	24	2.1%	45.3	0	0.0%	0.0	0	0.0%	0.0	52,996	7.4%
15 – 19	2,173	39.9%	3,970.0	467	41.4%	853.2	0	0.0%	0.0	0	0.0%	0.0	54,736	7.6%
20 – 24	1,866	34.3%	3,776.0	327	29.0%	661.7	0	0.0%	0.0	0	0.0%	0.0	49,417	6.9%
25 – 29	759	13.9%	1,721.2	143	12.7%	324.3	0	0.0%	0.0	1	100.0%	2.3	44,097	6.2%
30 – 34	253	4.6%	568.5	79	7.0%	177.5	0	0.0%	0.0	0	0.0%	0.0	44,501	6.2%
35 – 44	200	3.7%	196.1	65	5.8%	63.7	3	100.0%	2.9	0	0.0%	0.0	101,984	14.2%
45 +	58	1.1%	21.5	21	1.9%	7.8	0	0.0%	0.0	0	0.0%	0.0	269,914	37.7%
Not Specified	45	0.8%	-	14	1.2%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,108	27.5%	304.8	1,030	46.9%	148.9	59	95.2%	8.5	17	94.4%	2.5	691,551	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	103,018	14.9%
10 – 14	11	0.5%	19.9	5	0.5%	9.0	0	0.0%	0.0	0	0.0%	0.0	55,364	8.0%
15 – 19	593	28.5%	1,037.2	194	19.1%	339.3	2	3.4%	3.5	0	0.0%	0.0	57,173	8.3%
20 – 24	701	33.6%	1,348.6	297	29.2%	571.4	8	13.6%	15.4	3	17.6%	5.8	51,980	7.5%
25 – 29	376	18.0%	834.8	155	15.2%	344.1	12	20.3%	26.6	5	29.4%	11.1	45,040	6.5%
30 – 34	172	8.3%	397.0	131	12.9%	302.3	8	13.6%	18.5	4	23.5%	9.2	43,328	6.3%
35 – 44	154	7.4%	153.2	156	15.3%	155.2	17	28.8%	16.9	4	23.5%	4.0	100,521	14.5%
45 +	77	3.7%	32.7	79	7.8%	33.6	12	20.3%	5.1	1	5.9%	0.4	235,127	34.0%
Not Specified	24	1.1%	-	13	1.3%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	7,671	100.0%	542.1	2,198	100.0%	155.3	62	100.0%	4.4	18	100.0%	1.3	1,408,332	100.0%
Female Total	5,493	71.6%	766.3	1,141	51.9%	159.2	3	4.8%	0.4	1	5.6%	0.1	716,781	50.9%
American Indian/Alaska Native	34	1.3%	633.6	5	0.8%	93.2	0	0.0%	0.0	0	0.0%	0.0	5,366	0.7%
Asian/Pacific Islander	258	9.5%	270.3	29	4.7%	30.4	0	0.0%	0.0	0	0.0%	0.0	95,435	13.3%
Black/African-American	1,050	38.6%	1,558.9	350	57.1%	519.6	1	33.3%	1.5	1	100.0%	1.5	67,356	9.4%
Latina/Hispanic	677	24.9%	490.6	91	14.8%	65.9	0	0.0%	0.0	0	0.0%	0.0	137,992	19.3%
White	700	25.7%	184.2	138	22.5%	36.3	2	66.7%	0.5	0	0.0%	0.0	379,989	53.0%
Other/Multi/Not Specified	2,774	50.5%	-	528	46.3%	-	0	0.0%	-	0	0.0%	-	30,643	4.3%
Male Total	2,108	27.5%	304.8	1,030	46.9%	148.9	59	95.2%	8.5	17	94.4%	2.5	691,551	49.1%
American Indian/Alaska Native	4	0.4%	80.4	2	0.4%	40.2	1	1.7%	20.1	0	0.0%	0.0	4,973	0.7%
Asian/Pacific Islander	64	6.1%	70.6	23	4.2%	25.4	3	5.2%	3.3	0	0.0%	0.0	90,607	13.1%
Black/African-American	536	51.4%	834.4	328	59.5%	510.6	10	17.2%	15.6	3	18.8%	4.7	64,236	9.3%
Latina/Hispanic	207	19.9%	146.9	68	12.3%	48.3	11	19.0%	7.8	5	31.3%	3.5	140,927	20.4%
White	231	22.2%	63.8	130	23.6%	35.9	33	56.9%	9.1	8	50.0%	2.2	361,838	52.3%
Other/Multi/Not Specified	1,066	50.6%	-	479	46.5%	-	1	1.7%	-	1	5.9%	-	28,970	4.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Sacramento County, the July 1, 2007 estimate is 1,415,117).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Benito County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Benito County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	152	100.0%	264.4	24	100.0%	41.7	2	100.0%	3.5	0	100.0%	0.0	59,147	100.0%
Female Total	126	82.9%	431.5	15	62.5%	51.4	0	0.0%	0.0	0	0.0%	0.0	29,203	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,535	15.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,422	8.3%
15 – 19	41	32.5%	1,641.3	3	20.0%	120.1	0	0.0%	0.0	0	0.0%	0.0	2,498	8.6%
20 – 24	40	31.7%	1,702.9	5	33.3%	212.9	0	0.0%	0.0	0	0.0%	0.0	2,349	8.0%
25 – 29	25	19.8%	1,319.3	3	20.0%	158.3	0	0.0%	0.0	0	0.0%	0.0	1,895	6.5%
30 – 34	5	4.0%	303.6	2	13.3%	121.4	0	0.0%	0.0	0	0.0%	0.0	1,647	5.6%
35 – 44	12	9.5%	290.8	1	6.7%	24.2	0	0.0%	0.0	0	0.0%	0.0	4,127	14.1%
45 +	3	2.4%	30.8	1	6.7%	10.3	0	0.0%	0.0	0	0.0%	0.0	9,730	33.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	25	16.4%	83.5	9	37.5%	30.1	2	100.0%	6.7	0	0.0%	0.0	29,944	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,727	15.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,615	8.7%
15 – 19	6	24.0%	225.8	1	11.1%	37.6	0	0.0%	0.0	0	0.0%	0.0	2,657	8.9%
20 – 24	9	36.0%	340.1	2	22.2%	75.6	1	50.0%	37.8	0	0.0%	0.0	2,646	8.8%
25 – 29	4	16.0%	181.5	2	22.2%	90.7	0	0.0%	0.0	0	0.0%	0.0	2,204	7.4%
30 – 34	2	8.0%	110.9	2	22.2%	110.9	0	0.0%	0.0	0	0.0%	0.0	1,804	6.0%
35 – 44	3	12.0%	72.7	1	11.1%	24.2	0	0.0%	0.0	0	0.0%	0.0	4,127	13.8%
45 +	1	4.0%	10.9	1	11.1%	10.9	1	50.0%	10.9	0	0.0%	0.0	9,164	30.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	152	100.0%	264.4	24	100.0%	41.7	2	100.0%	3.5	0	100.0%	0.0	59,147	100.0%
Female Total	126	82.9%	431.5	15	62.5%	51.4	0	0.0%	0.0	0	0.0%	0.0	29,203	49.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	152	0.5%
Asian/Pacific Islander	1	0.8%	120.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	833	2.9%
Black/African-American	1	0.8%	431.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	232	0.8%
Latina/Hispanic	99	78.6%	628.1	10	66.7%	63.4	0	0.0%	0.0	0	0.0%	0.0	15,762	54.0%
White	25	19.8%	212.8	5	33.3%	42.6	0	0.0%	0.0	0	0.0%	0.0	11,747	40.2%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	477	1.6%
Male Total	25	16.4%	83.5	9	37.5%	30.1	2	100.0%	6.7	0	0.0%	0.0	29,944	50.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	157	0.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	676	2.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	313	1.0%
Latina/Hispanic	21	84.0%	124.6	6	66.7%	35.6	1	100.0%	5.9	0	0.0%	0.0	16,850	56.3%
White	4	16.0%	34.8	3	33.3%	26.1	0	0.0%	0.0	0	0.0%	0.0	11,504	38.4%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	1	50.0%	-	0	0.0%	-	444	1.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Benito County, the July 1, 2007 estimate is 57,493).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Bernardino County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female □ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Bernardino County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,399	100.0%	411.8	1,830	100.0%	89.7	14	100.0%	0.7	12	100.0%	0.6	2,056,110	100.0%
Female Total	6,314	75.2%	613.7	1,042	56.9%	101.3	1	7.1%	0.1	0	0.0%	0.0	1,028,876	50.0%
Ages														
0 – 9	6	0.1%	3.9	2	0.2%	1.3	0	0.0%	0.0	0	0.0%	0.0	153,050	14.9%
10 – 14	61	1.0%	71.0	14	1.3%	16.3	0	0.0%	0.0	0	0.0%	0.0	85,900	8.3%
15 – 19	2,263	35.8%	2,439.2	347	33.3%	374.0	1	100.0%	1.1	0	0.0%	0.0	92,775	9.0%
20 – 24	2,373	37.6%	2,893.8	368	35.3%	448.8	0	0.0%	0.0	0	0.0%	0.0	82,003	8.0%
25 – 29	938	14.9%	1,325.8	151	14.5%	213.4	0	0.0%	0.0	0	0.0%	0.0	70,752	6.9%
30 – 34	379	6.0%	555.3	76	7.3%	111.4	0	0.0%	0.0	0	0.0%	0.0	68,246	6.6%
35 – 44	236	3.7%	160.8	65	6.2%	44.3	0	0.0%	0.0	0	0.0%	0.0	146,722	14.3%
45 +	58	0.9%	17.6	19	1.8%	5.8	0	0.0%	0.0	0	0.0%	0.0	329,428	32.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,085	24.8%	203.0	788	43.1%	76.7	13	92.9%	1.3	12	100.0%	1.2	1,027,234	50.0%
Ages														
0 – 9	2	0.1%	1.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	160,217	15.6%
10 – 14	10	0.5%	11.0	2	0.3%	2.2	0	0.0%	0.0	0	0.0%	0.0	90,690	8.8%
15 – 19	504	24.2%	513.5	145	18.4%	147.7	1	7.7%	1.0	1	8.3%	1.0	98,143	9.6%
20 – 24	818	39.2%	937.8	262	33.2%	300.4	1	7.7%	1.1	2	16.7%	2.3	87,227	8.5%
25 – 29	417	20.0%	518.6	162	20.6%	201.5	3	23.1%	3.7	2	16.7%	2.5	80,416	7.8%
30 – 34	149	7.1%	211.9	74	9.4%	105.3	2	15.4%	2.8	0	0.0%	0.0	70,306	6.8%
35 – 44	127	6.1%	88.6	92	11.7%	64.2	6	46.2%	4.2	3	25.0%	2.1	143,384	14.0%
45 +	58	2.8%	19.5	51	6.5%	17.2	0	0.0%	0.0	4	33.3%	1.3	296,851	28.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,399	100.0%	411.8	1,830	100.0%	89.7	14	100.0%	0.7	12	100.0%	0.6	2,056,110	100.0%
Female Total	6,314	75.2%	613.7	1,042	56.9%	101.3	1	7.1%	0.1	0	0.0%	0.0	1,028,876	50.0%
American Indian/Alaska Native	8	0.3%	120.1	2	0.5%	30.0	0	0.0%	0.0	0	0.0%	0.0	6,663	0.6%
Asian/Pacific Islander	76	3.1%	130.1	12	2.9%	20.5	0	0.0%	0.0	0	0.0%	0.0	58,419	5.7%
Black/African-American	535	21.7%	529.8	152	36.8%	150.5	0	0.0%	0.0	0	0.0%	0.0	100,978	9.8%
Latina/Hispanic	1,363	55.2%	300.1	164	39.7%	36.1	1	100.0%	0.2	0	0.0%	0.0	454,215	44.1%
White	489	19.8%	126.2	83	20.1%	21.4	0	0.0%	0.0	0	0.0%	0.0	387,553	37.7%
Other/Multi/Not Specified	3,843	60.9%	-	629	60.4%	-	0	0.0%	-	0	0.0%	-	21,048	2.0%
Male Total	2,085	24.8%	203.0	788	43.1%	76.7	13	92.9%	1.3	12	100.0%	1.2	1,027,234	50.0%
American Indian/Alaska Native	2	0.2%	32.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,253	0.6%
Asian/Pacific Islander	18	2.0%	32.9	3	0.9%	5.5	0	0.0%	0.0	0	0.0%	0.0	54,667	5.3%
Black/African-American	271	29.4%	282.3	137	42.7%	142.7	1	7.7%	1.0	3	27.3%	3.1	95,987	9.3%
Latina/Hispanic	460	49.9%	98.7	112	34.9%	24.0	10	76.9%	2.1	6	54.5%	1.3	466,113	45.4%
White	170	18.5%	44.3	69	21.5%	18.0	2	15.4%	0.5	2	18.2%	0.5	383,548	37.3%
Other/Multi/Not Specified	1,164	55.8%	-	467	59.3%	-	0	0.0%	-	1	8.3%	-	20,666	2.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Bernardino County, the July 1, 2007 estimate is 2,039,467).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Diego County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Diego County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	12,642	100.0%	405.2	2,358	100.0%	75.6	351	100.0%	11.2	155	100.0%	5.0	3,107,477	100.0%
Female Total	9,135	72.3%	590.7	953	40.4%	61.6	11	3.1%	0.7	6	3.9%	0.4	1,546,487	49.8%
Ages														
0 – 9	1	0.0%	0.5	2	0.2%	0.9	0	0.0%	0.0	0	0.0%	0.0	214,198	13.9%
10 – 14	74	0.8%	66.7	5	0.5%	4.5	0	0.0%	0.0	0	0.0%	0.0	110,999	7.2%
15 – 19	2,698	29.8%	2,400.8	273	28.8%	242.9	4	36.4%	3.6	0	0.0%	0.0	112,380	7.3%
20 – 24	3,498	38.6%	3,695.5	333	35.2%	351.8	1	9.1%	1.1	3	50.0%	3.2	94,656	6.1%
25 – 29	1,571	17.3%	1,667.7	162	17.1%	172.0	2	18.2%	2.1	1	16.7%	1.1	94,199	6.1%
30 – 34	652	7.2%	651.1	70	7.4%	69.9	1	9.1%	1.0	1	16.7%	1.0	100,134	6.5%
35 – 44	431	4.8%	180.1	65	6.9%	27.2	1	9.1%	0.4	0	0.0%	0.0	239,327	15.5%
45 +	138	1.5%	23.8	37	3.9%	6.4	2	18.2%	0.3	1	16.7%	0.2	580,594	37.5%
Not Specified	72	0.8%	-	6	0.6%	-	0	0.0%	-	0	0.0%	-		
Male Total	3,458	27.4%	221.5	1,396	59.2%	89.4	340	96.9%	21.8	149	96.1%	9.5	1,560,990	50.2%
Ages														
0 – 9	1	0.0%	0.4	1	0.1%	0.4	0	0.0%	0.0	0	0.0%	0.0	222,485	14.3%
10 – 14	4	0.1%	3.4	1	0.1%	0.9	0	0.0%	0.0	0	0.0%	0.0	117,009	7.5%
15 – 19	439	12.8%	362.0	106	7.6%	87.4	6	1.8%	4.9	4	2.7%	3.3	121,270	7.8%
20 – 24	1,186	34.6%	1,001.6	327	23.6%	276.1	42	12.4%	35.5	9	6.0%	7.6	118,416	7.6%
25 – 29	788	23.0%	685.3	307	22.1%	267.0	52	15.3%	45.2	20	13.4%	17.4	114,990	7.4%
30 – 34	366	10.7%	354.2	182	13.1%	176.1	44	12.9%	42.6	16	10.7%	15.5	103,322	6.6%
35 – 44	427	12.5%	180.5	297	21.4%	125.5	119	35.0%	50.3	62	41.6%	26.2	236,581	15.2%
45 +	212	6.2%	40.2	167	12.0%	31.7	77	22.6%	14.6	38	25.5%	7.2	526,917	33.8%
Not Specified	35	1.0%	-	8	0.6%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	12,642	100.0%	405.2	2,358	100.0%	75.6	351	100.0%	11.2	155	100.0%	5.0	3,107,477	100.0%
Female Total	9,135	72.3%	590.7	953	40.4%	61.6	11	3.1%	0.7	6	3.9%	0.4	1,546,487	49.8%
American Indian/Alaska Native	39	0.9%	304.5	6	1.5%	46.8	0	0.0%	0.0	0	0.0%	0.0	12,807	0.8%
Asian/Pacific Islander	396	9.6%	246.0	23	5.7%	14.3	0	0.0%	0.0	2	33.3%	1.2	161,006	10.4%
Black/African-American	610	14.8%	915.8	144	35.4%	216.2	0	0.0%	0.0	1	16.7%	1.5	66,610	4.3%
Latina/Hispanic	1,984	48.3%	448.8	136	33.4%	30.8	4	36.4%	0.9	3	50.0%	0.7	442,070	28.6%
White	1,080	26.3%	130.0	98	24.1%	11.8	7	63.6%	0.8	0	0.0%	0.0	830,989	53.7%
Other/Multi/Not Specified	5,026	55.0%	-	546	57.3%	-	0	0.0%	-	0	0.0%	-	33,005	2.1%
Male Total	3,458	27.4%	221.5	1,396	59.2%	89.4	340	96.9%	21.8	149	96.1%	9.5	1,560,990	50.2%
American Indian/Alaska Native	9	0.7%	70.2	6	1.3%	46.8	2	0.6%	15.6	0	0.0%	0.0	12,817	0.8%
Asian/Pacific Islander	73	5.7%	50.1	14	3.1%	9.6	12	3.6%	8.2	7	4.9%	4.8	145,818	9.3%
Black/African-American	296	23.3%	387.6	126	28.1%	165.0	31	9.4%	40.6	17	11.9%	22.3	76,362	4.9%
Latina/Hispanic	522	41.0%	117.0	153	34.2%	34.3	84	25.4%	18.8	50	35.0%	11.2	446,207	28.6%
White	373	29.3%	44.1	149	33.3%	17.6	202	61.0%	23.9	69	48.3%	8.2	845,546	54.2%
Other/Multi/Not Specified	2,185	63.2%	-	948	67.9%	-	9	2.6%	-	6	4.0%	-	34,240	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Diego County, the July 1, 2007 estimate is 3,120,088).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Francisco County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Francisco County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,939	100.0%	481.8	2,015	100.0%	246.5	202	100.0%	24.7	150	100.0%	18.3	805,810	100.0%
Female Total	1,877	47.7%	478.1	272	13.5%	69.3	3	1.5%	0.8	2	1.3%	0.5	392,570	48.7%
Ages														
0 – 9	1	0.1%	2.8	1	0.4%	2.8	0	0.0%	0.0	0	0.0%	0.0	36,297	9.2%
10 – 14	25	1.3%	203.8	7	2.6%	57.1	0	0.0%	0.0	0	0.0%	0.0	12,265	3.1%
15 – 19	507	27.1%	3,684.1	69	25.4%	501.4	0	0.0%	0.0	0	0.0%	0.0	13,762	3.5%
20 – 24	645	34.5%	3,937.7	70	25.7%	427.4	0	0.0%	0.0	1	50.0%	6.1	16,380	4.2%
25 – 29	349	18.7%	1,179.7	50	18.4%	169.0	0	0.0%	0.0	1	50.0%	3.4	29,585	7.5%
30 – 34	153	8.2%	299.8	34	12.5%	66.6	0	0.0%	0.0	0	0.0%	0.0	51,039	13.0%
35 – 44	117	6.3%	150.6	28	10.3%	36.0	2	66.7%	2.6	0	0.0%	0.0	77,676	19.8%
45 +	73	3.9%	46.9	13	4.8%	8.4	1	33.3%	0.6	0	0.0%	0.0	155,566	39.6%
Not Specified	7	0.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,997	50.7%	483.3	1,724	85.6%	417.2	199	98.5%	48.2	145	96.7%	35.1	413,240	51.3%
Ages														
0 – 9	2	0.1%	5.3	1	0.1%	2.7	0	0.0%	0.0	0	0.0%	0.0	37,647	9.1%
10 – 14	3	0.2%	23.2	1	0.1%	7.7	0	0.0%	0.0	0	0.0%	0.0	12,909	3.1%
15 – 19	149	7.5%	1,046.1	43	2.5%	301.9	2	1.0%	14.0	1	0.7%	7.0	14,244	3.4%
20 – 24	338	17.0%	2,062.5	194	11.3%	1,183.8	13	6.5%	79.3	3	2.1%	18.3	16,388	4.0%
25 – 29	357	17.9%	1,222.4	286	16.6%	979.3	19	9.5%	65.1	15	10.3%	51.4	29,204	7.1%
30 – 34	300	15.1%	560.2	295	17.1%	550.8	15	7.5%	28.0	22	15.2%	41.1	53,557	13.0%
35 – 44	536	26.9%	538.1	593	34.4%	595.4	85	42.7%	85.3	53	36.6%	53.2	99,603	24.1%
45 +	306	15.4%	204.4	309	17.9%	206.4	65	32.7%	43.4	51	35.2%	34.1	149,688	36.2%
Not Specified	6	0.3%	-	2	0.1%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,939	100.0%	481.8	2,015	100.0%	246.5	202	100.0%	24.7	150	100.0%	18.3	805,810	100.0%
Female Total	1,877	47.7%	478.1	272	13.5%	69.3	3	1.5%	0.8	2	1.3%	0.5	392,570	48.7%
American Indian/Alaska Native	9	0.7%	771.9	4	1.7%	343.1	0	0.0%	0.0	0	0.0%	0.0	1,166	0.3%
Asian/Pacific Islander	317	23.4%	235.4	24	10.0%	17.8	0	0.0%	0.0	0	0.0%	0.0	134,666	34.3%
Black/African-American	509	37.6%	1,852.3	124	51.9%	451.3	1	33.3%	3.6	1	50.0%	3.6	27,479	7.0%
Latina/Hispanic	258	19.0%	501.4	31	13.0%	60.2	2	66.7%	3.9	1	50.0%	1.9	51,459	13.1%
White	262	19.3%	156.7	56	23.4%	33.5	0	0.0%	0.0	0	0.0%	0.0	167,160	42.6%
Other/Multi/Not Specified	522	27.8%	-	33	12.1%	-	0	0.0%	-	0	0.0%	-	10,640	2.7%
Male Total	1,997	50.7%	483.3	1,724	85.6%	417.2	199	98.5%	48.2	145	96.7%	35.1	413,240	51.3%
American Indian/Alaska Native	6	0.4%	404.9	4	0.3%	269.9	2	1.0%	135.0	2	1.4%	135.0	1,482	0.4%
Asian/Pacific Islander	215	12.7%	178.4	109	7.0%	90.4	11	5.6%	9.1	11	8.0%	9.1	120,513	29.2%
Black/African-American	370	21.8%	1,360.2	290	18.7%	1,066.1	18	9.2%	66.2	15	10.9%	55.1	27,201	6.6%
Latina/Hispanic	307	18.1%	530.5	235	15.1%	406.1	31	15.8%	53.6	22	15.9%	38.0	57,869	14.0%
White	797	47.0%	407.6	915	58.9%	468.0	134	68.4%	68.5	88	63.8%	45.0	195,513	47.3%
Other/Multi/Not Specified	302	15.1%	-	171	9.9%	-	3	1.5%	-	7	4.8%	-	10,662	2.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Francisco County, the July 1, 2007 estimate is 817,537).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Joaquin County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Joaquin County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,533	100.0%	519.4	1,007	100.0%	148.0	7	100.0%	1.0	6	100.0%	0.9	690,102	100.0%
Female Total	2,520	71.3%	727.6	551	54.7%	159.1	1	14.3%	0.3	0	0.0%	0.0	346,365	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	61,498	17.8%
10 – 14	51	2.0%	163.4	12	2.2%	38.4	0	0.0%	0.0	0	0.0%	0.0	31,215	9.0%
15 – 19	938	37.4%	3,173.7	175	31.8%	592.1	0	0.0%	0.0	0	0.0%	0.0	29,555	8.5%
20 – 24	869	34.7%	3,207.1	178	32.4%	656.9	1	100.0%	3.7	0	0.0%	0.0	27,096	7.8%
25 – 29	367	14.6%	1,600.8	105	19.1%	458.0	0	0.0%	0.0	0	0.0%	0.0	22,926	6.6%
30 – 34	148	5.9%	795.6	33	6.0%	177.4	0	0.0%	0.0	0	0.0%	0.0	18,602	5.4%
35 – 44	101	4.0%	241.8	31	5.6%	74.2	0	0.0%	0.0	0	0.0%	0.0	41,766	12.1%
45 +	33	1.3%	29.0	16	2.9%	14.1	0	0.0%	0.0	0	0.0%	0.0	113,707	32.8%
Not Specified	13	0.5%	-	1	0.2%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,010	28.6%	293.8	455	45.2%	132.4	6	85.7%	1.7	6	100.0%	1.7	343,737	49.8%
Ages														
0 – 9	0	0.0%	0.0	1	0.2%	1.6	0	0.0%	0.0	0	0.0%	0.0	64,280	18.7%
10 – 14	6	0.6%	19.7	2	0.4%	6.6	0	0.0%	0.0	0	0.0%	0.0	30,404	8.8%
15 – 19	261	26.2%	836.0	79	17.6%	253.0	1	16.7%	3.2	0	0.0%	0.0	31,220	9.1%
20 – 24	361	36.2%	1,194.9	131	29.1%	433.6	0	0.0%	0.0	1	16.7%	3.3	30,211	8.8%
25 – 29	205	20.5%	851.0	97	21.6%	402.7	2	33.3%	8.3	4	66.7%	16.6	24,088	7.0%
30 – 34	79	7.9%	424.4	53	11.8%	284.7	1	16.7%	5.4	0	0.0%	0.0	18,616	5.4%
35 – 44	69	6.9%	159.6	60	13.3%	138.8	1	16.7%	2.3	1	16.7%	2.3	43,238	12.6%
45 +	17	1.7%	16.7	27	6.0%	26.6	1	16.7%	1.0	0	0.0%	0.0	101,680	29.6%
Not Specified	12	1.2%	-	5	1.1%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,533	100.0%	519.4	1,007	100.0%	148.0	7	100.0%	1.0	6	100.0%	0.9	690,102	100.0%
Female Total	2,520	71.3%	727.6	551	54.7%	159.1	1	14.3%	0.3	0	0.0%	0.0	346,365	50.2%
American Indian/Alaska Native	4	0.3%	169.9	2	0.7%	84.9	0	0.0%	0.0	0	0.0%	0.0	2,355	0.7%
Asian/Pacific Islander	139	10.0%	276.8	12	4.0%	23.9	0	0.0%	0.0	0	0.0%	0.0	50,208	14.5%
Black/African-American	377	27.2%	1,602.6	110	36.4%	467.6	0	0.0%	0.0	0	0.0%	0.0	23,525	6.8%
Latina/Hispanic	611	44.1%	522.3	91	30.1%	77.8	0	0.0%	0.0	0	0.0%	0.0	116,988	33.8%
White	253	18.3%	174.9	87	28.8%	60.1	1	100.0%	0.7	0	0.0%	0.0	144,644	41.8%
Other/Multi/Not Specified	1,136	45.1%	-	249	45.2%	-	0	0.0%	-	0	0.0%	-	8,645	2.5%
Male Total	1,010	28.6%	293.8	455	45.2%	132.4	6	85.7%	1.7	6	100.0%	1.7	343,737	49.8%
American Indian/Alaska Native	0	0.0%	0.0	1	0.4%	45.8	0	0.0%	0.0	0	0.0%	0.0	2,185	0.6%
Asian/Pacific Islander	37	7.3%	79.6	7	2.7%	15.1	0	0.0%	0.0	0	0.0%	0.0	46,491	13.5%
Black/African-American	170	33.5%	744.5	103	39.6%	451.1	0	0.0%	0.0	2	33.3%	8.8	22,833	6.6%
Latina/Hispanic	195	38.4%	160.4	87	33.5%	71.6	4	66.7%	3.3	3	50.0%	2.5	121,585	35.4%
White	106	20.9%	74.2	62	23.8%	43.4	2	33.3%	1.4	1	16.7%	0.7	142,781	41.5%
Other/Multi/Not Specified	502	49.7%	-	195	42.9%	-	0	0.0%	-	0	0.0%	-	7,862	2.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Joaquin County, the July 1, 2007 estimate is 680,183).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Luis Obispo County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Luis Obispo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	626	100.0%	234.3	48	100.0%	18.0	2	100.0%	0.7	2	100.0%	0.7	264,485	100.0%
Female Total	421	67.3%	325.7	26	54.2%	20.1	0	0.0%	0.0	0	0.0%	0.0	129,254	48.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,517	10.5%
10 – 14	4	1.0%	52.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,655	5.9%
15 – 19	153	36.3%	1,486.3	7	26.9%	68.0	0	0.0%	0.0	0	0.0%	0.0	10,294	8.0%
20 – 24	173	41.1%	1,557.0	9	34.6%	81.0	0	0.0%	0.0	0	0.0%	0.0	11,111	8.6%
25 – 29	57	13.5%	768.1	4	15.4%	53.9	0	0.0%	0.0	0	0.0%	0.0	7,421	5.7%
30 – 34	17	4.0%	297.8	2	7.7%	35.0	0	0.0%	0.0	0	0.0%	0.0	5,709	4.4%
35 – 44	14	3.3%	100.8	2	7.7%	14.4	0	0.0%	0.0	0	0.0%	0.0	13,891	10.7%
45 +	3	0.7%	5.0	2	7.7%	3.4	0	0.0%	0.0	0	0.0%	0.0	59,656	46.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	205	32.7%	151.6	22	45.8%	16.3	2	100.0%	1.5	2	100.0%	1.5	135,231	51.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,120	10.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,829	5.8%
15 – 19	21	10.3%	177.2	2	9.1%	16.9	0	0.0%	0.0	0	0.0%	0.0	11,854	8.8%
20 – 24	92	45.3%	668.5	5	22.7%	36.3	0	0.0%	0.0	1	50.0%	7.3	13,763	10.2%
25 – 29	67	33.0%	677.0	5	22.7%	50.5	2	100.0%	20.2	1	50.0%	10.1	9,897	7.3%
30 – 34	15	7.4%	185.6	3	13.6%	37.1	0	0.0%	0.0	0	0.0%	0.0	8,082	6.0%
35 – 44	7	3.4%	44.6	4	18.2%	25.5	0	0.0%	0.0	0	0.0%	0.0	15,703	11.6%
45 +	1	0.5%	1.9	3	13.6%	5.6	0	0.0%	0.0	0	0.0%	0.0	53,983	39.9%
Not Specified	2	1.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	626	100.0%	234.3	48	100.0%	18.0	2	100.0%	0.7	2	100.0%	0.7	264,485	100.0%
Female Total	421	67.3%	325.7	26	54.2%	20.1	0	0.0%	0.0	0	0.0%	0.0	129,254	48.9%
American Indian/Alaska Native	1	0.2%	139.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	717	0.6%
Asian/Pacific Islander	7	1.7%	183.9	1	3.8%	26.3	0	0.0%	0.0	0	0.0%	0.0	3,806	2.9%
Black/African-American	7	1.7%	661.6	4	15.4%	378.1	0	0.0%	0.0	0	0.0%	0.0	1,058	0.8%
Latina/Hispanic	129	30.6%	525.1	8	30.8%	32.6	0	0.0%	0.0	0	0.0%	0.0	24,568	19.0%
White	277	65.8%	286.6	13	50.0%	13.5	0	0.0%	0.0	0	0.0%	0.0	96,642	74.8%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	2,463	1.9%
Male Total	205	32.7%	151.6	22	45.8%	16.3	2	100.0%	1.5	2	100.0%	1.5	135,231	51.1%
American Indian/Alaska Native	1	0.5%	113.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	878	0.6%
Asian/Pacific Islander	3	1.5%	76.4	1	4.8%	25.5	0	0.0%	0.0	1	50.0%	25.5	3,927	2.9%
Black/African-American	10	4.9%	260.8	1	4.8%	26.1	2	100.0%	52.2	1	50.0%	26.1	3,834	2.8%
Latina/Hispanic	45	22.2%	157.7	3	14.3%	10.5	0	0.0%	0.0	0	0.0%	0.0	28,531	21.1%
White	144	70.9%	150.6	16	76.2%	16.7	0	0.0%	0.0	0	0.0%	0.0	95,597	70.7%
Other/Multi/Not Specified	2	1.0%	-	1	4.5%	-	0	0.0%	-	0	0.0%	-	2,464	1.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Luis Obispo County, the July 1, 2007 estimate is 267,154).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Mateo County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Mateo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,775	100.0%	241.7	263	100.0%	35.8	22	100.0%	3.0	13	100.0%	1.8	728,905	100.0%
Female Total	1,270	71.5%	346.3	92	35.0%	25.1	5	22.7%	1.4	2	15.4%	0.5	366,787	50.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	45,895	12.5%
10 – 14	10	0.8%	47.6	3	3.3%	14.3	0	0.0%	0.0	0	0.0%	0.0	21,027	5.7%
15 – 19	371	29.2%	1,721.4	34	37.0%	157.8	0	0.0%	0.0	0	0.0%	0.0	21,552	5.9%
20 – 24	433	34.1%	2,206.4	22	23.9%	112.1	0	0.0%	0.0	0	0.0%	0.0	19,625	5.4%
25 – 29	241	19.0%	1,265.6	13	14.1%	68.3	1	20.0%	5.3	1	50.0%	5.3	19,043	5.2%
30 – 34	97	7.6%	375.1	4	4.3%	15.5	1	20.0%	3.9	0	0.0%	0.0	25,862	7.1%
35 – 44	87	6.9%	143.9	10	10.9%	16.5	3	60.0%	5.0	0	0.0%	0.0	60,466	16.5%
45 +	31	2.4%	20.2	6	6.5%	3.9	0	0.0%	0.0	1	50.0%	0.7	153,317	41.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	504	28.4%	139.2	171	65.0%	47.2	17	77.3%	4.7	11	84.6%	3.0	362,118	49.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	47,897	13.2%
10 – 14	1	0.2%	4.6	2	1.2%	9.2	0	0.0%	0.0	0	0.0%	0.0	21,856	6.0%
15 – 19	84	16.7%	363.1	16	9.4%	69.2	1	5.9%	4.3	0	0.0%	0.0	23,134	6.4%
20 – 24	140	27.9%	655.2	34	19.9%	159.1	0	0.0%	0.0	1	9.1%	4.7	21,368	5.9%
25 – 29	98	19.5%	449.1	28	16.4%	128.3	2	11.8%	9.2	1	9.1%	4.6	21,823	6.0%
30 – 34	55	11.0%	196.3	18	10.5%	64.3	4	23.5%	14.3	2	18.2%	7.1	28,013	7.7%
35 – 44	79	15.7%	125.1	44	25.7%	69.7	5	29.4%	7.9	5	45.5%	7.9	63,142	17.4%
45 +	45	9.0%	33.4	29	17.0%	21.5	5	29.4%	3.7	2	18.2%	1.5	134,885	37.2%
Not Specified	2	0.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,775	100.0%	241.7	263	100.0%	35.8	22	100.0%	3.0	13	100.0%	1.8	728,905	100.0%
Female Total	1,270	71.5%	346.3	92	35.0%	25.1	5	22.7%	1.4	2	15.4%	0.5	366,787	50.3%
American Indian/Alaska Native	2	0.2%	209.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	955	0.3%
Asian/Pacific Islander	187	20.5%	199.2	14	17.3%	14.9	0	0.0%	0.0	0	0.0%	0.0	93,858	25.6%
Black/African-American	116	12.7%	907.5	22	27.2%	172.1	5	100.0%	39.1	0	0.0%	0.0	12,782	3.5%
Latina/Hispanic	448	49.2%	513.4	18	22.2%	20.6	0	0.0%	0.0	1	50.0%	1.1	87,263	23.8%
White	158	17.3%	96.9	27	33.3%	16.6	0	0.0%	0.0	1	50.0%	0.6	163,011	44.4%
Other/Multi/Not Specified	359	28.3%	-	11	12.0%	-	0	0.0%	-	0	0.0%	-	8,918	2.4%
Male Total	504	28.4%	139.2	171	65.0%	47.2	17	77.3%	4.7	11	84.6%	3.0	362,118	49.7%
American Indian/Alaska Native	3	0.8%	372.2	1	0.6%	124.1	0	0.0%	0.0	0	0.0%	0.0	806	0.2%
Asian/Pacific Islander	88	23.7%	102.4	30	19.4%	34.9	0	0.0%	0.0	0	0.0%	0.0	85,931	23.7%
Black/African-American	63	16.9%	484.5	21	13.5%	161.5	2	13.3%	15.4	2	18.2%	15.4	13,002	3.6%
Latina/Hispanic	134	36.0%	146.2	47	30.3%	51.3	4	26.7%	4.4	8	72.7%	8.7	91,631	25.3%
White	84	22.6%	51.9	56	36.1%	34.6	9	60.0%	5.6	1	9.1%	0.6	161,694	44.7%
Other/Multi/Not Specified	132	26.2%	-	16	9.4%	-	2	11.8%	-	0	0.0%	-	9,054	2.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Mateo County, the July 1, 2007 estimate is 734,453).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Santa Barbara County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Santa Barbara County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,170	100.0%	274.8	79	100.0%	18.6	7	100.0%	1.6	2	100.0%	0.5	423,291	100.0%
Female Total	872	74.5%	413.6	34	43.0%	16.1	0	0.0%	0.0	0	0.0%	0.0	210,851	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28,250	13.4%
10 – 14	11	1.3%	77.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,258	6.8%
15 – 19	290	33.3%	1,785.2	11	32.4%	67.7	0	0.0%	0.0	0	0.0%	0.0	16,245	7.7%
20 – 24	346	39.7%	2,163.3	14	41.2%	87.5	0	0.0%	0.0	0	0.0%	0.0	15,994	7.6%
25 – 29	138	15.8%	1,036.3	4	11.8%	30.0	0	0.0%	0.0	0	0.0%	0.0	13,316	6.3%
30 – 34	47	5.4%	363.6	1	2.9%	7.7	0	0.0%	0.0	0	0.0%	0.0	12,925	6.1%
35 – 44	33	3.8%	116.2	3	8.8%	10.6	0	0.0%	0.0	0	0.0%	0.0	28,401	13.5%
45 +	7	0.8%	8.6	1	2.9%	1.2	0	0.0%	0.0	0	0.0%	0.0	81,462	38.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	298	25.5%	140.3	45	57.0%	21.2	7	100.0%	3.3	2	100.0%	0.9	212,440	50.2%
Ages														
0 – 9	0	0.0%	0.0	1	2.2%	3.4	0	0.0%	0.0	0	0.0%	0.0	29,133	13.7%
10 – 14	1	0.3%	6.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,007	7.1%
15 – 19	65	21.8%	386.8	6	13.3%	35.7	0	0.0%	0.0	0	0.0%	0.0	16,806	7.9%
20 – 24	123	41.3%	737.3	15	33.3%	89.9	2	28.6%	12.0	1	50.0%	6.0	16,683	7.9%
25 – 29	47	15.8%	345.1	13	28.9%	95.5	2	28.6%	14.7	0	0.0%	0.0	13,619	6.4%
30 – 34	22	7.4%	151.3	3	6.7%	20.6	0	0.0%	0.0	0	0.0%	0.0	14,540	6.8%
35 – 44	20	6.7%	63.6	3	6.7%	9.5	3	42.9%	9.5	1	50.0%	3.2	31,458	14.8%
45 +	20	6.7%	26.6	4	8.9%	5.3	0	0.0%	0.0	0	0.0%	0.0	75,194	35.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,170	100.0%	274.8	79	100.0%	18.6	7	100.0%	1.6	2	100.0%	0.5	423,291	100.0%
Female Total	872	74.5%	413.6	34	43.0%	16.1	0	0.0%	0.0	0	0.0%	0.0	210,851	49.8%
American Indian/Alaska Native	9	1.2%	709.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,269	0.6%
Asian/Pacific Islander	20	2.8%	205.6	1	4.0%	10.3	0	0.0%	0.0	0	0.0%	0.0	9,727	4.6%
Black/African-American	34	4.7%	737.0	6	24.0%	130.1	0	0.0%	0.0	0	0.0%	0.0	4,613	2.2%
Latina/Hispanic	485	67.3%	651.4	10	40.0%	13.4	0	0.0%	0.0	0	0.0%	0.0	74,455	35.3%
White	173	24.0%	147.2	8	32.0%	6.8	0	0.0%	0.0	0	0.0%	0.0	117,555	55.8%
Other/Multi/Not Specified	151	17.3%	-	9	26.5%	-	0	0.0%	-	0	0.0%	-	3,232	1.5%
Male Total	298	25.5%	140.3	45	57.0%	21.2	7	100.0%	3.3	2	100.0%	0.9	212,440	50.2%
American Indian/Alaska Native	1	0.4%	81.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,225	0.6%
Asian/Pacific Islander	5	2.1%	57.2	1	3.2%	11.4	0	0.0%	0.0	0	0.0%	0.0	8,741	4.1%
Black/African-American	28	11.9%	502.2	3	9.7%	53.8	0	0.0%	0.0	0	0.0%	0.0	5,575	2.6%
Latina/Hispanic	121	51.5%	151.2	16	51.6%	20.0	2	33.3%	2.5	1	50.0%	1.2	80,030	37.7%
White	80	34.0%	70.3	11	35.5%	9.7	4	66.7%	3.5	1	50.0%	0.9	113,726	53.5%
Other/Multi/Not Specified	63	21.1%	-	14	31.1%	-	1	14.3%	-	0	0.0%	-	3,143	1.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Santa Barbara County, the July 1, 2007 estimate is 425,710).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Santa Clara County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Santa Clara County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,761	100.0%	316.5	873	100.0%	48.0	56	100.0%	3.1	28	100.0%	1.5	1,795,449	100.0%
Female Total	4,120	71.5%	465.1	374	42.8%	42.2	4	7.1%	0.5	5	17.9%	0.6	885,822	49.3%
Ages														
0 – 9	5	0.1%	4.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	125,896	14.2%
10 – 14	40	1.0%	66.4	2	0.5%	3.3	0	0.0%	0.0	0	0.0%	0.0	60,224	6.8%
15 – 19	1,166	28.4%	2,035.9	102	27.3%	178.1	2	50.0%	3.5	1	20.0%	1.7	57,271	6.5%
20 – 24	1,450	35.3%	2,873.9	121	32.4%	239.8	0	0.0%	0.0	2	40.0%	4.0	50,454	5.7%
25 – 29	737	17.9%	1,575.5	72	19.3%	153.9	0	0.0%	0.0	1	20.0%	2.1	46,779	5.3%
30 – 34	359	8.7%	617.7	38	10.2%	65.4	0	0.0%	0.0	0	0.0%	0.0	58,118	6.6%
35 – 44	279	6.8%	191.9	27	7.2%	18.6	1	25.0%	0.7	0	0.0%	0.0	145,379	16.4%
45 +	71	1.7%	20.8	12	3.2%	3.5	1	25.0%	0.3	1	20.0%	0.3	341,701	38.6%
Not Specified	13	0.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,614	28.0%	177.4	497	56.9%	54.6	52	92.9%	5.7	23	82.1%	2.5	909,627	50.7%
Ages														
0 – 9	3	0.2%	2.3	1	0.2%	0.8	0	0.0%	0.0	0	0.0%	0.0	130,880	14.4%
10 – 14	4	0.3%	6.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	63,215	6.9%
15 – 19	297	18.6%	490.6	49	10.0%	80.9	2	3.8%	3.3	1	4.3%	1.7	60,538	6.7%
20 – 24	481	30.2%	927.0	130	26.4%	250.5	5	9.6%	9.6	4	17.4%	7.7	51,886	5.7%
25 – 29	315	19.7%	622.4	84	17.1%	166.0	15	28.8%	29.6	4	17.4%	7.9	50,612	5.6%
30 – 34	198	12.4%	306.8	71	14.4%	110.0	3	5.8%	4.6	4	17.4%	6.2	64,542	7.1%
35 – 44	205	12.9%	124.5	98	19.9%	59.5	18	34.6%	10.9	5	21.7%	3.0	164,625	18.1%
45 +	92	5.8%	28.5	59	12.0%	18.2	9	17.3%	2.8	5	21.7%	1.5	323,329	35.5%
Not Specified	19	1.2%	-	5	1.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,761	100.0%	316.5	873	100.0%	48.0	56	100.0%	3.1	28	100.0%	1.5	1,795,449	100.0%
Female Total	4,120	71.5%	465.1	374	42.8%	42.2	4	7.1%	0.5	5	17.9%	0.6	885,822	49.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,814	0.4%
Asian/Pacific Islander	157	14.3%	63.6	10	8.5%	4.1	0	0.0%	0.0	1	20.0%	0.4	246,865	27.9%
Black/African-American	98	8.9%	435.0	16	13.7%	71.0	0	0.0%	0.0	1	20.0%	4.4	22,529	2.5%
Latina/Hispanic	664	60.5%	300.9	65	55.6%	29.5	4	100.0%	1.8	2	40.0%	0.9	220,704	24.9%
White	178	16.2%	48.0	26	22.2%	7.0	0	0.0%	0.0	1	20.0%	0.3	370,648	41.8%
Other/Multi/Not Specified	3,023	73.4%	-	257	68.7%	-	0	0.0%	-	0	0.0%	-	21,262	2.4%
Male Total	1,614	28.0%	177.4	497	56.9%	54.6	52	92.9%	5.7	23	82.1%	2.5	909,627	50.7%
American Indian/Alaska Native	1	0.2%	25.7	0	0.0%	0.0	1	2.0%	25.7	0	0.0%	0.0	3,898	0.4%
Asian/Pacific Islander	78	16.4%	31.5	15	9.2%	6.0	5	10.2%	2.0	0	0.0%	0.0	247,988	27.3%
Black/African-American	68	14.3%	281.3	20	12.3%	82.7	3	6.1%	12.4	2	8.7%	8.3	24,175	2.7%
Latina/Hispanic	233	48.9%	99.4	83	50.9%	35.4	25	51.0%	10.7	16	69.6%	6.8	234,522	25.8%
White	96	20.2%	25.4	45	27.6%	11.9	15	30.6%	4.0	5	21.7%	1.3	377,456	41.5%
Other/Multi/Not Specified	1,138	70.5%	-	334	67.2%	-	3	5.8%	-	0	0.0%	-	21,588	2.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Santa Clara County, the July 1, 2007 estimate is 1,820,176).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Santa Cruz County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Santa Cruz County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	663	100.0%	250.0	87	100.0%	32.8	1	100.0%	0.4	0	100.0%	0.0	264,417	100.0%
Female Total	494	74.5%	373.3	36	41.4%	27.2	0	0.0%	0.0	0	0.0%	0.0	132,345	50.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,539	11.7%
10 – 14	6	1.2%	80.4	1	2.8%	13.4	0	0.0%	0.0	0	0.0%	0.0	7,461	5.6%
15 – 19	160	32.4%	1,729.4	11	30.6%	118.9	0	0.0%	0.0	0	0.0%	0.0	9,252	7.0%
20 – 24	196	39.7%	1,791.1	10	27.8%	91.4	0	0.0%	0.0	0	0.0%	0.0	10,943	8.3%
25 – 29	72	14.6%	646.2	4	11.1%	35.9	0	0.0%	0.0	0	0.0%	0.0	11,142	8.4%
30 – 34	34	6.9%	427.6	4	11.1%	50.3	0	0.0%	0.0	0	0.0%	0.0	7,952	6.0%
35 – 44	20	4.0%	100.5	4	11.1%	20.1	0	0.0%	0.0	0	0.0%	0.0	19,897	15.0%
45 +	6	1.2%	12.0	2	5.6%	4.0	0	0.0%	0.0	0	0.0%	0.0	50,159	37.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	157	23.7%	118.9	50	57.5%	37.9	1	100.0%	0.8	0	0.0%	0.0	132,072	49.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,597	12.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,854	5.9%
15 – 19	33	21.2%	334.5	5	10.0%	50.7	0	0.0%	0.0	0	0.0%	0.0	9,864	7.5%
20 – 24	51	32.7%	513.9	17	34.0%	171.3	0	0.0%	0.0	0	0.0%	0.0	9,925	7.5%
25 – 29	35	22.4%	323.2	7	14.0%	64.6	0	0.0%	0.0	0	0.0%	0.0	10,828	8.2%
30 – 34	17	10.9%	173.8	8	16.0%	81.8	0	0.0%	0.0	0	0.0%	0.0	9,780	7.4%
35 – 44	12	7.7%	56.4	4	8.0%	18.8	0	0.0%	0.0	0	0.0%	0.0	21,276	16.1%
45 +	8	5.1%	17.4	9	18.0%	19.6	1	100.0%	2.2	0	0.0%	0.0	45,948	34.8%
Not Specified	1	0.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	663	100.0%	250.0	87	100.0%	32.8	1	100.0%	0.4	0	100.0%	0.0	264,417	100.0%
Female Total	494	74.5%	373.3	36	41.4%	27.2	0	0.0%	0.0	0	0.0%	0.0	132,345	50.1%
American Indian/Alaska Native	1	0.3%	143.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	697	0.5%
Asian/Pacific Islander	2	0.6%	29.4	1	5.0%	14.7	0	0.0%	0.0	0	0.0%	0.0	6,797	5.1%
Black/African-American	10	3.1%	885.0	2	10.0%	177.0	0	0.0%	0.0	0	0.0%	0.0	1,130	0.9%
Latina/Hispanic	200	62.3%	469.0	5	25.0%	11.7	0	0.0%	0.0	0	0.0%	0.0	42,643	32.2%
White	108	33.6%	137.6	12	60.0%	15.3	0	0.0%	0.0	0	0.0%	0.0	78,485	59.3%
Other/Multi/Not Specified	173	35.0%	-	16	44.4%	-	0	0.0%	-	0	0.0%	-	2,593	2.0%
Male Total	157	23.7%	118.9	50	57.5%	37.9	1	100.0%	0.8	0	0.0%	0.0	132,072	49.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	782	0.6%
Asian/Pacific Islander	2	2.3%	33.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,040	4.6%
Black/African-American	7	8.0%	491.9	5	15.2%	351.4	0	0.0%	0.0	0	0.0%	0.0	1,423	1.1%
Latina/Hispanic	50	56.8%	109.0	14	42.4%	30.5	0	0.0%	0.0	0	0.0%	0.0	45,869	34.7%
White	29	33.0%	38.5	14	42.4%	18.6	1	100.0%	1.3	0	0.0%	0.0	75,345	57.0%
Other/Multi/Not Specified	69	43.9%	-	17	34.0%	-	0	0.0%	-	0	0.0%	-	2,613	2.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Santa Cruz County, the July 1, 2007 estimate is 265,183).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Shasta County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Shasta County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	473	100.0%	260.8	18	100.0%	9.9	0	100.0%	0.0	0	100.0%	0.0	184,010	100.0%
Female Total	354	74.8%	378.0	10	55.6%	10.7	0	0.0%	0.0	0	0.0%	0.0	93,640	50.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,139	10.8%
10 – 14	4	1.1%	64.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,175	6.6%
15 – 19	147	41.5%	2,054.5	4	40.0%	55.9	0	0.0%	0.0	0	0.0%	0.0	7,155	7.6%
20 – 24	125	35.3%	1,741.4	4	40.0%	55.7	0	0.0%	0.0	0	0.0%	0.0	7,178	7.7%
25 – 29	44	12.4%	804.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,472	5.8%
30 – 34	23	6.5%	603.4	1	10.0%	26.2	0	0.0%	0.0	0	0.0%	0.0	3,812	4.1%
35 – 44	10	2.8%	88.9	1	10.0%	8.9	0	0.0%	0.0	0	0.0%	0.0	11,250	12.0%
45 +	1	0.3%	2.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	42,459	45.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	119	25.2%	131.7	8	44.4%	8.9	0	0.0%	0.0	0	0.0%	0.0	90,370	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,015	12.2%
10 – 14	2	1.7%	30.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,589	7.3%
15 – 19	37	31.1%	492.5	1	12.5%	13.3	0	0.0%	0.0	0	0.0%	0.0	7,512	8.3%
20 – 24	33	27.7%	434.4	4	50.0%	52.7	0	0.0%	0.0	0	0.0%	0.0	7,596	8.4%
25 – 29	29	24.4%	523.6	2	25.0%	36.1	0	0.0%	0.0	0	0.0%	0.0	5,539	6.1%
30 – 34	10	8.4%	261.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,826	4.2%
35 – 44	5	4.2%	47.4	1	12.5%	9.5	0	0.0%	0.0	0	0.0%	0.0	10,542	11.7%
45 +	3	2.5%	7.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	37,751	41.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	473	100.0%	260.8	18	100.0%	9.9	0	100.0%	0.0	0	100.0%	0.0	184,010	100.0%
Female Total	354	74.8%	378.0	10	55.6%	10.7	0	0.0%	0.0	0	0.0%	0.0	93,640	50.9%
American Indian/Alaska Native	10	6.1%	415.5	1	12.5%	41.5	0	0.0%	0.0	0	0.0%	0.0	2,407	2.6%
Asian/Pacific Islander	8	4.9%	303.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,640	2.8%
Black/African-American	7	4.3%	1,204.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	581	0.6%
Latina/Hispanic	8	4.9%	149.8	1	12.5%	18.7	0	0.0%	0.0	0	0.0%	0.0	5,339	5.7%
White	131	79.9%	163.6	6	75.0%	7.5	0	0.0%	0.0	0	0.0%	0.0	80,066	85.5%
Other/Multi/Not Specified	190	53.7%	-	2	20.0%	-	0	0.0%	-	0	0.0%	-	2,607	2.8%
Male Total	119	25.2%	131.7	8	44.4%	8.9	0	0.0%	0.0	0	0.0%	0.0	90,370	49.1%
American Indian/Alaska Native	5	7.1%	223.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,234	2.5%
Asian/Pacific Islander	3	4.3%	122.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,445	2.7%
Black/African-American	3	4.3%	399.5	1	25.0%	133.2	0	0.0%	0.0	0	0.0%	0.0	751	0.8%
Latina/Hispanic	8	11.4%	146.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,461	6.0%
White	51	72.9%	66.3	3	75.0%	3.9	0	0.0%	0.0	0	0.0%	0.0	76,924	85.1%
Other/Multi/Not Specified	49	41.2%	-	4	50.0%	-	0	0.0%	-	0	0.0%	-	2,555	2.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.









² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Shasta County, the July 1, 2007 estimate is 181,380).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sierra County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female □ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Sierra County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	3,667	100.0%
Female Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,818	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	123	6.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	92	5.1%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	110	6.1%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	155	8.5%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	67	3.7%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	62	3.4%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	184	10.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,025	56.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,849	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	128	6.9%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	108	5.8%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	157	8.5%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	156	8.4%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	84	4.5%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	45	2.4%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	188	10.2%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	983	53.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	3,667	100.0%
Female Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,818	49.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	34	1.9%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6	0.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4	0.2%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	116	6.4%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,631	89.7%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	27	1.5%
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,849	50.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3	0.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2	0.1%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	129	7.0%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,646	89.0%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	41	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Sierra County, the July 1, 2007 estimate is 3,400).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Siskiyou County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Siskiyou County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	100	100.0%	218.8	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	46,408	100.0%
Female Total	77	77.0%	325.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,651	51.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,395	10.1%
10 – 14	1	1.3%	73.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,364	5.8%
15 – 19	42	54.5%	2,477.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,695	7.2%
20 – 24	24	31.2%	1,333.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,800	7.6%
25 – 29	8	10.4%	705.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,134	4.8%
30 – 34	1	1.3%	132.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	757	3.2%
35 – 44	1	1.3%	42.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,379	10.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,127	51.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	23	23.0%	101.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22,757	49.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,371	10.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,447	6.4%
15 – 19	5	21.7%	292.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,709	7.5%
20 – 24	9	39.1%	468.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,921	8.4%
25 – 29	6	26.1%	449.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,336	5.9%
30 – 34	2	8.7%	243.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	820	3.6%
35 – 44	1	4.3%	43.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,276	10.0%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,877	47.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	100	100.0%	218.8	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	46,408	100.0%
Female Total	77	77.0%	325.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,651	51.0%
American Indian/Alaska Native	4	5.3%	432.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	925	3.9%
Asian/Pacific Islander	2	2.6%	549.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	364	1.5%
Black/African-American	3	3.9%	1,090.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	275	1.2%
Latina/Hispanic	9	11.8%	466.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,929	8.2%
White	58	76.3%	299.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,384	82.0%
Other/Multi/Not Specified	1	1.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	774	3.3%
Male Total	23	23.0%	101.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22,757	49.0%
American Indian/Alaska Native	3	13.0%	352.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	850	3.7%
Asian/Pacific Islander	2	8.7%	689.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	290	1.3%
Black/African-American	3	13.0%	900.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	333	1.5%
Latina/Hispanic	4	17.4%	191.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,092	9.2%
White	11	47.8%	59.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,439	81.0%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	753	3.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Siskiyou County, the July 1, 2007 estimate is 45,695).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Solano County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Solano County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,890	100.0%	445.8	341	100.0%	80.4	6	100.0%	1.4	9	100.0%	2.1	426,866	100.0%
Female Total	1,479	78.3%	698.2	197	57.8%	93.0	1	16.7%	0.5	0	0.0%	0.0	211,822	49.6%
Ages														
0 – 9	2	0.1%	7.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28,294	13.4%
10 – 14	24	1.6%	154.8	6	3.0%	38.7	0	0.0%	0.0	0	0.0%	0.0	15,508	7.3%
15 – 19	587	39.7%	3,525.3	65	33.0%	390.4	0	0.0%	0.0	0	0.0%	0.0	16,651	7.9%
20 – 24	536	36.3%	3,434.4	70	35.5%	448.5	1	100.0%	6.4	0	0.0%	0.0	15,607	7.4%
25 – 29	190	12.9%	1,489.8	28	14.2%	219.6	0	0.0%	0.0	0	0.0%	0.0	12,753	6.0%
30 – 34	65	4.4%	518.1	7	3.6%	55.8	0	0.0%	0.0	0	0.0%	0.0	12,547	5.9%
35 – 44	57	3.9%	192.8	17	8.6%	57.5	0	0.0%	0.0	0	0.0%	0.0	29,570	14.0%
45 +	17	1.2%	21.0	4	2.0%	4.9	0	0.0%	0.0	0	0.0%	0.0	80,892	38.2%
Not Specified	1	0.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	411	21.7%	191.1	144	42.2%	67.0	5	83.3%	2.3	9	100.0%	4.2	215,044	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29,209	13.6%
10 – 14	1	0.2%	6.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,888	7.4%
15 – 19	95	23.1%	547.6	30	20.8%	172.9	0	0.0%	0.0	0	0.0%	0.0	17,349	8.1%
20 – 24	140	34.1%	840.0	40	27.8%	240.0	3	60.0%	18.0	3	33.3%	18.0	16,666	7.8%
25 – 29	81	19.7%	537.1	22	15.3%	145.9	0	0.0%	0.0	1	11.1%	6.6	15,082	7.0%
30 – 34	26	6.3%	188.2	15	10.4%	108.6	0	0.0%	0.0	1	11.1%	7.2	13,816	6.4%
35 – 44	48	11.7%	149.4	22	15.3%	68.5	0	0.0%	0.0	0	0.0%	0.0	32,122	14.9%
45 +	20	4.9%	26.7	15	10.4%	20.0	2	40.0%	2.7	4	44.4%	5.3	74,912	34.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,890	100.0%	445.8	341	100.0%	80.4	6	100.0%	1.4	9	100.0%	2.1	426,866	100.0%
Female Total	1,479	78.3%	698.2	197	57.8%	93.0	1	16.7%	0.5	0	0.0%	0.0	211,822	49.6%
American Indian/Alaska Native	1	0.9%	78.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,282	0.6%
Asian/Pacific Islander	9	8.0%	26.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	34,590	16.3%
Black/African-American	39	34.8%	150.3	10	47.6%	38.5	1	100.0%	3.9	0	0.0%	0.0	25,953	12.3%
Latina/Hispanic	19	17.0%	45.7	1	4.8%	2.4	0	0.0%	0.0	0	0.0%	0.0	41,604	19.6%
White	44	39.3%	44.7	10	47.6%	10.2	0	0.0%	0.0	0	0.0%	0.0	98,397	46.5%
Other/Multi/Not Specified	1,367	92.4%	-	176	89.3%	-	0	0.0%	-	0	0.0%	-	9,996	4.7%
Male Total	411	21.7%	191.1	144	42.2%	67.0	5	83.3%	2.3	9	100.0%	4.2	215,044	50.4%
American Indian/Alaska Native	0	0.0%	0.0	1	5.9%	72.1	0	0.0%	0.0	0	0.0%	0.0	1,387	0.6%
Asian/Pacific Islander	4	11.4%	13.0	1	5.9%	3.2	0	0.0%	0.0	0	0.0%	0.0	30,777	14.3%
Black/African-American	20	57.1%	74.5	12	70.6%	44.7	2	40.0%	7.4	3	33.3%	11.2	26,855	12.5%
Latina/Hispanic	4	11.4%	8.6	0	0.0%	0.0	1	20.0%	2.1	0	0.0%	0.0	46,732	21.7%
White	7	20.0%	7.0	3	17.6%	3.0	2	40.0%	2.0	6	66.7%	6.0	99,602	46.3%
Other/Multi/Not Specified	376	91.5%	-	127	88.2%	-	0	0.0%	-	0	0.0%	-	9,691	4.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Solano County, the July 1, 2007 estimate is 423,970).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sonoma County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Sonoma County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	790	100.0%	163.9	93	100.0%	19.3	7	100.0%	1.5	6	100.0%	1.2	483,897	100.0%
Female Total	552	69.9%	225.6	37	39.8%	15.1	0	0.0%	0.0	1	16.7%	0.4	244,683	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	30,942	12.6%
10 – 14	3	0.5%	18.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,028	6.6%
15 – 19	189	34.2%	1,095.3	12	32.4%	69.5	0	0.0%	0.0	0	0.0%	0.0	17,256	7.1%
20 – 24	201	36.4%	1,172.6	12	32.4%	70.0	0	0.0%	0.0	0	0.0%	0.0	17,142	7.0%
25 – 29	98	17.8%	622.8	4	10.8%	25.4	0	0.0%	0.0	0	0.0%	0.0	15,735	6.4%
30 – 34	28	5.1%	227.9	3	8.1%	24.4	0	0.0%	0.0	0	0.0%	0.0	12,284	5.0%
35 – 44	29	5.3%	96.2	6	16.2%	19.9	0	0.0%	0.0	0	0.0%	0.0	30,141	12.3%
45 +	4	0.7%	3.8	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	1.0	105,155	43.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	237	30.0%	99.1	56	60.2%	23.4	7	100.0%	2.9	5	83.3%	2.1	239,214	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	32,143	13.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,342	6.8%
15 – 19	42	17.7%	233.6	3	5.4%	16.7	0	0.0%	0.0	0	0.0%	0.0	17,978	7.5%
20 – 24	74	31.2%	402.0	12	21.4%	65.2	1	14.3%	5.4	0	0.0%	0.0	18,406	7.7%
25 – 29	57	24.1%	333.2	12	21.4%	70.2	2	28.6%	11.7	1	20.0%	5.8	17,105	7.2%
30 – 34	24	10.1%	173.5	5	8.9%	36.1	2	28.6%	14.5	2	40.0%	14.5	13,836	5.8%
35 – 44	23	9.7%	73.6	13	23.2%	41.6	0	0.0%	0.0	1	20.0%	3.2	31,254	13.1%
45 +	17	7.2%	18.4	11	19.6%	11.9	2	28.6%	2.2	1	20.0%	1.1	92,150	38.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	790	100.0%	163.9	93	100.0%	19.3	7	100.0%	1.5	6	100.0%	1.2	483,897	100.0%
Female Total	552	69.9%	225.6	37	39.8%	15.1	0	0.0%	0.0	1	16.7%	0.4	244,683	50.6%
American Indian/Alaska Native	2	0.4%	86.5	1	2.8%	43.3	0	0.0%	0.0	0	0.0%	0.0	2,312	0.9%
Asian/Pacific Islander	11	2.3%	96.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,365	4.6%
Black/African-American	25	5.1%	791.9	3	8.3%	95.0	0	0.0%	0.0	0	0.0%	0.0	3,157	1.3%
Latina/Hispanic	164	33.6%	319.4	13	36.1%	25.3	0	0.0%	0.0	0	0.0%	0.0	51,341	21.0%
White	286	58.6%	167.4	19	52.8%	11.1	0	0.0%	0.0	1	100.0%	0.6	170,844	69.8%
Other/Multi/Not Specified	64	11.6%	-	1	2.7%	-	0	0.0%	-	0	0.0%	-	5,664	2.3%
Male Total	237	30.0%	99.1	56	60.2%	23.4	7	100.0%	2.9	5	83.3%	2.1	239,214	49.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	1	14.3%	45.4	0	0.0%	0.0	2,201	0.9%
Asian/Pacific Islander	4	1.9%	40.3	1	2.0%	10.1	0	0.0%	0.0	0	0.0%	0.0	9,917	4.1%
Black/African-American	14	6.8%	347.6	2	3.9%	49.7	0	0.0%	0.0	0	0.0%	0.0	4,028	1.7%
Latina/Hispanic	72	34.8%	127.5	15	29.4%	26.6	1	14.3%	1.8	2	40.0%	3.5	56,491	23.6%
White	117	56.5%	72.6	33	64.7%	20.5	5	71.4%	3.1	3	60.0%	1.9	161,210	67.4%
Other/Multi/Not Specified	30	12.7%	-	5	8.9%	-	0	0.0%	-	0	0.0%	-	5,367	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Sonoma County, the July 1, 2007 estimate is 482,034).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Stanislaus County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Stanislaus County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,946	100.0%	372.0	503	100.0%	96.2	7	100.0%	1.3	1	100.0%	0.2	529,403	100.0%
Female Total	1,478	76.0%	548.5	235	46.7%	87.2	1	14.3%	0.4	1	100.0%	0.4	269,451	50.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	45,192	16.8%
10 – 14	10	0.7%	42.4	3	1.3%	12.7	0	0.0%	0.0	0	0.0%	0.0	23,571	8.7%
15 – 19	472	32.0%	2,038.6	59	25.1%	254.8	0	0.0%	0.0	0	0.0%	0.0	23,153	8.6%
20 – 24	570	38.6%	2,707.6	69	29.4%	327.8	0	0.0%	0.0	1	100.0%	4.8	21,052	7.8%
25 – 29	272	18.4%	1,532.6	46	19.6%	259.2	0	0.0%	0.0	0	0.0%	0.0	17,748	6.6%
30 – 34	94	6.4%	625.3	28	11.9%	186.3	1	100.0%	6.7	0	0.0%	0.0	15,033	5.6%
35 – 44	56	3.8%	164.6	24	10.2%	70.5	0	0.0%	0.0	0	0.0%	0.0	34,031	12.6%
45 +	3	0.2%	3.3	6	2.6%	6.7	0	0.0%	0.0	0	0.0%	0.0	89,671	33.3%
Not Specified	1	0.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	454	23.3%	174.6	264	52.5%	101.6	6	85.7%	2.3	0	0.0%	0.0	259,952	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	47,405	18.2%
10 – 14	1	0.2%	4.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,545	9.1%
15 – 19	108	23.9%	468.3	30	11.4%	130.1	0	0.0%	0.0	0	0.0%	0.0	23,064	8.9%
20 – 24	170	37.6%	792.7	72	27.3%	335.7	1	16.7%	4.7	0	0.0%	0.0	21,445	8.2%
25 – 29	104	23.0%	572.1	68	25.8%	374.1	1	16.7%	5.5	0	0.0%	0.0	18,178	7.0%
30 – 34	30	6.6%	199.5	29	11.0%	192.8	0	0.0%	0.0	0	0.0%	0.0	15,039	5.8%
35 – 44	25	5.5%	75.1	45	17.0%	135.1	1	16.7%	3.0	0	0.0%	0.0	33,298	12.8%
45 +	14	3.1%	18.0	20	7.6%	25.6	3	50.0%	3.8	0	0.0%	0.0	77,978	30.0%
Not Specified	2	0.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,946	100.0%	372.0	503	100.0%	96.2	7	100.0%	1.3	1	100.0%	0.2	529,403	100.0%
Female Total	1,478	76.0%	548.5	235	46.7%	87.2	1	14.3%	0.4	1	100.0%	0.4	269,451	50.9%
American Indian/Alaska Native	2	0.2%	87.7	2	1.0%	87.7	0	0.0%	0.0	0	0.0%	0.0	2,281	0.8%
Asian/Pacific Islander	38	3.8%	276.7	4	2.0%	29.1	0	0.0%	0.0	0	0.0%	0.0	13,732	5.1%
Black/African-American	85	8.4%	1,363.3	13	6.5%	208.5	0	0.0%	0.0	0	0.0%	0.0	6,235	2.3%
Latina/Hispanic	563	55.7%	533.2	90	45.0%	85.2	0	0.0%	0.0	1	100.0%	0.9	105,587	39.2%
White	322	31.9%	235.9	91	45.5%	66.7	1	100.0%	0.7	0	0.0%	0.0	136,489	50.7%
Other/Multi/Not Specified	468	31.7%	-	35	14.9%	-	0	0.0%	-	0	0.0%	-	5,127	1.9%
Male Total	454	23.3%	174.6	264	52.5%	101.6	6	85.7%	2.3	0	0.0%	0.0	259,952	49.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,111	0.8%
Asian/Pacific Islander	13	4.4%	99.6	5	2.4%	38.3	0	0.0%	0.0	0	0.0%	0.0	13,054	5.0%
Black/African-American	37	12.5%	574.8	29	14.1%	450.5	0	0.0%	0.0	0	0.0%	0.0	6,437	2.5%
Latina/Hispanic	157	53.0%	149.8	99	48.1%	94.4	3	50.0%	2.9	0	0.0%	0.0	104,828	40.3%
White	89	30.1%	69.3	73	35.4%	56.8	3	50.0%	2.3	0	0.0%	0.0	128,465	49.4%
Other/Multi/Not Specified	158	34.8%	-	58	22.0%	-	0	0.0%	-	0	0.0%	-	5,057	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Stanislaus County, the July 1, 2007 estimate is 523,095).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sutter County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Sutter County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	207	100.0%	216.7	22	100.0%	23.0	0	100.0%	0.0	0	100.0%	0.0	95,584	100.0%
Female Total	149	72.0%	308.2	9	40.9%	18.6	0	0.0%	0.0	0	0.0%	0.0	48,349	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,853	16.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,901	8.1%
15 – 19	49	33.1%	1,313.0	1	11.1%	26.8	0	0.0%	0.0	0	0.0%	0.0	3,732	7.7%
20 – 24	55	37.2%	1,492.9	3	33.3%	81.4	0	0.0%	0.0	0	0.0%	0.0	3,684	7.6%
25 – 29	32	21.6%	1,127.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,838	5.9%
30 – 34	6	4.1%	241.4	2	22.2%	80.5	0	0.0%	0.0	0	0.0%	0.0	2,485	5.1%
35 – 44	5	3.4%	82.2	2	22.2%	32.9	0	0.0%	0.0	0	0.0%	0.0	6,085	12.6%
45 +	1	0.7%	5.6	1	11.1%	5.6	0	0.0%	0.0	0	0.0%	0.0	17,771	36.8%
Not Specified	1	0.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	58	28.0%	122.8	13	59.1%	27.5	0	0.0%	0.0	0	0.0%	0.0	47,235	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,069	17.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,959	8.4%
15 – 19	8	13.8%	199.8	1	7.7%	25.0	0	0.0%	0.0	0	0.0%	0.0	4,005	8.5%
20 – 24	25	43.1%	658.9	5	38.5%	131.8	0	0.0%	0.0	0	0.0%	0.0	3,794	8.0%
25 – 29	12	20.7%	399.5	3	23.1%	99.9	0	0.0%	0.0	0	0.0%	0.0	3,004	6.4%
30 – 34	6	10.3%	237.2	1	7.7%	39.5	0	0.0%	0.0	0	0.0%	0.0	2,530	5.4%
35 – 44	5	8.6%	80.4	3	23.1%	48.3	0	0.0%	0.0	0	0.0%	0.0	6,217	13.2%
45 +	2	3.4%	12.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,657	33.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	207	100.0%	216.7	22	100.0%	23.0	0	100.0%	0.0	0	100.0%	0.0	95,584	100.0%
Female Total	149	72.0%	308.2	9	40.9%	18.6	0	0.0%	0.0	0	0.0%	0.0	48,349	50.6%
American Indian/Alaska Native	1	0.8%	188.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	532	1.1%
Asian/Pacific Islander	8	6.2%	131.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,066	12.5%
Black/African-American	8	6.2%	1,068.1	1	12.5%	133.5	0	0.0%	0.0	0	0.0%	0.0	749	1.5%
Latina/Hispanic	53	41.1%	386.0	4	50.0%	29.1	0	0.0%	0.0	0	0.0%	0.0	13,729	28.4%
White	59	45.7%	223.6	3	37.5%	11.4	0	0.0%	0.0	0	0.0%	0.0	26,391	54.6%
Other/Multi/Not Specified	20	13.4%	-	1	11.1%	-	0	0.0%	-	0	0.0%	-	882	1.8%
Male Total	58	28.0%	122.8	13	59.1%	27.5	0	0.0%	0.0	0	0.0%	0.0	47,235	49.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	465	1.0%
Asian/Pacific Islander	2	3.7%	32.9	1	8.3%	16.5	0	0.0%	0.0	0	0.0%	0.0	6,073	12.9%
Black/African-American	2	3.7%	254.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	786	1.7%
Latina/Hispanic	30	55.6%	215.7	4	33.3%	28.8	0	0.0%	0.0	0	0.0%	0.0	13,907	29.4%
White	20	37.0%	79.6	7	58.3%	27.9	0	0.0%	0.0	0	0.0%	0.0	25,115	53.2%
Other/Multi/Not Specified	4	6.9%	-	1	7.7%	-	0	0.0%	-	0	0.0%	-	889	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Sutter County, the July 1, 2007 estimate is 95,516).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Tehama County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Tehama County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	140	100.0%	225.5	14	100.0%	22.5	1	100.0%	1.6	0	100.0%	0.0	62,795	100.0%
Female Total	117	83.6%	369.5	7	50.0%	22.1	0	0.0%	0.0	0	0.0%	0.0	31,661	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,723	11.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,177	6.9%
15 – 19	39	33.3%	1,571.9	2	28.6%	80.6	0	0.0%	0.0	0	0.0%	0.0	2,481	7.8%
20 – 24	53	45.3%	2,067.1	3	42.9%	117.0	0	0.0%	0.0	0	0.0%	0.0	2,564	8.1%
25 – 29	12	10.3%	624.3	2	28.6%	104.1	0	0.0%	0.0	0	0.0%	0.0	1,922	6.1%
30 – 34	6	5.1%	405.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,480	4.7%
35 – 44	6	5.1%	154.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,885	12.3%
45 +	1	0.9%	7.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,429	42.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	22	15.7%	70.7	7	50.0%	22.5	1	100.0%	3.2	0	0.0%	0.0	31,134	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,813	12.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,245	7.2%
15 – 19	2	9.1%	74.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,687	8.6%
20 – 24	10	45.5%	351.4	1	14.3%	35.1	0	0.0%	0.0	0	0.0%	0.0	2,846	9.1%
25 – 29	3	13.6%	137.4	4	57.1%	183.2	0	0.0%	0.0	0	0.0%	0.0	2,184	7.0%
30 – 34	4	18.2%	248.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,610	5.2%
35 – 44	3	13.6%	82.4	1	14.3%	27.5	0	0.0%	0.0	0	0.0%	0.0	3,642	11.7%
45 +	0	0.0%	0.0	1	14.3%	8.3	1	100.0%	8.3	0	0.0%	0.0	12,107	38.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	140	100.0%	225.5	14	100.0%	22.5	1	100.0%	1.6	0	100.0%	0.0	62,795	100.0%
Female Total	117	83.6%	369.5	7	50.0%	22.1	0	0.0%	0.0	0	0.0%	0.0	31,661	50.4%
American Indian/Alaska Native	1	1.3%	172.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	580	1.8%
Asian/Pacific Islander	1	1.3%	362.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	276	0.9%
Black/African-American	1	1.3%	813.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	123	0.4%
Latina/Hispanic	19	24.1%	322.1	1	16.7%	17.0	0	0.0%	0.0	0	0.0%	0.0	5,898	18.6%
White	57	72.2%	237.4	5	83.3%	20.8	0	0.0%	0.0	0	0.0%	0.0	24,009	75.8%
Other/Multi/Not Specified	38	32.5%	-	1	14.3%	-	0	0.0%	-	0	0.0%	-	775	2.4%
Male Total	22	15.7%	70.7	7	50.0%	22.5	1	100.0%	3.2	0	0.0%	0.0	31,134	49.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	524	1.7%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	246	0.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	198	0.6%
Latina/Hispanic	4	40.0%	63.4	3	42.9%	47.6	0	0.0%	0.0	0	0.0%	0.0	6,307	20.3%
White	6	60.0%	26.0	4	57.1%	17.3	1	100.0%	4.3	0	0.0%	0.0	23,102	74.2%
Other/Multi/Not Specified	12	54.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	757	2.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Tehama County, the July 1, 2007 estimate is 62,093).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Trinity County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Trinity County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	15	100.0%	107.1	2	100.0%	14.3	0	100.0%	0.0	0	100.0%	0.0	14,688	100.0%
Female Total	10	66.7%	138.4	2	100.0%	27.7	0	0.0%	0.0	0	0.0%	0.0	7,226	49.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	617	8.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	444	6.1%
15 – 19	2	20.0%	378.8	1	50.0%	189.4	0	0.0%	0.0	0	0.0%	0.0	528	7.3%
20 – 24	5	50.0%	934.6	1	50.0%	186.9	0	0.0%	0.0	0	0.0%	0.0	535	7.4%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	254	3.5%
30 – 34	1	10.0%	510.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	196	2.7%
35 – 44	1	10.0%	128.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	780	10.8%
45 +	1	10.0%	25.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,872	53.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	5	33.3%	67.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,462	50.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	645	8.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	498	6.7%
15 – 19	1	20.0%	178.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	560	7.5%
20 – 24	1	20.0%	168.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	594	8.0%
25 – 29	2	40.0%	668.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	299	4.0%
30 – 34	1	20.0%	429.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	233	3.1%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	767	10.3%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,866	51.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	15	100.0%	107.1	2	100.0%	14.3	0	100.0%	0.0	0	100.0%	0.0	14,688	100.0%
Female Total	10	66.7%	138.4	2	100.0%	27.7	0	0.0%	0.0	0	0.0%	0.0	7,226	49.2%
American Indian/Alaska Native	2	25.0%	682.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	293	4.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	57	0.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7	0.1%
Latina/Hispanic	1	12.5%	350.9	1	50.0%	350.9	0	0.0%	0.0	0	0.0%	0.0	285	3.9%
White	5	62.5%	79.3	1	50.0%	15.9	0	0.0%	0.0	0	0.0%	0.0	6,309	87.3%
Other/Multi/Not Specified	2	20.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	275	3.8%
Male Total	5	33.3%	67.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,462	50.8%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	349	4.7%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	34	0.5%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	55	0.7%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	283	3.8%
White	4	100.0%	62.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,440	86.3%
Other/Multi/Not Specified	1	20.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	301	4.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Trinity County, the July 1, 2007 estimate is 14,012).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Tulare County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Tulare County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,691	100.0%	392.4	313	100.0%	72.6	20	100.0%	4.6	15	100.0%	3.5	436,661	100.0%
Female Total	1,286	76.0%	590.8	165	52.7%	75.8	11	55.0%	5.1	8	53.3%	3.7	217,656	49.8%
Ages														
0 – 9	1	0.1%	2.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	36,911	17.0%
10 – 14	15	1.2%	82.2	3	1.8%	16.4	0	0.0%	0.0	0	0.0%	0.0	18,252	8.4%
15 – 19	418	32.5%	2,147.0	26	15.8%	133.5	1	9.1%	5.1	1	12.5%	5.1	19,469	8.9%
20 – 24	473	36.8%	2,540.1	49	29.7%	263.1	3	27.3%	16.1	2	25.0%	10.7	18,621	8.6%
25 – 29	207	16.1%	1,291.7	41	24.8%	255.8	3	27.3%	18.7	0	0.0%	0.0	16,026	7.4%
30 – 34	91	7.1%	652.8	22	13.3%	157.8	1	9.1%	7.2	2	25.0%	14.3	13,941	6.4%
35 – 44	68	5.3%	249.3	19	11.5%	69.7	1	9.1%	3.7	3	37.5%	11.0	27,279	12.5%
45 +	13	1.0%	19.4	5	3.0%	7.4	2	18.2%	3.0	0	0.0%	0.0	67,157	30.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	405	24.0%	184.9	148	47.3%	67.6	9	45.0%	4.1	7	46.7%	3.2	219,005	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	38,080	17.4%
10 – 14	1	0.2%	5.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,940	8.6%
15 – 19	114	28.2%	553.2	21	14.2%	101.9	0	0.0%	0.0	1	14.3%	4.9	20,609	9.4%
20 – 24	155	38.4%	753.4	36	24.3%	175.0	1	11.1%	4.9	1	14.3%	4.9	20,573	9.4%
25 – 29	66	16.3%	356.3	40	27.0%	215.9	4	44.4%	21.6	2	28.6%	10.8	18,523	8.5%
30 – 34	29	7.2%	198.0	25	16.9%	170.7	3	33.3%	20.5	2	28.6%	13.7	14,647	6.7%
35 – 44	31	7.7%	114.6	16	10.8%	59.1	0	0.0%	0.0	0	0.0%	0.0	27,052	12.4%
45 +	8	2.0%	13.2	10	6.8%	16.5	1	11.1%	1.7	1	14.3%	1.7	60,581	27.7%
Not Specified	1	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,691	100.0%	392.4	313	100.0%	72.6	20	100.0%	4.6	15	100.0%	3.5	436,661	100.0%
Female Total	1,286	76.0%	590.8	165	52.7%	75.8	11	55.0%	5.1	8	53.3%	3.7	217,656	49.8%
American Indian/Alaska Native	9	0.7%	435.6	1	0.6%	48.4	0	0.0%	0.0	0	0.0%	0.0	2,066	0.9%
Asian/Pacific Islander	30	2.5%	388.6	2	1.3%	25.9	0	0.0%	0.0	0	0.0%	0.0	7,721	3.5%
Black/African-American	30	2.5%	1,299.8	10	6.5%	433.3	0	0.0%	0.0	0	0.0%	0.0	2,308	1.1%
Latina/Hispanic	882	73.0%	747.4	97	62.6%	82.2	6	54.5%	5.1	7	87.5%	5.9	118,006	54.2%
White	258	21.3%	303.7	45	29.0%	53.0	5	45.5%	5.9	1	12.5%	1.2	84,965	39.0%
Other/Multi/Not Specified	77	6.0%	-	10	6.1%	-	0	0.0%	-	0	0.0%	-	2,590	1.2%
Male Total	405	24.0%	184.9	148	47.3%	67.6	9	45.0%	4.1	7	46.7%	3.2	219,005	50.2%
American Indian/Alaska Native	2	0.5%	109.3	2	1.4%	109.3	0	0.0%	0.0	0	0.0%	0.0	1,829	0.8%
Asian/Pacific Islander	2	0.5%	27.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,329	3.3%
Black/African-American	27	7.2%	1,027.8	12	8.7%	456.8	1	11.1%	38.1	0	0.0%	0.0	2,627	1.2%
Latina/Hispanic	280	74.3%	223.2	89	64.5%	71.0	7	77.8%	5.6	4	57.1%	3.2	125,440	57.3%
White	66	17.5%	83.2	35	25.4%	44.1	1	11.1%	1.3	3	42.9%	3.8	79,310	36.2%
Other/Multi/Not Specified	28	6.9%	-	10	6.8%	-	0	0.0%	-	0	0.0%	-	2,470	1.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Tulare County, the July 1, 2007 estimate is 430,974).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Tuolumne County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Tuolumne County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	68	100.0%	119.5	14	100.0%	24.6	0	100.0%	0.0	0	100.0%	0.0	57,897	100.0%
Female Total	40	58.8%	145.5	7	50.0%	25.5	0	0.0%	0.0	0	0.0%	0.0	27,492	47.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,256	8.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,400	5.1%
15 – 19	17	42.5%	940.3	2	28.6%	110.6	0	0.0%	0.0	0	0.0%	0.0	1,808	6.6%
20 – 24	17	42.5%	978.7	1	14.3%	57.6	0	0.0%	0.0	0	0.0%	0.0	1,737	6.3%
25 – 29	3	7.5%	290.4	1	14.3%	96.8	0	0.0%	0.0	0	0.0%	0.0	1,033	3.8%
30 – 34	2	5.0%	223.7	2	28.6%	223.7	0	0.0%	0.0	0	0.0%	0.0	894	3.3%
35 – 44	1	2.5%	34.4	1	14.3%	34.4	0	0.0%	0.0	0	0.0%	0.0	2,903	10.6%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,461	56.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	27	39.7%	88.8	6	42.9%	19.7	0	0.0%	0.0	0	0.0%	0.0	30,405	52.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,521	8.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,515	5.0%
15 – 19	4	14.8%	192.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,081	6.8%
20 – 24	7	25.9%	257.4	1	16.7%	36.8	0	0.0%	0.0	0	0.0%	0.0	2,720	8.9%
25 – 29	11	40.7%	617.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,781	5.9%
30 – 34	1	3.7%	67.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,480	4.9%
35 – 44	3	11.1%	86.8	2	33.3%	57.8	0	0.0%	0.0	0	0.0%	0.0	3,458	11.4%
45 +	1	3.7%	6.7	3	50.0%	20.2	0	0.0%	0.0	0	0.0%	0.0	14,849	48.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	68	100.0%	119.5	14	100.0%	24.6	0	100.0%	0.0	0	100.0%	0.0	57,897	100.0%
Female Total	40	58.8%	145.5	7	50.0%	25.5	0	0.0%	0.0	0	0.0%	0.0	27,492	47.5%
American Indian/Alaska Native	0	0.0%	0.0	1	25.0%	242.1	0	0.0%	0.0	0	0.0%	0.0	413	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	253	0.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	93	0.3%
Latina/Hispanic	2	6.7%	93.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,145	7.8%
White	28	93.3%	117.1	3	75.0%	12.5	0	0.0%	0.0	0	0.0%	0.0	23,916	87.0%
Other/Multi/Not Specified	10	25.0%	-	3	42.9%	-	0	0.0%	-	0	0.0%	-	672	2.4%
Male Total	27	39.7%	88.8	6	42.9%	19.7	0	0.0%	0.0	0	0.0%	0.0	30,405	52.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	510	1.7%
Asian/Pacific Islander	2	9.1%	784.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	255	0.8%
Black/African-American	1	4.5%	93.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,068	3.5%
Latina/Hispanic	14	63.6%	397.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,520	11.6%
White	5	22.7%	20.5	3	100.0%	12.3	0	0.0%	0.0	0	0.0%	0.0	24,410	80.3%
Other/Multi/Not Specified	5	18.5%	-	3	50.0%	-	0	0.0%	-	0	0.0%	-	642	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Tuolumne County, the July 1, 2007 estimate is 56,910).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Ventura County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Ventura County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,889	100.0%	228.5	166	100.0%	20.1	14	100.0%	1.7	13	100.0%	1.6	828,983	100.0%
Female Total	1,425	75.4%	345.1	64	38.6%	15.5	3	21.4%	0.7	3	23.1%	0.7	412,894	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	56,616	13.7%
10 – 14	6	0.4%	20.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29,624	7.2%
15 – 19	385	27.0%	1,213.3	13	20.3%	41.0	0	0.0%	0.0	0	0.0%	0.0	31,731	7.7%
20 – 24	558	39.2%	1,879.4	24	37.5%	80.8	0	0.0%	0.0	0	0.0%	0.0	29,690	7.2%
25 – 29	260	18.2%	1,012.3	9	14.1%	35.0	0	0.0%	0.0	1	33.3%	3.9	25,683	6.2%
30 – 34	126	8.8%	525.3	10	15.6%	41.7	1	33.3%	4.2	1	33.3%	4.2	23,986	5.8%
35 – 44	72	5.1%	128.5	7	10.9%	12.5	1	33.3%	1.8	1	33.3%	1.8	56,013	13.6%
45 +	18	1.3%	11.3	1	1.6%	0.6	1	33.3%	0.6	0	0.0%	0.0	159,551	38.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	464	24.6%	111.5	102	61.4%	24.5	11	78.6%	2.6	10	76.9%	2.4	416,089	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	59,070	14.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	31,078	7.5%
15 – 19	69	14.9%	208.8	6	5.9%	18.2	1	9.1%	3.0	0	0.0%	0.0	33,043	7.9%
20 – 24	190	40.9%	601.9	34	33.3%	107.7	0	0.0%	0.0	0	0.0%	0.0	31,567	7.6%
25 – 29	112	24.1%	374.3	26	25.5%	86.9	3	27.3%	10.0	0	0.0%	0.0	29,925	7.2%
30 – 34	50	10.8%	184.7	10	9.8%	36.9	1	9.1%	3.7	2	20.0%	7.4	27,076	6.5%
35 – 44	28	6.0%	47.8	18	17.6%	30.7	4	36.4%	6.8	7	70.0%	11.9	58,611	14.1%
45 +	15	3.2%	10.3	8	7.8%	5.5	2	18.2%	1.4	1	10.0%	0.7	145,719	35.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,889	100.0%	228.5	166	100.0%	20.1	14	100.0%	1.7	13	100.0%	1.6	828,983	100.0%
Female Total	1,425	75.4%	345.1	64	38.6%	15.5	3	21.4%	0.7	3	23.1%	0.7	412,894	49.8%
American Indian/Alaska Native	3	0.3%	160.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,871	0.5%
Asian/Pacific Islander	38	3.7%	150.7	5	9.8%	19.8	0	0.0%	0.0	0	0.0%	0.0	25,212	6.1%
Black/African-American	25	2.4%	382.2	5	9.8%	76.4	0	0.0%	0.0	0	0.0%	0.0	6,541	1.6%
Latina/Hispanic	703	68.3%	485.2	24	47.1%	16.6	1	33.3%	0.7	1	33.3%	0.7	144,901	35.1%
White	260	25.3%	114.9	17	33.3%	7.5	2	66.7%	0.9	2	66.7%	0.9	226,337	54.8%
Other/Multi/Not Specified	396	27.8%	-	13	20.3%	-	0	0.0%	-	0	0.0%	-	8,032	1.9%
Male Total	464	24.6%	111.5	102	61.4%	24.5	11	78.6%	2.6	10	76.9%	2.4	416,089	50.2%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,940	0.5%
Asian/Pacific Islander	11	3.0%	49.2	1	1.2%	4.5	0	0.0%	0.0	0	0.0%	0.0	22,367	5.4%
Black/African-American	18	5.0%	252.1	6	7.1%	84.0	1	9.1%	14.0	0	0.0%	0.0	7,141	1.7%
Latina/Hispanic	241	66.8%	156.7	45	52.9%	29.3	4	36.4%	2.6	6	66.7%	3.9	153,795	37.0%
White	91	25.2%	40.8	33	38.8%	14.8	6	54.5%	2.7	3	33.3%	1.3	223,034	53.6%
Other/Multi/Not Specified	103	22.2%	-	17	16.7%	-	0	0.0%	-	1	10.0%	-	7,812	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Ventura County, the July 1, 2007 estimate is 826,550).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Yolo County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Yolo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	509	100.0%	257.7	70	100.0%	35.4	0	100.0%	0.0	0	100.0%	0.0	195,895	100.0%
Female Total	393	77.2%	395.3	33	47.1%	33.2	0	0.0%	0.0	0	0.0%	0.0	99,410	50.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,032	12.1%
10 – 14	2	0.5%	30.5	1	3.0%	15.2	0	0.0%	0.0	0	0.0%	0.0	6,561	6.6%
15 – 19	120	30.5%	1,218.4	9	27.3%	91.4	0	0.0%	0.0	0	0.0%	0.0	9,849	9.9%
20 – 24	158	40.2%	1,394.4	9	27.3%	79.4	0	0.0%	0.0	0	0.0%	0.0	11,331	11.4%
25 – 29	74	18.8%	1,010.5	7	21.2%	95.6	0	0.0%	0.0	0	0.0%	0.0	7,323	7.4%
30 – 34	24	6.1%	359.7	3	9.1%	45.0	0	0.0%	0.0	0	0.0%	0.0	6,672	6.7%
35 – 44	13	3.3%	99.0	2	6.1%	15.2	0	0.0%	0.0	0	0.0%	0.0	13,135	13.2%
45 +	2	0.5%	6.2	2	6.1%	6.2	0	0.0%	0.0	0	0.0%	0.0	32,507	32.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	116	22.8%	120.2	37	52.9%	38.3	0	0.0%	0.0	0	0.0%	0.0	96,485	49.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,999	13.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,920	7.2%
15 – 19	36	31.0%	371.1	10	27.0%	103.1	0	0.0%	0.0	0	0.0%	0.0	9,700	10.1%
20 – 24	44	37.9%	392.9	10	27.0%	89.3	0	0.0%	0.0	0	0.0%	0.0	11,198	11.6%
25 – 29	16	13.8%	236.5	9	24.3%	133.1	0	0.0%	0.0	0	0.0%	0.0	6,764	7.0%
30 – 34	10	8.6%	143.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,993	7.2%
35 – 44	6	5.2%	46.4	7	18.9%	54.1	0	0.0%	0.0	0	0.0%	0.0	12,938	13.4%
45 +	4	3.4%	13.8	1	2.7%	3.5	0	0.0%	0.0	0	0.0%	0.0	28,973	30.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	509	100.0%	257.7	70	100.0%	35.4	0	100.0%	0.0	0	100.0%	0.0	195,895	100.0%
Female Total	393	77.2%	395.3	33	47.1%	33.2	0	0.0%	0.0	0	0.0%	0.0	99,410	50.7%
American Indian/Alaska Native	2	0.7%	254.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	786	0.8%
Asian/Pacific Islander	28	9.3%	250.1	2	7.1%	17.9	0	0.0%	0.0	0	0.0%	0.0	11,196	11.3%
Black/African-American	18	6.0%	861.7	5	17.9%	239.3	0	0.0%	0.0	0	0.0%	0.0	2,089	2.1%
Latina/Hispanic	142	47.2%	507.0	13	46.4%	46.4	0	0.0%	0.0	0	0.0%	0.0	28,006	28.2%
White	111	36.9%	203.1	8	28.6%	14.6	0	0.0%	0.0	0	0.0%	0.0	54,663	55.0%
Other/Multi/Not Specified	92	23.4%	-	5	15.2%	-	0	0.0%	-	0	0.0%	-	2,670	2.7%
Male Total	116	22.8%	120.2	37	52.9%	38.3	0	0.0%	0.0	0	0.0%	0.0	96,485	49.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	616	0.6%
Asian/Pacific Islander	7	7.9%	68.5	1	2.9%	9.8	0	0.0%	0.0	0	0.0%	0.0	10,222	10.6%
Black/African-American	11	12.4%	489.8	6	17.1%	267.1	0	0.0%	0.0	0	0.0%	0.0	2,246	2.3%
Latina/Hispanic	47	52.8%	158.9	19	54.3%	64.2	0	0.0%	0.0	0	0.0%	0.0	29,574	30.7%
White	24	27.0%	46.8	9	25.7%	17.6	0	0.0%	0.0	0	0.0%	0.0	51,242	53.1%
Other/Multi/Not Specified	27	23.3%	-	2	5.4%	-	0	0.0%	-	0	0.0%	-	2,585	2.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Yolo County, the July 1, 2007 estimate is 197,530).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Yuba County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2007), Race/Ethnicity (2007), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Yuba County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2007

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	203	100.0%	283.5	20	100.0%	27.9	0	100.0%	0.0	0	100.0%	0.0	74,674	100.0%
Female Total	144	70.9%	388.7	10	50.0%	27.0	0	0.0%	0.0	0	0.0%	0.0	37,044	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,739	15.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,127	8.4%
15 – 19	51	35.4%	1,569.7	1	10.0%	30.8	0	0.0%	0.0	0	0.0%	0.0	3,249	8.8%
20 – 24	45	31.3%	1,520.8	6	60.0%	202.8	0	0.0%	0.0	0	0.0%	0.0	2,959	8.0%
25 – 29	32	22.2%	1,218.6	2	20.0%	76.2	0	0.0%	0.0	0	0.0%	0.0	2,626	7.1%
30 – 34	11	7.6%	446.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,464	6.7%
35 – 44	5	3.5%	104.5	1	10.0%	20.9	0	0.0%	0.0	0	0.0%	0.0	4,786	12.9%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,094	32.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	59	29.1%	156.8	10	50.0%	26.6	0	0.0%	0.0	0	0.0%	0.0	37,630	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,958	15.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,286	8.7%
15 – 19	14	23.7%	393.3	1	10.0%	28.1	0	0.0%	0.0	0	0.0%	0.0	3,560	9.5%
20 – 24	26	44.1%	779.6	4	40.0%	119.9	0	0.0%	0.0	0	0.0%	0.0	3,335	8.9%
25 – 29	7	11.9%	227.3	1	10.0%	32.5	0	0.0%	0.0	0	0.0%	0.0	3,080	8.2%
30 – 34	8	13.6%	302.5	3	30.0%	113.4	0	0.0%	0.0	0	0.0%	0.0	2,645	7.0%
35 – 44	4	6.8%	82.6	1	10.0%	20.6	0	0.0%	0.0	0	0.0%	0.0	4,843	12.9%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,923	29.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	203	100.0%	283.5	20	100.0%	27.9	0	100.0%	0.0	0	100.0%	0.0	74,674	100.0%
Female Total	144	70.9%	388.7	10	50.0%	27.0	0	0.0%	0.0	0	0.0%	0.0	37,044	49.6%
American Indian/Alaska Native	2	1.6%	242.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	824	2.2%
Asian/Pacific Islander	6	4.8%	227.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,635	7.1%
Black/African-American	10	8.1%	1,111.1	2	22.2%	222.2	0	0.0%	0.0	0	0.0%	0.0	900	2.4%
Latina/Hispanic	40	32.3%	468.8	3	33.3%	35.2	0	0.0%	0.0	0	0.0%	0.0	8,532	23.0%
White	66	53.2%	290.2	4	44.4%	17.6	0	0.0%	0.0	0	0.0%	0.0	22,744	61.4%
Other/Multi/Not Specified	20	13.9%	-	1	10.0%	-	0	0.0%	-	0	0.0%	-	1,409	3.8%
Male Total	59	29.1%	156.8	10	50.0%	26.6	0	0.0%	0.0	0	0.0%	0.0	37,630	50.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	887	2.4%
Asian/Pacific Islander	2	4.4%	79.0	1	10.0%	39.5	0	0.0%	0.0	0	0.0%	0.0	2,533	6.7%
Black/African-American	7	15.6%	630.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,110	2.9%
Latina/Hispanic	13	28.9%	138.3	3	30.0%	31.9	0	0.0%	0.0	0	0.0%	0.0	9,399	25.0%
White	23	51.1%	103.2	6	60.0%	26.9	0	0.0%	0.0	0	0.0%	0.0	22,291	59.2%
Other/Multi/Not Specified	14	23.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	1,410	3.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Yuba County, the July 1, 2007 estimate is 71,612).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

